

**Precautionary Statements
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residues on vegetation. Protective information may be obtained from your Cooperative Agriculture Service.

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide spray mixture or rinse that cannot be used should be disposed of according to procedures approved by Federal, State, or Local disposal authorities.

CONTAINER DISPOSAL — Under 30 gallon sizes: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place. **30 gallon sizes and over:** a) Reseal containers and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL — Consult Federal, State or Local disposal authorities for approved alternative procedures.

EPA Reg. No. 10827-38

EPA Est. No. 10827-TX-1

NET CONTENTS _____ GAL.

Formula 57 FM

**Emulsifiable Concentrate To Be Used For
The Control Of Flies, Mosquitoes And
Certain Insects On Trees & Ornamentals**

ACTIVE INGREDIENTS:

Malathion* 57.00%
Xylene 33.09%

INERT INGREDIENTS:

9.91%

TOTAL 100.00%

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

Contains 5 pounds of Malathion per gallon

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Malathion may cause cholinesterase inhibition.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get prompt medical aid. Atropine is antidotal. 2-PAM is also antidotal and may be administered with Atropine.

IF INHALED: Remove to clean area and get medical attention.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with clean water for at least 15 minutes and see a physician.

25

See side panel for additional precautionary statements.



INDUSTRIAL SOLVENTS

DIVISION OF CHEMICAL SPECIALTIES, INC.

SAN MARCOS, TEXAS

10827-38

BEST DOCUMENT AVAILABLE

Formula 57 FM

Emulsifiable Concentrate To Be Used For The Control Of Flies, Mosquitoes And Certain Insects On Trees & Ornamentals

ACTIVE INGREDIENTS:	
Malathion*	57.00%
Xylene	33.09%
INERT INGREDIENTS:	
	9.91%
TOTAL	
	100.00%

*0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate.
Contains 5 pounds of Malathion per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Malathion may cause cholinesterase inhibition.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get prompt medical aid. Atropine is antidotal. 2-PAM is also antidotal and may be administered with Atropine.

IF INHALED: Remove to clean area and get medical attention.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with clean water for at least 15 minutes and see a physician.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MOSQUITO & FLY CONTROL

For Mosquito control in standing water, apply Formula 57 FM at a rate of 13 fluid ounces per acre. Mix with sufficient amount of water to assure even coverage. For area control of Mosquitoes, Flies and Small Flying Insects, dilute 1 to 28 (4 1/2 fluid ounces per gallon). Apply 2 to 3 gallons per acre as a fine mist or fog.

FLOWERS, ORNAMENTALS AND SHADE TREES

Follow general directions using 1 1/2 pints per 100 gallons of water in hydraulic sprayers or 1 1/2 gallons per 100 gallons in a mist blower (follow mist blower manufacturer's directions for dilutions based on hydraulic sprayer recommendations). APHIDS on elms, linden, maple, EUROPEAN PINE SHOOT MOTH on pines, JAPANESE BEETLE (adults) on roses, flowers, flowering ornamentals, LEAF HOPPERS on hawthorn, poplar, willow, MEALY BUGS and WHITFLIES on azales, rhododendron, laurel, andromeda, taxus, THRIPS (exposed) on roses and flowers, TARNISHED PLANT BUG on ornamental fruit trees and flowers, SAWFLIES on ash, larch, pinus, spruce; LACEBUG on rhododendron, azales, sycamore; Use 2 pints per 100 gallons water for the following insects: LEAF MINER on birch, boxwood (Apply early to mid-May. Repeat in 10 days.) TENT CATERPILLARS on flowering ornamentals. Apply when scale crawlers appear on the following insects: OAK KERMES on oak, FLETCHER SCALE on taxus, juniper, arbutus, FLORIDA JUNIPER SCALE on ornamental evergreens; EUONYMUS SCALE on pachysandra; PINE NEEDLE SCALE on pines.

NOTICE OF WARRANTY

Industrial Solvents makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

Precautions
FOR HUMANS
Avoid contact with skin, eyes and clothing.
HAZARDS
Do not breathe vapors. Do not get on clothes. Wash thoroughly with soap and water after use.
HAZARDS
Do not breathe vapors. Do not get on clothes. Wash thoroughly with soap and water after use.

DISPOSAL
Do not feed by storage or disposal. Do not reuse empty containers.
Spray mixture or rinseate disposed of according to state, or local disposal regulations.
30 gallon sizes. Triple rinse in an approved land-filling site and over: a) conditioning or b) Triple rinse, recycling, recondition, fill or bury in a safe manner.
For local disposal procedures.

327-38
27-TX-1

1 GAL.

25 See side panel for additional precautionary statements.

26

INDUSTRIAL SOLVENTS
DIVISION OF CHEMICAL SPECIALTIES, INC. SAN MARCOS, TEXAS



BEST DOCUMENT AVAILABLE

7-38