Methox-Sol

Emulsifiable Concentrate

Contains 2 Pounds Methoxychlor per Gallon

FOR CONTROL OF FLIES, MOSQUITOS, CERTAIN INSECTS ON SHADE TREES AND STORED GRAINS.

ACTIVE INGREDIENTS:	
Methoxychlor* Technical	24.8%
Xylene	70.2%
INERT INGREDIENTS	5.0%
TOTAL	100.00%

*24.8% Methoxychlor Technical is equivalent to 21.7% 2,2-bis(p-methoxyphenyl)-1, 1, 1-trichloroethane and 3.1% other isomers and reaction products.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED -- Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION. Note to physician: Gastric lavage if ingested, followed by saline catharsis. Barbituates for general sedation and convulsions.

IF INHALED - Move to a ventilated area immediately.

IF ON SKIN - IMMEDIATELY remove all contaminated clothing and wash skin with soap and water.

IF IN EYES - Irrigate with running water for at least 15 minutes and see a physician.

EPA REG. NO. 10827-44 EPA EST. NO. 10827-TX-1

NET CONTENTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

May be fatal if swallowed, inhaled or absorbed through the skin. Avoid breathing fog. Avoid contact with skin and eyes. In case of contact with skin and eyes, flush with plenty of water; for eyes, get medical attention. Do not allow to drift to areas occupied by unprotected humans or beneficial animals. Wash with soap and water after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. If swallowed, get prompt medical attention. Avoid contact with skin.

Environmental Hazards

DO NOT APPLY TO FOOD CROPS. POISONOUS TO FISH AND WILDLIFE.. Do not contaminate streams, lakes or ponds with this material. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTE: The carrier oil can burn vegetation. Use a very dry fog around desired vegetation.

Physical or Chemical Hazards

Do not pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited

PESTICIDE DISPOSAL

Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a land fill approved for pesticides or buried in a safe place away from water supplies

CONTAINER DISPOSAL

Reseal container and offer for reconditioning or triple rinse for equivalent and offer for recycling reconditioning or disposal in approved landfill or bury in a safe place.

GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

MOSQUITO BREEDING AREAS

BUILDINGS & STORAGE AREAS

Contact and Space Spray for Flies and Mosquitoes

GRAIN STORAGE BINS ELEVATOR TUNNELS (GALLERY FLOOR, HEADHOUSE) PEAS FREIGHT CARS, GRAIN TRUCKS SHIPS HOLDS

FOREST AND SHADE TREES

For control of the following insects

Insects			
Cankerworms	2	2	3
Eastern tent caterpillar	2	2	3
Elm leaf beetle	2	4	6
Fall webworm			2
Forest tent caterpillar	1		2
Gypsy moth	5	1	2
Japanese beetle	2	4	4
Leaf blister mites & Spruce mites	1.5	2	3
May beetle	1.5	2	3
Tussock moth	2	2	3

Control of Elm Bark Beetle (Vectors of Dutch Elm Disease)

Control of Elm Leafhopper (Vectors of Elm Phloem Necrosis)

NOTICE OF WARRANTY

ACCEPTED

AUG 04 1980

Under the Federal Insecticide,

INDUSTRIAL SOLVENTS

DIVISION OF CHEMICAL SPECIALTIES, INC. • SAN MARCOS, TEXAS

IND-SOL SOLVENTS CHEMICALS

BEST DOCUMENT AVAILABLE

's

r absorbed
Avoid contact
with skin and
, get medical
occupied by
s. Wash with
ore eating or
or foodstuffs.
ntion. Avoid

ISONOUS TO
nate streams,
is feeding on
apply when
is treated. Do
equipment or

tation. Use a

ds
open flame.

L
rage or disposal.

used or chemically
oved for pesticides
es

or triple rinse (or
ng or disposal in

ities for approved

Methox-Sol

Emulsifiable Concentrate

Contains 2 Pounds Methoxychlor per Gallon

FOR CONTROL OF FLIES, MOSQUITOS, CERTAIN INSECTS ON SHADE TREES AND STORED GRAINS.

ACTIVE INGREDIENTS:	
Methoxychlor* Technical	24.8%
Xylene	70.2%
INERT INGREDIENTS	5.0%
TOTAL	100.00%

*24.8% Methoxychlor Technical is equivalent to 21.7% 2,2-bis(p-methoxyphenyl)-1, 1, 1-trichloroethane and 3.1% other isomers and reaction products.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED – Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION. Note to physician. Gastric lavage if ingested, followed by saline catharsis. Barbituates for general sedation and convulsions.

IF INHALED – Move to a ventilated area immediately.

IF ON SKIN – IMMEDIATELY remove all contaminated clothing and wash skin with soap and water.

IF IN EYES – Irrigate with running water for at least 15 minutes and see a physician.

EPA REG. NO. 10827-44 EPA EST. NO. 10827-TX-1

DIRECTIONS

MOSQUITO BREEDING AREAS

BUILDINGS & STORAGE AREAS

Contact and Space Spray For Flies and Mosquitoes —

GRAIN STORAGE BINS ELEVATOR TUNNELS (GALLERY FLOOR, HEADHOUSE) PEANUT WAREHOUSES FREIGHT CARS GRAIN TRUCKS SHIPS HOLDS

FOREST AND SHADE TREES

Insects					
Cankerworms	2	2	3	4	2
Eastern Tent Caterpillar	2	2	3	4	2
Elm Leaf Beetle	2	4	4	6	
Fall Webworm			2	2	1
Forest Tent Caterpillar		5	2	3	2
Gypsy Moth	5		2	2	2
Japanese Beetle	2	4	4	4	3
Leaf Skeletonizers	1½	2	3	4	2
Mimic Beetle	2	4	3	4	2
Pissodes Weevil	4	4	3	4	2

Control of Elm Bark Beetle (Vectors of Dutch Elm Disease)

Control of Elm Leafhopper (Vectors of Elm Phloem Necrosis

NOTICE OF WARRANTY

ACCEPTED
AUG 04 1980
Under the Federal Insecticide,

NET CONTENTS

(21)

INDUSTRIAL SOLVENTS
DIVISION OF CHEMICAL SPECIALTIES, INC. • SAN MARCOS, TEXAS
IND-SOL CHEMICALS

BEST DOCUMENT AVAILABLE