

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

May be fatal if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate food, water or feedstuffs. Do not treat areas where food, feed or forage crops are growing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated areas. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not pour, spill or store around heat or open flame.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL** — Pesticide, spray mixture or rinsate that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

**CONTAINER DISPOSAL** — Under 30 gallon size: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place. 30 gallon size and over: a) Recool containers and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

**GENERAL** — Consult Federal, State or Local disposal authorities for approved alternative procedures.

**Formula VM-2  
CONTAINS DDVP AND MALATHION  
FOR FOGGING USE ONLY BY  
TRAINED PERSONNEL**

**ACTIVE INGREDIENTS:**

- \*2,2-dichlorovinyl dimethyl phosphate---2.33%
- \*Related compounds-----.17%
- \*\*Malathion-----20.00%

**INERT INGREDIENTS:**

- Petroleum Distillate-----77.50%
- TOTAL-----100.00%**

- \*Equivalent to 2.50% Vapona® Insecticide (TM) Shell Chemical.
- \*\*0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate.

**BEST AVAILABLE COPY**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Dilute 1 gallon of this product with 10 gallons of kerosene, fuel oil, diesel oil or other suitable solvent. Use as an outdoor fog to aid in the reduction of flies, mosquitos and gnats in standard fogging equipment.

A fine spray is proper fogging machine setting. Test against a sheet of non-absorptive material at approximately 15 feet away from nozzle. Barely wet is correct setting. If quite wet, damage could occur to foliage, car paint or to glass. If not wet enough, satisfactory insect control will not be obtained. With Tife, Dyna-Fog or similar machines, the rate of application should be 40 gallons prepared solution with machine moving 5 miles per hour.

**WARRANTY STATEMENT**

Industrial Solvents makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

EPA Reg. No. 10827-46

EPA Est. No. 10827-TX-1

Not Reviewed. Registrant claims to be in accordance with registration of Ft. St. Vrain, Colorado for Phase 2, 1989, Para 2.15, 2.16, 2.17, 2.18, 2.19, 2.20, 2.21, 2.22, 2.23, 2.24, 2.25, 2.26, 2.27, 2.28, 2.29, 2.30, 2.31, 2.32, 2.33, 2.34, 2.35, 2.36, 2.37, 2.38, 2.39, 2.40, 2.41, 2.42, 2.43, 2.44, 2.45, 2.46, 2.47, 2.48, 2.49, 2.50, 2.51, 2.52, 2.53, 2.54, 2.55, 2.56, 2.57, 2.58, 2.59, 2.60, 2.61, 2.62, 2.63, 2.64, 2.65, 2.66, 2.67, 2.68, 2.69, 2.70, 2.71, 2.72, 2.73, 2.74, 2.75, 2.76, 2.77, 2.78, 2.79, 2.80, 2.81, 2.82, 2.83, 2.84, 2.85, 2.86, 2.87, 2.88, 2.89, 2.90, 2.91, 2.92, 2.93, 2.94, 2.95, 2.96, 2.97, 2.98, 2.99, 3.00.

Net Contents \_\_\_\_\_ Gallons

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED** -- Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED** — Remove victim to fresh air. Apply respiration if indicated.

**IF ON SKIN** — Wash contaminated skin with soap and water.

**IF IN EYES** — Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**NOTE TO PHYSICIAN** — If symptoms of cholinesterase inhibition are present, Atropine sulfate is antidotal and may be administered with 2-PAM.

See side panel for additional precautionary statements.

Manufactured By: