

PM 25

10827-51

12/7/90

1/1

PROM-I-SOL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Precautionary Statements

Hazards to Humans & Domestic Animals

Caution Harmful If Swallowed

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over the roots of valuable trees, or woody ornamental plants. Only apply herbicide outside of the drip line of trees. Avoid spray drift to desirable plants.

PHYSICAL OR CHEMICAL HAZARDS

Do not pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide, spray mixture or residue that cannot be used should be disposed of according to procedures approved by Federal, State or local disposal authorities.

CONTAINER DISPOSAL — Under 30 gallon sizes: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place. 30 gallon sizes and over: a) reuse containers and offer for reconditioning or b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

FOR NON-SELECTIVE WEED CONTROL ON NON-CROP AREAS

AROUND BUILDINGS, STORAGE AREAS, FENCES, MACHINERY, STORAGE TANKS, RECREATIONAL AREAS, ROADWAYS, AIRPORTS, PIPELINES, INDUSTRIAL SITES AND SIMILAR AREAS

CONTAINS PRAMITOL ®

ACTIVE INGREDIENTS:

Prometon: [2, 4-bis (isopropylamino) - 6-methoxy-s-triazine] ----- 3.73%

INERT INGREDIENTS:

Petroleum Distillates ----- 96.27%
TOTAL ----- 100.00%

1 gallon contains .275 lbs. Prometon

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed, irritating to skin and eyes. Do not get on skin, in eyes or clothing. Do not breathe spray mist.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting and see physician immediately.

IF INHALED: Move to fresh air area.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with water for at least 15 minutes and see a physician.

IMPORTANT: Read the Entire Directions for Use and the Conditions of Sale and Warranty before Using this Product. Uniformly spray 1 gallon of this herbicide mixed in 10 gallons of water over 1000 sq. ft. of soil surface. Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1½ gallons of herbicide in 10 gallons of water per 1000 sq. ft. For control of hard-to-kill perennial weeds and grasses such as Johnson-grass, Bindweed and Wild Carrot, use 3 to 4½ gallons per 1000 sq. ft. Although this herbicide has considerable activity through foliar contact, much of its activity is through the roots and therefore adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface.

Registration to be in accordance with the registration of Pesticide F. 10827-51, as for Phase 2 registered, Page 2.13, of the Federal Register, Vol. 15, No. 10, 1980.

STORE AT TEMPERATURES ABOVE 32° F.

NOTICE: Since weather and other conditions under which this product may be used will vary, the Seller makes no warranty of any kind, express or implied, concerning the use of this product. The User assumes all risks of use, storage or handling of this material not in accordance with directions given herewith.

NET CONTENTS _____ GALLONS

EPA REG. NO. 10827-51
EPA EST. NO. 10827-TX-1

BEST AVAILABLE COPY