FOR INDUSTRIAL OR INSTITUTIONAL USE ONLY

IND-SOL 40

Contact Weed and Tree Killer

[illegible] 40.00%

INERT [illegible] 59.50%

[illegible] 60%

[illegible]

ACCEPTED

JUL 8 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No 10827-54

DANGER
POISON

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

DANGER

MAY BE FATAL IF SWALLOWED

[illegible]

ENVIRONMENTAL HAZARDS

[illegible] on desirable vegetation [illegible] by roots of desirable trees [illegible] food chains.

Persons not familiar with the use of [illegible] contact state forest authorities and experienced [illegible] of Extension Service. Weed [illegible] recommendations under their [illegible] only a limited area [illegible] arsenites.

STORAGE AND DISPOSAL

[illegible] container.

PESTICIDE DISPOSAL [illegible] procedures approved by [illegible] authorities.

CONTAINER DISPOSAL [illegible] **30 gallon sizes and over** [illegible] place.

GENERAL [illegible] there is for approved alternatives.

NOTICE: KEEP FROM FREEZING [illegible] cold [illegible] freeze. [illegible] This will not harm the performance [illegible] to room temperature and stir thoroughly [illegible]

KEEP OUT OF REACH OF CHILDREN

DANGER

[illegible] FIRST AID TREATMENT [illegible] NOTE TO PHYSICIAN [illegible]

[illegible] attorneys

EPA Reg No 10827-54 EPA Est No 10827-TX-1

DIRECTIONS FOR USE

[illegible] USE [illegible] with the label.

CONTACT SPRAY [illegible] areas, [illegible] yards, [illegible] roads and other small [illegible] vegetation thoroughly using 2 to 4 [illegible] of water. Apply up to 12 [illegible]

SOIL TREATMENT FOR PREVENTING SOIL FROM PLANT GROWTH IN AREAS TO BE COVERED [illegible] Ind Sol 40 with 2 gallons of water [illegible] 200 square feet. Ind Sol 40 may be also applied [illegible] desired. Where leaching is severe (30 inches or more [illegible] fall) and in clay soils and soils of high iron [illegible] toxicity will be reduced.

FRILL METHOD Used chiefly for large trees [illegible] barked trees over 6 inches in diameter in location [illegible] dead trees are not objectionable. Make downward overlapping axe cuts around the trees as low as [illegible] leave chips in place. Frill may be made below the ground level and covered with dirt to [illegible] have access to chemical residues.

[illegible] of Ind Sol 40 per gallon of water [illegible] as much of the mixture as the frilled [illegible] gallon of mixture will treat [illegible] trees [illegible] diameter to 13 trees 7 inches [illegible] Application may be made at any time of year [illegible] practicable.

STUMPS Trees should be cut near the ground. Stumps treated with undiluted Ind Sol 40 to [illegible] and pour a quantity of [illegible] Keep animals away from treated [illegible] has been absorbed. Some resprouting [illegible] of black oak and post oaks as well as [illegible] species.

WARRANTY STATEMENT

[illegible] for use of this product [illegible] The use of this product [illegible] the manufacturer makes no guarantee [illegible] as to the effects of such [illegible] in accordance with directions [illegible] The buyer must assume responsibility [illegible] damage resulting from its use [illegible] with other materials.

NET CONTENTS GA.

INDUSTRIAL SOLVENTS

DIVISION OF CHEMICAL SPECIALTIES, INC. • SAN MARCOS, TEXAS

BEST DOCUMENT AVAILABLE

TATEMENTS
lomestic Animals
R
SWALLOWED
eyes, mouth or nose
ss salty taste may
gestation to be poisoned
HAZARDS
rds and other wildlife
not apply when direct
inate water by cleaning
les. Avoid getting spray
to areas inhabited
s or bs. Do not use or
contaminate pastures or

se of arsenic shou
d experimental
nec alists for recom
ns, the, shou
ar with the

DISPOSAL
ed by storage
not
uosed
late
gallon sizes
in an approved
allon sites and over
und to
recycling reconditioning
or
or local disposal
procedures

If this product is stored
ty separate or lower
e. Before
oughly

FOR INDUSTRIAL OR INSTITUTIONAL USE ONLY

IND-SOL 40

Contact Weed and Tree Killer

ACTIVE INGREDIENTS
Sodium Arsenite 40.00%
INERT
Water 59.5
Surfactant
Total
Water
Equivalent to Arsenic Trioxide

DANGER
POISON

ACCEPTED
JUL 8 1980
Federal Insecticide
Fungicide and Rodenticide
Act under the
Pesticide Registration
EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN
DANGER

Signal Word Danger Poison

EPA Reg. No. 1082-54 EPA Est. No. 062-TX NET CONTENTS GALLONS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTACT SPRAY For knockdown control of weeds and grasses in fence rows, pipelines, tank farms, power substations, storage yards and other small enclosed industrial areas. Spray vegetation thoroughly using 2 to 4 gallons of Ind Sol 40 per 100 gallons of water. Apply at the 2 gallons of active Ind Sol 40 per acre.

SOIL TREATMENT FOR PREVENTING SOIL FROM SUPPORTING PLANT GROWTH IN AREAS TO BE COVERED BY PAVEMENT Apply 1 gallon of Ind Sol 40 with 2 gallons of water per 150 to 200 square feet. Ind Sol 40 may be also applied without water if soil is moist. After heavy rains, several inches or more annual rainfall and in clay soils and soils of high clay content arsenic toxicity may be reduced.

TREE FILL METHOD Use only for large trees and single barked trees over 4 inches diameter in locations where stand of these trees are not removable. Make downward slanting cuts around the trees as low as possible in the bark. Apply the Ind Sol 40 solution in the cuts. Do not use more than 1 gallon per 100 square feet of surface area. Do not use more than 1 gallon per 100 square feet of surface area. Do not use more than 1 gallon per 100 square feet of surface area