

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wash all contaminated clothing with soap and hot water before re-use. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not allow children to contact treated areas until surfaces are thoroughly dry. Avoid contamination of feed, food, food processing equipment and food handling surfaces. **DO NOT USE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR PROCESSED.**

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Do not spray, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use undiluted in and around buildings. Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Not to be used as a mosquito larvicide. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide, spray mixture or rinse that cannot be used should be disposed of according to procedures approved by Federal, State or local disposal authorities.

CONTAINER DISPOSAL — Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by State and local authorities.

GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

RECEIVED
FEB 2 1957
10827-57

SECT-O-SOL

RESIDUAL INSECTICIDE

CONTAINS BAYGON®

FOR PROFESSIONAL, INDUSTRIAL AND INSTITUTIONAL USE

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Wigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Paperlice, Punkies, Flies, Scorpions, Silverfish, Sowbugs and Spiders. Exposed stages of Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour & Red Flour Beetles, and Saw-toothed Grain Beetles.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate* 1.0
Petroleum Distillates. 90.0

INERT INGREDIENTS. 9.0
TOTAL 100

BAYGON® is the registered trademark of the Parent Co. of Farbenfabriken GmbH, Leverkusen.

* U.S. Patent No. 3,111,539

Canadian Patent No. 725,204

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed, irritating to skin and eyes. Do not get on skin in eyes or on clothing. Do not breathe spray mist.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Do not induce vomiting — CALL A PHYSICIAN IMMEDIATELY. Never give anything to an unconscious person.

NOTE TO PHYSICIAN: Atropine sulfate is antidotal

IF INHALED — Move to fresh air area.

IF ON SKIN — Wash immediately with soap and warm water.

IF IN EYES — Flush eyes with plenty of water. Get medical attention.

See side panel for additional precautionary statements.

EPA Reg. No. 10827-57

EPA Est. No. 10827-TX-1

 **INDUSTRIAL SOLVENTS**
DIVISION OF CHEMICAL SPECIALTIES, INC. • SAN MARINO, CALIF.

BEST AVAILABLE COPY

DIRECTIONS FOR USE CONTINUED:

COCKROACHES—Thoroughly treat the infested area. Spray baseboard, cracks and crevices; around window and door frames, under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes and floor drains.

ANTS—Apply to trails and places where ants enter, such as window and door frames, spray hills and runways outdoors.

CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTH, RED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES (EXPOSED STAGES)—Thoroughly treat floors and walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

SILVERFISH, FIREBRATS AND PAPERLICE—Apply to localized areas infested by these insects.

BROWN DOG TICKS—Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animals quarters after spraying of pet area. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOW-BUGS, SCORPIONS AND SPIDERS—Thoroughly spray the interior and exterior perimeter of the infested premises. For CLOVER MITES, give special attention to window frames.

FLEAS, FLIES, GNATS, MOSQUITOS, PUNKIES AND SANDFLIES—(Outdoors only)—Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

FOOD HANDLING ESTABLISHMENTS—

NON FOOD AREAS FOR CONTROLLING ANTS, ROACHES, FLIES, WATER BUGS, CRICKETS, SILVERFISH AND SPIDERS.

NON FOOD AREAS—Include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboards, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NET CONTENTS _____ GALLONS



BEST AVAILABLE COPY