PRECAUTIONARY STATEMENTS Hazarda to Humana & Domestic Animala-CAUTION

Many he harmful If profitated, inhalad or absorbed through the skin. Do not got in over on July or on clothing. Avaid breathing servy mist. Wash all contaminated clothing with same and her water before rause. Do not easily to animals. Russian note and cover fish bowls before apraying. Do not allow children to contact treated areas until surfaces are thereughly dry. Avoid conteniesties of feed feed feed processing equipment and food handling surfaces. DO NOT LISE IN POOD AREAS OF POOD HANDLING ESTABLISHMENTS. RESTAURANTS OR OTHER AREAS WHERE POOD IS COM-MERCIALLY PREPARED OR PROCESSED.

ENVIRONMENTAL HAZAROS

This product is taxle to birds and wildlife. Keep out of lakes, streams or sonds. Do not center inste water by cleaning of equipment or disposal of wester.

PHYSICAL OR CHEMICAL HAZARDS

PLANMABLE - Do not apray, pour, spill or store near heat or ages flore.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use undituted in and around littlidings. Apply with a lew-pressure service equipmed with a course term negale. Service surfaces and until wet. Avoid excessive run-off. Apply to all insect breading sites and harborages. Her to be used as a messuite larvacide. Also treat adjacent expected surfaces where insects may crawl when they come out of hirling. Report transment as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping it wohibited. Do not rouse empty container.

PESTICIDE DISPOSAL -- Posticide, apray mixture or rineate that cannot be used should be disposed of according to procedures approved by Federal, State or Local discosal authorities.

CONTAINER DISPOSAL - Triple rinse (or eqivelent) and offer for recycling or reconditioning, or dispose of in a senitary landfill or by incineration If permitted by State and local authorities.

GENERAL -- Consult Federal, State or local disposal authorities for approved alternative procedures.

PM

10827-57 SECT-O-SOL

RESIDUAL INSECTICIDE

CONTAINS BAYGON®

FOR PROFESSIONAL INDUSTRIAL AND INSTITUTIONAL USE

KILLS: Ants, Brown Dog Ticks, Continuedes, Cockrosches, Clever Miss, Crickets, Estwist. Firebrets, Flore, Fline, Grane, Millipedes, Managinees, Papartice, Punkies, Sandflies, Scorpions, Silverfish, Sowbuce and Spiders, Exposed steems of Cadelles, Cigarette Bootles, Drugstere Bootles, Indian Meel Maths, Mediterrancen Flour Meths, Red Flour Bootles, and Sew-toothed Grain Bootles.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol

methyl carbamate----1.00%

INERT INGREDIENTS:

Petroleum Distillates----99.00%

BAYOON® is the registered trackerset of the Parent Co. of Farbandshriken Bayer GmbH. Leverkuses.

* U.S. Patent No. 2,111,539

Canadian Patent No. 725,204

KEEP OUT OF REACH OF CHILDREN

CAUTION

Hermful If awallowed, irritating to skin and eves. Do not get on skin. in eyes or on clothing. Do not broothe seray mist.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWSO -- Do not induce verniting -- CALL A PHYSICIAN IMMED-IATELY. Never give anything to an unconscious person,

NOTE TO PHYSICIAN: Atropine sulfate is antidetal

IF MONALED -- Move to fresh air area.

IF ON SKIN -- Wash immediately with seen and warm water.

IF IN EYES - Plush eyes with plenty of water. Get medical ettention.

See side penal for additional processionery statements.

EPA Res. No. 10827-87

E.'A Set. No. 10827-TX-1

DIRECTIONS POR USE CONTINUED:

COCKRONCHES — Therefore the infected area. Spray bearboard, cracks and cravicas; around window and dear frames, under surfaces of shelves, drawers and work tables; behind and beneath one gabings, refrigerators, sinks and stoves; in and around waste containing, switch penals, junction boxes and floor drains.

ANTS — Apply is tralls and places where ants enter, such as window and door ffemal, spray hills and runways outdoors.

CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTH, RED FLOUR BEETLES. SAWTOOTHED GRAIN BEETLES (EXPOSED STAGES) - Thoroughly troof floors and walls of the infested area with attention to cracks, crevices. corners and perimeters. Senitation and dust control are of primery imperiance. Furnigate or destroy infested products.

SILVERFISH, FIREBRATS AND PAPERLICE - Apply to localized areas infested by these insects.

BROWN DOG TICKS - Spray sleeping quarters of path, around bestboards, window and door frames, wall cracks and local areas of floors. Repeat as needed, Fresh bedding should be placed in animals quarters after serving of pet area. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOW-BUGS, SCORPIONS AND SPIDERS - Thoroughly soray the interior and exterior perimeter of the infected premises. For CLOVER MITES, also special attention to window frames.

PLEAS FLIES GNATS MOSQUITOS PUNKIES AND SANDFLIES -(Cutdoors only) - Soray infested areas thereuchly, including outside surfaces of acrooms, doors, window frames, foundations, police and other areas where insects may enter.

POOD HANDLING ESTABLISHMENTS -

NON FOOD AREAS FOR CONTROLLING ANTS, ROACHES, FLIES, WATER BUGS. CRICKETS, SILVERFISH AND SPIDERS.

NON FOOD AREAS - Include perbago rooms, levateries, floor drains tto sewers), entries and vestibules, offices, locker reems, machine reams, beller reams, paragos, map closets and storage (after canning or bottling). Apply to baseboards, around water pipes, surfaces behind and beneath sinks, lockers, tables, pollets and similar areas where insects hide or through which they may enter.

> NET CONTENTS **_GALLONS**