

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER — Harmful If Swallowed

Corrosive. Causes eye damage. Do not get into eyes. Wear goggles or face shield when handling. May be harmful or fatal if swallowed.

ENVIRONMENTAL HAZARDS — This product is toxic to fish. Application rates in excess of 0.14 parts per million will kill fish and other aquatic life. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open burning or dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of in an incinerator or landfill approved for pesticide containers or bury in a safe place.

GENERAL: Consult federal, state or local authorities for approved alternative procedures such as limited open burning.

ALGAE-X

FOR CONTROL OF ALGAE IN SMALL LAKES AND PONDS

ACTIVE INGREDIENTS:

Copper Sulfate Pentahydrate

99.00%

INERT INGREDIENTS:

TOTAL

1.00%

100.00%

Copper as metallic not less than 25.20%

Keep Out of Reach of Children
DANGER

HARMFUL IF SWALLOWED — DO NOT INHALE THE DUST AND KEEP DUST OUT OF EYES.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Promptly drink a large quantity of egg whites, milk, or gelatin solution. If these are not available, drink large quantities of water. Call a physician immediately.

IF INHALED — Move victim to fresh area.

IF ON SKIN — Wash thoroughly with soap and water.

IF IN EYES — Flush with clean water for at least 15 minutes and see a physician.

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For algae control in lakes and ponds. Apply in late spring or early summer before the water warms. For algae control use 3 pounds (1.103 ppm) in waters with a total alkalinity of 2 lbs. of Algae-X per acre foot (0.75 ppm) in waters with a total alkalinity (soft water).

TREATMENT METHODS:

Any method that dissolves Algae-X evenly over the lake or pond surface. Commonly used methods include:

- A. Dissolving the Algae-X in water in a bucket and spraying the lake or pond surface.
- B. Placing the Algae-X in a mesh bag and floating it in the lake until dissolved.
- C. Using plastic sprinkling cans to apply the Algae-X from a boat.

NOTE: In treating small ponds or tanks use 1 ounce of Algae-X to each 1000 cubic feet (1.003 ppm). Apply when algae first appears.

EPA Reg. No. 10827-61

Net Contents



INDUSTRIAL SOLVENTS

DIVISION OF CHEMICAL SPECIALTIES, INC. • SAN MARCOS, TEXAS

BEST DOCUMENT AVAILABLE

STATEMENTS

AND DOMESTIC ANIMALS

Harmful If Swallowed

Do not get into eyes. Wear goggles. May be harmful or fatal if swallowed. This product is toxic to fish. A few parts per million will kill fish and contaminate water by cleaning of equip-

LAND DISPOSAL

Do not use in water, food or feed by storage. Dumping is prohibited. Do not reuse

that cannot be used or chemically treated in a landfill approved for pesti- away from water supplies.

Do not burn in an incinerator or landfill ap- bury in a safe place.

Do not use or local authorities for approved method open burning.

ACCEPTED
 10827-61
ALGAE-X
 FOR CONTROL OF ALGAE IN SMALL LAKES AND PONDS

ACTIVE INGREDIENTS:	
Copper Sulfate Pentahydrate	99.00%
INERT INGREDIENTS:	1.00%
TOTAL	100.00%
Copper as metallic not less than	25.20%

Keep Out of Reach of Children
DANGER

HARMFUL IF SWALLOWED — DO NOT INHALE THE DUST AND KEEP DUST OUT OF EYES.

STATEMENT OF PRACTICAL TREATMENT
 IF SWALLOWED — Promptly drink a large quantity of egg whites, milk, or gelatin solution. If these are not available, drink large quantities of water. Call a physician immediately.
 IF INHALED — Move victim to fresh area.
 IF ON SKIN — Wash thoroughly with soap and water.
 IF IN EYES — Flush with clean water for at least 15 minutes and see a physician.

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For algae control in lakes and ponds. The best time to apply this product is late spring or early summer before the water in the pond or lake gets warm. For algae control use 3 pounds of Algae-X per acre foot of water (1.103 ppm) in waters with a total alkalinity of 100 ppm (hard water). Use 2 lbs of Algae X per acre foot (0.75 ppm) in waters with less than 100 ppm alkalinity, (soft water).

TREATMENT METHODS:
 Any method that dissolves Algae-X evenly will be satisfactory and commonly used methods include

- A. Dissolving the Algae-X in water and spraying it evenly over the lake or pond surface.
- B. Placing the Algae-X in a mesh or woven sack and dragging it over the lake until dissolved.
- C. Using plastic sprinkling cans to distribute the dissolved Algae-X from a boat.

NOTE: In treating small ponds or tanks for algae control use approximately 1 ounce of Algae-X to each 1000 cubic feet of water (2.722 lbs. per acre foot) (1.003 ppm). Apply when algae are visible and repeat as algae re-appears.

EPA Reg. No. 10827-61 EPA Est. No. 10827-TX-1

Net Contents _____ lbs.

INDUSTRIAL SOLVENTS
 DIVISION OF CHEMICAL SPECIALTIES, INC. • SAN MARCOS, TEXAS

IND-SOL
 SOLVENTS
 CHEMICALS

BEST DOCUMENT AVAILABLE