

# ANTICAL

## I-ODO-CAL

CLEANER-SANITIZER

**ACTIVE INGREDIENTS:**

a-(p-Nonylphenyl)-omega-hydroxypoly(oxyethylene)-iodine complex . . . 18.05%  
(Providing 1.75% Titratable Iodine)  
Phosphoric Acid . . . . . 16.00%

**INERT INGREDIENT:**

Manufactured under U.S. Patent Nos. 2,931,777 2,977,315 3,028,299 . . . . . 65.95%

**IMPORTANT:** I-ODO-CAL Cleaner-Sanitizer has its own indicator of sanitizing activity. The amber or yellow colors shows the presence of the active ingredient —iodine. When the color fades, prepare a fresh solution. I-ODO-CAL Cleaner-Sanitizer is not adversely affected by water hardness or cold water.

**AUTHORIZED FOR USE ON FOOD PROCESSING EQUIPMENT AND UTENSILS WITHOUT RINSING, WHEN USED AS DIRECTED, IN ACCORDANCE WITH FEDERAL REGULATION NO. 121.2547.**

Formulated from biodegradable detergents.

**DANGER: Keep Out Of The Reach Of Children**

Corrosive to tissues. (See additional precautions on left panel)

EPA Reg. No. 10833-2



**ANTICAL CHEMICALS INCORPORATED**

770 EXCHANGE ST., ROCHESTER, NEW YORK 14608

**DIRECTIONS FOR USE**

**FOR MILKING EQUIPMENT:**

**CLEANING OPERATIONS:**

1. Thoroughly flush all utensils and milking machines with cold or lukewarm water immediately after each milking. Continue until ALL the milk is washed out. DO NOT use hot water.
2. Fill wash tank with lukewarm water (90°F) to which is added one (1) ounce of I-ODO-CAL Cleaner-Sanitizer for each five (5) gallons of water. (Provides 25 ppm titratable iodine.)
3. Take milking machines apart. Immerse air-hoses, inflations, and all parts except pulsator in I-ODO-CAL Cleaner-Sanitizer solution before brushing. Wash pails and strainers in same solution.

**SANITIZING OPERATIONS:**

4. In the rinse tank, add one-half ounce of I-ODO-CAL Cleaner-Sanitizer for each five (5) gallons of lukewarm water to assist in preventing recontamination of sanitized equipment by contaminated rinse water and by possible carry-over of organic matter from the wash tank. (Provides 12.5 ppm titratable iodine.)
5. Immerse washed utensils and milking machine parts in the rinse tank solution for at least two (2) minutes. Where local Code permits, drain thoroughly but do not rinse.
6. Before each milking, assemble and flush machines with an I-ODO-CAL Cleaner-Sanitizer solution, containing one-half ounce of I-ODO-CAL Cleaner-Sanitizer to 5 gallons of cold water. (Provides 12.5 ppm titratable iodine.)

**NOTE:** Use freshly made solutions for each morning and night milking. Where Health Departments require dismantling twice a day, the same method would be used at night as in the morning.

Follow State and Local Health Department requirements covering cleaning and sanitizing.

**ACCEPTED**

JUN 14 1972

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 10833-2

10833-2

NET CONTENTS