

POP & CLEAN

CHLORINE CLEANER SANITIZER

E.P.A. Reg. No. 10052-3

ACTIVE INGREDIENTS.

Sodium Dichloro s-triazinetrione	7.25%
Sodium Metasilicate	15.40%
Trisodium Phosphate Monohydrate	39.25%
Sodium Lauryl Sulfate	0.10%
Inert Ingredients*	38.00%
	<hr/> 100.00%

*The inert ingredients represent efficient cleaning agents.

RECOMMENDED AS A CLEANER/SANITIZER FOR HARD SURFACE FOOD CONTACT AREAS AND FOOD PROCESSING EQUIPMENT IN ALL FOOD HANDLING AND FOOD PREPARATION AREAS OF RESTAURANTS, COMMISSARIES, FAST-FOOD AND BEVERAGE SERVICE UNITS. SEE DIRECTIONS FOR USE ON BACK OF THIS POUCH.

DANGER:

KEEP OUT OF REACH OF CHILDREN. SEE PRECAUTIONS ON BACK LABEL.

NET CONTENTS; 1 OUNCE
SCIENTIFIC PACKAGING CORP.
ELIZABETH, NEW JERSEY 07207

DIRECTIONS

1. Mix the contents of this pouch with 3 gallons of warm water. Rinse empty pouch thoroughly with water and discard it.
 2. Scrape all particulate material off surfaces to be cleaned.
 3. Apply cleaner/sanitizer solution with clean cloth and wash surfaces thoroughly.
 4. Rinse with clean water and dry.
- E.P.A. EST. NO. 10052-NJ-1

When used as directed product provides a 100 ppm chlorine sanitizing solution. Chlorine Cleaner/Sanitizer solution is an effective hard surface cleaner and sanitizer, especially in food preparation areas. It is recommended for the removal of fats, greases and vegetable stains from food contact surfaces, as well as sanitizing such surfaces.

DANGER: Harmful if swallowed. Do not take internally. If swallowed, induce vomiting and call a physician. May cause burns or damage to the eyes. Do not get on skin or in eyes. In case of eye contact, flush with plenty of water for 15 minutes and get medical attention. If contacted with skin, flush with plenty of water. Avoid contamination of food. Avoid inhalation of dust.

ACCEPTED

JUL 2 1974

UNITED STATES FEDERAL AGENCIES
PURCHASE AND POSSESSION FOR
FOOD INSPECTION SERVICE
EPA REG. NO. 10052-3

1085-2-3

POP & CLEAN

CHLORINE CLEANER SANITIZER

E.P.A. Reg. No. 10852-3

ACTIVE INGREDIENTS.

Sodium Dichloro s-triazinetrione	7.25%
Sodium Metasilicate	15.40%
Trisodium Phosphate Monohydrate	39.25%
Sodium Lauryl Sulfate	0.10%
Inert Ingredients*	38.00%
	100.00%

*The inert ingredients represent efficient cleaning agents.

RECOMMENDED AS A CLEANER/SANITIZER FOR HARD SURFACE FOOD CONTACT AREAS AND FOOD PROCESSING EQUIPMENT IN ALL FOOD HANDLING AND FOOD PREPARATION AREAS OF RESTAURANTS, COMMISSARIES, FAST-FOOD AND BEVERAGE SERVICE UNITS. SEE DIRECTIONS FOR USE ON BACK OF THIS POUCH.

DANGER:

KEEP OUT OF REACH OF CHILDREN. SEE PRECAUTIONS ON BACK LABEL.

NET CONTENTS: 1 OUNCE
SCIENTIFIC PACKAGING CORP.
ELIZABETH, NEW JERSEY 07207



- ### DIRECTIONS
1. Mix the contents of this pouch with 3 gallons of warm water. Rinse empty pouch thoroughly with water and discard it.
 2. Scrape all particulate material off surfaces to be cleaned.
 3. Apply cleaner/sanitizer solution with clean cloth and wash surfaces thoroughly.
 4. Rinse with clean water and dry.

E.P.A. EST. NO. 10852-MJ-1

When used as directed product provides a 100 ppm chlorine sanitizing solution. Chlorine Cleaner/Sanitizer solution is an effective hard surface cleaner and sanitizer, especially in food preparation areas. It is recommended for the removal of fats, greases and vegetable stains from food contact surfaces, as well as sanitizing such surfaces.

DANGER: Harmful if swallowed. Do not take internally. If swallowed, induce vomiting and call a physician. May cause burns or damage to the eyes. Do not get on skin or in eyes. In case of eye contact, flush with plenty of water for 15 minutes and get medical attention. If contacted with skin, flush with plenty of water. Avoid contamination of food. Avoid inhalation of dust.

ACCEPTED

JUN 2 1974

UNITED STATES FEDERAL GOVERNMENT
PURCHASE AND MONITORING ACT
FOR FEDERAL AGENCY USE ONLY
DO NOT WRITE IN THESE SPACES

10852-3


DIRECTIONS

1. Mix the contents of this pouch with 3 gallons of warm water. Rinse empty pouch thoroughly with water and discard it.
2. Scrape all particulate material off surfaces to be cleaned.
3. Apply cleaner/sanitizer solution with clean cloth and wash surfaces thoroughly.
4. Rinse with clean water and dry.

When used as directed Chlorine Cleaner/Sanitizer provides a 100 ppm chlorine sanitizing solution.

Chlorine Cleaner/Sanitizer solution is an effective hard surface cleaner and sanitizer, especially in food preparation areas. It is recommended for the removal of fats, greases and vegetable stains from food contact surfaces, as well as sanitizing such surfaces.

DANGER: Harmful if swallowed. Do not take internally. If swallowed, induce vomiting and call a physician. May cause burns or damage to the eyes. Do not get on skin or in eyes. In case of eye contact, flush with plenty of water for 15 minutes and get medical attention. If contacted with skin, flush with plenty of water. Avoid contamination of food. Avoid inhalation of dust. 4001-01



NET CONTENTS: 1 OUNCE
SCIENTIFIC PACKAGING CORP.
ELIZABETH, NEW JERSEY 07207

POP & CLEAN®

CHLORINE CLEANER SANITIZER

E.P.A. Reg. No. 7002-3

ACTIVE INGREDIENTS:


Sodium Dichloro-s-triazinetrione	1.0%
Sodium Metasilicate	1.0%
Tetradium Phosphate Monohydrate	3.0%
Sodium Lauryl Sulfate	8.0%
Inert Ingredients*	87.0%
	100.0%

*The inert ingredients represent efficient cleaning agents.

RECOMMENDED AS A CLEANER/SANITIZER FOR HARD SURFACE FOOD CONTACT AREAS AND FOOD PROCESSING EQUIPMENT IN ALL FOOD HANDLING AND FOOD PREPARATION AREAS OF RESTAURANTS, COMMISSARIES, FAST-FOOD AND BEVERAGE SERVICE UNITS. SEE DIRECTIONS FOR USE ON BACK OF THIS POUCH.

DANGER:
KEEP OUT OF REACH OF CHILDREN. SEE PRECAUTIONS ON BACK LABEL.

**NET CONTENTS; 1 OUNCE
SCIENTIFIC PACKAGING CORP.
ELIZABETH, NEW JERSEY 07207**



DANGER: Harmful if swallowed. Do not take internally. If swallowed, induce vomiting and call a physician. May cause burns or damage to the eyes. Do not get on skin or in eyes. In case of eye contact, flush with plenty of water for 15 minutes and get medical attention. If contacted with skin, flush with plenty of water. Avoid contamination of food. Avoid inhalation of dust. 4001-01

PRECAUTIONS

1. Do not breathe dust or fumes.
2. Do not get in eyes, on face, or on clothing.
3. Wash hands thoroughly after use.
4. Do not use in confined spaces.

L.P.A. EST. NO. 10002 NJ 1

ACCEPTED

JUL 2 1974

UNITED STATES DEPARTMENT OF HEALTH AND HUMAN SERVICES
 FEDERAL BUREAU OF INVESTIGATION
 1000 PENNSYLVANIA AVENUE, N.W.
 WASHINGTON, D.C. 20535

108523

DANGER - Harmful if swallowed. Do not take internally. If swallowed, induce vomiting. Do not use if container is damaged. Do not use if contents are dry. Wash hands thoroughly after use. If exposed to work, wear protective clothing. Read complete instructions on label.

CONTENTS

1.0 LITER (33.8 FL. OZ.)

NET CONTENTS: 1.0 LITER (33.8 FL. OZ.)

SCIENTIFIC EQUIPMENT COMPANY
 1000 PENNSYLVANIA AVENUE, N.W.
 WASHINGTON, D.C. 20535

BEST DOCUMENT AVAILABLE