

**EVANS**  
**STAIN & WOOD**  
**PRESERVATIVE**  
**Solid Color**



Brings out the natural beauty of wood.  
 Protects against moisture, mildew, and rot.



Buckskin  
 04-48361

One U.S. Gallon  
 3.785 Liters

**WARNING**  
 KEEP OUT OF REACH OF CHILDREN  
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

EPA Reg. No.	EPA Est.	
Active ingredient bis(tributyltin) oxide	0.4%	
Inert Ingredients	99.6%	
	100.0%	

# STAIN & WOOD PRESE



STAIN & WOOD PRESE  
CONCENTRATE  
FOR ALL WOOD SURFACES  
RESISTANT TO WATER, OIL, AND  
SUNLIGHT

1.5 LITERS (50 FL OZ) - 100% SOLID CONTENT

## WARNING

Keep out of reach of children

Keep out of reach of children

Keep out of reach of children

ENVIRONMENTAL HAZARDS


PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE  
Apply a liberal coating of product to all wood surfaces  
using a brush, roller, or sprayer. Allow to dry.  
Reapply as needed.

Keep out of reach of children

Keep out of reach of children

Keep out of reach of children




# STAIN & WOOD PRESERVE



Protects against moisture.



Protects against mildew.



## PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS

### WARNING

- **AVOID CONTACT WITH EYES.** If contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.
- **AVOID CONTACT WITH SKIN.** Causes skin irritation. Wash with soap and water. If irritation persists, get medical attention.
- **AVOID CONTACT WITH CLOTHING.** Wash clothing with soap and water. Wash clothing before re-use. Do not reuse empty container. Wrap container and put in trash collection.

### ENVIRONMENTAL HAZARDS

Do not pollute water. Do not keep out of lakes, streams or ponds. Do not pollute water by cleaning of equipment or disposal of wastes.

### PHYSICAL OR CHEMICAL HAZARDS

**COMBUSTIBLE.** Keep away from heat, sparks or open flame. Use with adequate ventilation.

### DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

### STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

Keep out of reach of children

## EVANS STAIN AND WOOD PRESERVATIVE

Evans Stain and Wood Preservative is a water-based, oil-free, penetrating wood preservative that protects wood from decay, mildew, and mold. It is formulated with a special penetrating agent that penetrates deep into the wood fibers to provide long-lasting protection. It is available in a ready-to-use liquid form and is suitable for use on all types of wood.

### Where To Use:

Evans Stain and Wood Preservative is suitable for use on all types of wood surfaces, including decks, fences, railings, and outdoor furniture. It is also suitable for use on interior wood surfaces, such as trim, doors, and windows.

### How To Use:

Evans Stain and Wood Preservative is applied by brush, spray, or dip. It is suitable for use on all types of wood surfaces.


### Application:

Apply Evans Stain and Wood Preservative to the wood surface to be protected. Use a brush, spray, or dip to apply the product. Allow the product to penetrate the wood for 24 hours before use. The product is suitable for use on all types of wood surfaces.

### Coverage:


One gallon of Evans Stain and Wood Preservative covers approximately 100 square feet of wood surface. Coverage may vary depending on the type of wood and the condition of the surface.

# EVANS STAIN & WOOD PRESERVATIVE Solid Color



Brings out the natural beauty of wood.  
Protects against moisture, mildew, and rot.

Buckskin  
04-48361



One U.S. Gallon  
3.785 Liters

**WARNING**  
KEEP OUT OF REACH OF CHILDREN  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

EPA Reg No	EPA Est
Active Ingredient: bis (tributyltin) oxide	0.4%
Inert Ingredients	99.6%
	100.0%