

ALGICIDE X-20

COMPOSITION

	Percent By Weight
Active Ingredient	15.0 percent
Alkyl (C ₁₂ 65%, C ₁₄ 25%, C ₁₆ 10%) Dimethyl Benzyl Ammonium Chloride	
Inert Ingredient	85.0 percent
Active Ingredients Per Gallon of Product	1.2 lbs.

APPLICATION

ALGICIDE X-20 is a specially prepared product for controlling algae and bacteria in industrial and commercial recirculating cooling towers, evaporative condensers and air washers. Prior to its use in air washers, the system should be pre-cleaned, if dirty, by applying a suitable detergent solution to the air washer tank. Let system run 2 hours with fan off. Dump and flush tank. Check all nozzles. Remove plugged nozzles and clean manually. Air washer waters subject to acidifying materials require periodic adjustment of pH with alkaline additives. An initial slug addition of 1 to 1½ quarts of ALGICIDE X-20 per 1000 gallons of water should be used, depending on the condition of the system at the time of the initial slug addition. Subsequent slug additions require application of the product in a quantity from 0.7 to 1 quart per 1000 gallons of water in the system, to be repeated every 2 to 3 days or as needed. If microbial growth is noticed, the initial slug addition is used and repeated as needed until control is evident. When or where microbial growths are under control, use the subsequent slug addition range. Heavy contaminations of slime or scale must be removed manually. ALGICIDE X-20 may be added in the tower sump, tower basin, or on distribution decks.

DANGER

KEEP OUT OF REACH OF CHILDREN

Harmful or fatal if swallowed. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. In case of contact, immediately flush with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink PROMPTLY large amounts of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Avoid contamination of food.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

This product is toxic to fish. Do not discharge treated effluent directly into lakes, streams or ponds.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

EPA Reg. No. 10867-3

Manufactured By
WATER SERVICES, INC.

LOVELL ROAD
KNOXVILLE, TENNESSEE 37919

ACCEPTED

8-3-72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE
ACT FOR CONTROL OF PESTS
REGISTERED UNDER NO. 10867-3