U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567)	EPA REGISTRATION NO.	DATE OF ISSUANCE
	10337-12	DATE OF 1950AIGE
WASHINGTON, D.C. 20460	TERM OF ISSUANCE	1 4 DEC 1983
WASHINGTON, DIC. 20460		
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODU	CT
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	437+17	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u></u>	
_		
•		
L	L	
NOTE: Changes in labeling formula differing in substance is submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	or to use of the label in commer	n with this registration must be ce. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	by Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is ret	urned herewith.
Registration is in no way to be construed as an indorsemen health and the environment, the Administrator, on his motionicide in accordance with the Act. The acceptance of any nation and to be construed as giving the registrant a right to the construed as giving the registrant a right to the state.	on, may at any time suspend or ame in connection with the regi	cancel the registration of a pest- stration of a product under this
by others.		
· · · · · · · · · · · · · · · · · · ·		
tuatrus va		
and production of the second s	Consultation of the account	Section 1. Company of the company of
Substitute that a second of the second of the second	Consultation of the account	Section 1. Company of the company of
in agreed to be the control of the following services of the control of the following services o	Consultation of the account	
pangrad to the second of the Rabel La Strong Alacendary and the Rabel La	and to the second	
sangrad the second seco	and to the second	
Strong the control of	and to the second	
Stronger in the second of the Carelle is a secon	Consideration of the second of	men en e
Stronger van de	anchosel for marine and a service of the service of	men en e
Simponia in the second of the simponia in the second of the leaved is a second of the leaved is a second of the se	anchosel for marine and a service of the service of	men en e
Sittingment of the second of the Residence of the second o	anchosel for marine and a service of the service of	men en e
Stronger van de	anchosel for marine and a service of the service of	men en e

and the contract of the contra

BAF-90

# ACCEPTED with COMMENTS in EPA Letter Dated:

DEC 14 1983

<del></del>	Function and
INCH! INGHEDICITS	1.1 lb. of active ingredient per gallon and
KEEP OUT OF	REACH OF CHILDREN

## WARNING

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food, Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give enything by mouth to an unconscious person.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

### BEST DOCUMENT AVAILABLE

Manufactured by:
Water Services, Inc.
856_Lovell Road
Knoxville, TN 37933-0339
EPA Reg. No EPA Est. No
Net Contents:

#### DIRECTIONS FOR USE GENERAL CLASSIFICATION

	It is a violation of Federal law to use this product in a manner inconsistent with
its	labeling.

DATE 00

DAT - 30	is used in industrial and/or commercial
recirculating cooling tower sys microbiological slime, Prior to the	tems and industrial air-washing systems to control use of $\underline{BAF-90}$ in
industrial and/or commercial red	circulating cooling tower systems, systems should be
cleaned to remove algal growth, r	nicrobiological slime, and other deposits. Then make an
initial slug addition of 9.5 to	14.2 fl. oz. of BAF-90
per 1000 gal. of water to provide	80_ to120_ppm of
BAF-90 , based on to	otal weight of water in the system. Repeat initial dosage
	sequent slug addition of $4.7$ to $14.2$ fl. oz. of per 1000 gal. of water ( $40$ to $120$
	) every 2 to 5 days or as needed. The frequency
	relative amount of bleedoff and the severity of the
	ditions should be made in the sump of recirculating cool-
ing tower systems.	•
	is used in industrial air-washing systems
	inating components. Prior to its use, systems should be
cleaned to remove bacterial slime	and other deposits. An initial slug dose of 22.2 to
28.4 fl. oz. of BAF-90	per 1000 gal. of water is
	ice unai control is evident. Suuseubelli suub ebuluubis vi
	ge until control is evident. Subsequent slug additions of RAF~90
16.5 to 28.4 fl. oz. of	BAF-90 per 1000
16.5 to 28.4 fl. oz. of gallons of water should be employ	per 1000 red every 1 to 5 days, or as needed. The frequency of ad-
16.5 to 28.4 fl. oz. of gallons of water should be employ dition depends upon the relative a	per 1000 per
16.5 to 28.4 fl. oz. of gallons of water should be employ dition depends upon the relative a	per 1000 red every 1 to 5 days, or as needed. The frequency of ad-

#### BEST DOCUMENT AVAILABIF

#### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited PESTICIDE DISPOSAL: Pesticide, spray mixture, or tinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies. CONTAINER DISPOSAL:

METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.

PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for recycling, reconditioning, or

GENERAL Consult Federal, State, or Local disposal authorities for approved alternative procedures.

disposal in an approved landfill or buried in a sale place.

ري ا