

TIFCHEM

SEVIN*

Copper-Sulfur 5-3.4-70

PEANUT DUST

NET WEIGHT 50 LBS.

Active Ingredients	By Wt
Carbaryl, 1-naphthyl N-methyl carbamate	5.0%
Copper, In mixture of cuprous and cupric oxides expressed as metallic	3.4%
Sulfur	70.0%
Inert ingredients	21.6%

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS; WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE.

DIRECTIONS

PEANUTS: Blister Beetles, Mexican Bean Beetle, Early and Late Leaf Spot Infections 10 to 20 lbs per acre. Thrips, Leafhoppers, Three-cornered Alfalfa Hopper, Cucumber Beetles, Bean Leaf Beetle, Japanese Beetle, Alfalfa Caterpillar, Velvet Bean Caterpillar 20 to 30 lbs per acre. Armyworm, Webworms, Corn Earworm, Stink Bugs 20 to 30 lbs per acre. Grasshoppers 10 to 20 lbs per acre. Apply to the day of harvest or earlier. Do not apply to first crop of peanuts. Do not apply to regular or heavy water irrigation. Do not maintain...




READ THE LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION: HARMFUL IF INHALED OR SWALLOWED. Avoid Breathing of Dust. Do Not Take Internally. **Skin Contact May Be Harmful.** Avoid contact. Wash Hands and Face Before Eating. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing; Change to Clean Clothing Daily. **Note for Physician:** Carbaryl is a moderate-reversible, Cholinesterase inhibitor. Atropine is antidotal. AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPACLES. Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that sulfur is safe in that locality. For protection of honeybees avoid unnecessary use during periods when honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

NOTICE

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.



EPA REG. NO. 10873 4

10873-4

TIFTON CHEMICAL COMPANY
Tifton, Georgia