

DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray, mist or dust may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep

out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes.

FLAMMABLE. KEEP AWAY FROM HEAT OR OPEN FLAME.


MANUFACTURED BY

TIFTON CHEMICAL COMPANY

P. O. Box 5 — Tifton, Georgia 31794

POISON

See side panels
for antidote
and precautions



6-3 COTTON SPRAY

ACTIVE INGREDIENTS:

	3y Wt.
*Toxaphene	52.5%
**O, O-dimethyl O-p-nitrophenyl thiophosphate	26.3%
Aromatic petroleum derivative solvent	15.2%
INERT INGREDIENTS	6.0%
	100.0%

*Technical Chlorinated Camphene (67%-69% Chlorine)

**Methyl Parathion

Contains: 6 lbs. Toxaphene — 3 lbs. Methyl Parathion Per Gallon

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS, TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS; WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE.

DIRECTIONS FOR USE

This product is an emulsifiable concentrate that mixes readily with water, for use in the control of certain insects attacking cotton.

COTTON - Early Season Control: Overwintered Boll Weevils, Cotton Fleahoppers, and Thrips - Use 2 pints per acre making from 2 to 4 applications at 7 to 10 day intervals.

Mid Season Control: Aphids, Boll Weevils, Bollworms, Cotton Leafworms, Fleahoppers, Grasshoppers, Red Spider Mites, and Thrips - Use one third gallon per acre. Apply at four to five day intervals until control is gained. Proper timing of applications is essential.

STOP! READ THE LABEL



CAN KILL YOU

DANGER
Keep out of reach
of children

Late Season Control: And trouble cases of bollworm and cotton leaf perforators caused by previous insufficient dosage; lack of weekly scouting, failing to maintain recommended regular application, by means of weather conditions or otherwise, INCREASE rate per acre to 1/2 gallon of Tifchems 6-3 for one application, then return to recommended dosage as in Mid Season Control and maintain regular recommended schedule.

Do not apply within 15 days of hand picking or harvest.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

DANGER
Keep out of reach
of children

SPRAY

3y Wt.
..... 52.5%
..... 26.3%
..... 15.2%
..... 6.0%
..... 00.0%

allon

H CAUTIONS, WARNINGS AND
L REGULATIONS, TIMING AND
EATHER OR CONDITIONS; WE
TATIONS ON SPECIFIC USAGE.

Season Control: And trouble cases of bollworm
leaf perforators caused by previous insufficient
risk of weekly scouting, failing to maintain recom-
mended application, by means of weather conditions
e, INCREASE rate per acre to 1/2 gallon of Tifchems
application, then return to recommended dosage
Season Control and maintain regular recommended

apply within 15 days of hand picking or harvest.

s entering treated fields within 5 days after ap-
should wear protective clothing. Do not use on
s to be fed to or grazed by dairy animals or
ng finished for slaughter. Do not apply or allow
areas occupied by unprotected humans or bene-
ls.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots
or rubber overshoes. (2) Wear safety goggles. (3)
Wear mask or respirator approved by the U.S. Bureau
of Mines for parathion protection. (4) Wear heavy
duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from
treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick
in any way, STOP work and get help right away. Call
a doctor (physician), clinic or hospital—immediately.
Explain that the victim has been exposed to para-
thion and describe his condition. After first aid is
given (see First Aid Treatment Section) and if a doc-
tor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them
with soap and water. Always wash hands, face and
arms with soap and water before smoking, eating or
drinking.

AFTER WORK, take off all work clothes and shoes.
Shower, using soap and water. Wear only clean
clothes when leaving job. Do not wear contaminated
clothing. Wash protective clothing and protective
equipment with soap and water after each use. Res-
pirator should be cleaned and filter replaced accord-
ing to instructions included with respirator.

EPA REG. NO. 10873-11

NOT FOR HOME USE

Parathion is a very dangerous poison. It rapidly en-
ters the body on contact with all skin surfaces and
eyes. Clothing wet with this material must be re-
moved immediately. Exposed persons must receive
prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are:
Headache, nausea, vomiting, cramps, weakness,
blurred vision, pin-point pupils, tightness in chest,
labored breathing, nervousness, sweating, watering
of eyes, drooling or frothing of mouth and nose,
muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immed-
ately. Explain that the victim has been exposed to
parathion and describe his condition.

If breathing has stopped, start artificial respiration
immediately and maintain until doctor sees victim.
If swallowed and victim is awake (conscious) make
him vomit quickly. Induce vomiting by sticking finger
down throat or by giving soapy or strong salty water
to drink. Repeat until vomit is clear. Never give any
thing by mouth to an unconscious person. Have vic-
tim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin
with plenty of water for at least 15 minutes while
removing contaminated clothing and shoes. See doc-
tor immediately.

NOTICE

Seller's guaranty shall be limited to the terms of the
label and subject thereto. The buyer assumes any
risk to persons or property arising out of use or
handling and accepts the product on these condi-
tions.

**GAL.
NET.**

NOTE TO PHYSICIAN TREAT SYMPTOMATICALLY

Antidote: administer atropine sulfate in large doses,
TWO to FOUR mg. intravenously or intramuscularly
as soon as cyanosis is overcome. Repeat at 5 to 10
minute intervals until signs of atropinization appear.
2-PAM chloride is also antidotal and may be admini-
stered in conjunction with atropine. There is no speci-
fic antidote for Toxaphene intoxication. DO NOT
GIVE MORPHINE OR TRANQUILIZERS. Parathion is a
strong cholinesterase inhibitor affecting the central
and peripheral nervous systems and producing car-
diac and respiratory depression. At first sign of
pulmonary edema, the patient should be given supple-
mental oxygen and treated symptomatically. Contin-
ued absorption of the poison may occur and fatal
relapses have been reported after initial improve-
ment. VERY CLOSE SUPERVISION OF THE PATIENT IS
INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or
Experiment Station regarding posting treated areas.

DESTROY EMPTY CONTAINER NEVER RE-USE

Completely empty contents and bury unused chemical
18 inches deep in an isolated location away from
water supplies.

GLASS CONTAINER: Break container and bury 18
inches deep.

METAL CONTAINERS: 1-Gal. Can — Pour 1 qt. of
water into empty can. Add 1 tablespoon of house-
hold detergent. Rotate can carefully until all inner
surfaces are wet. Bury rinse solution 18 inches deep.
Punch holes in top and bottom of container, crush
and bury. 5-Gal Drum — Pour 2 qt. of water into empty
container. Slowly add 1/2 cup caustic soda (lye) and
2 tablespoons household detergent. Then proceed as
for 1 gal. container. 30-Gal Drum — Same as for 5-gal.
drum except use 3 gal. water, 1 lb. lye, and 1/2 cup
detergent for rinsing. 55-Gal Drum — Same as for
1 gal. drum except use 5 gal. water, 2 lb. lye, and 1
cup detergent for rinsing.

Do not get rinse solution on hands, clothing, or in
eyes. In case of contact, immediately wash with
soap and water.