


DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep

out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.


Do not contaminate water by cleaning of equipment or disposal of wastes.

FLAMMABLE. KEEP AWAY FROM HEAT OR OPEN FLAME.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS; WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE.

POISON

See side panels
for antidote
and precautions



10873-28

Three-Quarter—Three EC Cotton Insecticide

Contains .75 lb. Guthion and 3 lbs. Methyl Parathion per gal.

ACTIVE INGREDIENTS:

O, O-Dimethyl S-[4-oxo-1, 2, 3-benzotriazin-3 (4H) -

ylmethyl] phosphorodithioate 8.86%

O, O-Dimethyl O-p-nitrophenyl phosphorothioate* 35.42%

Xylene 50.72%

INERT INGREDIENTS 5.00%

TOTAL 100.00%

Guthion is Reg. TM in U. S. Patent Office by Farbenfabriken Bayer A. G., Chemagro Corporation licensee

†U. S. Patent No. 2,758,115

*Methyl Parathion

NOT FOR HOME USE

DIRECTIONS FOR USE

Application can be made by aircraft or ground power equipment by trained personnel only using approved protective equipment. Do not apply with hand equipment. Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe to plants. Always thoroughly emulsify this product with at least half of total water before adding wettable powder.

AIRCRAFT & GROUND EQUIPMENT WATER RATES PER ACRE

If applied by aircraft, the minimum amount of water per acre should be approximately 3 to 10 gallons, consistent with crop growth and good coverage. If applied with ground equipment, this rate should be approximately 5 to 10 gallons per acre.

STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach
of children

USE C
PRO

(1) W
or rut
Wear
of Mu
duty, 1

Keep a
treated

Do not
in any
a doct
Explai
thion
given
for can

IMPORT
with si
arms w
drinkin

AFTER
Shower
clothes
clothin
equipm
pirator
ing to 1

E

RECOMMENDED APPLICATIONS ON COTTON

INSECTS	PINTS PER AC
Thrips, aphids, mites (early season), cotton fleahopper, lygus bug, cotton leafworm, brown cotton leafworm	1/4 to 1
Boll weevil, grasshoppers, mites (late season), garden webworm, fall armyworm	1 to 2
Bollworm or tobacco budworm, beet armyworm, salt marsh caterpillar, yellow-striped armyworm	2-3
Cabbage looper, cutworm, stinkbugs, cotton leaf perforator	1 to 2



DANGER
Keep out of reach
of children

on Insecticide
gal.

	By Weight
.....	8.86%
.....	35.42%
.....	50.72%
.....	5.00%
TAL	100.00%

abriken Bayer A. G., Chemagro

ISE

**RECOMMENDED APPLICATIONS
ON COTTON**

S	PINTS PER ACRE
aphids, mites (early season), cotton fleahopper, lygus bugs, leafworm, brown cotton leafworm.....	1/2 to 1
reevil, grasshoppers, mites (late season), garden webworm, nyworm.....	1 to 1 1/2
m or tobacco budworm beet armyworm salt marsh caterpillar, striped armyworm.....	2-2 2/3 to 4
e looper, cutworm, stinkbugs, cotton leaf perforator.....	3

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA REG. NO. 10873-28

REMARKS

For bollworms or tobacco budworms, begin treatment when worms are small and make applications on a 5-day schedule. Under heavy infestations, reduce interval to 3-4 days for two or more applications.
Do not harvest or hand pick within 7 days of application.

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTICE

Seller's warranty shall be limited to the terms on the label and subject thereto. The buyer assumes all risk to persons or property arising out of use, handling and accepts the product on these conditions.



**NOTE TO PHYSICIAN
TREAT SYMPTOMATICALLY**

Antidote: Administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 24 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment area.

**DESTROY EMPTY CONTAINER
NEVER RE-USE**

Completely empty contents and bury unused chemical 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINER: Break container and bury 18 inches deep.

METAL CONTAINERS: 1-Gal. Can - Pour 1 qt. of water into empty can. Add 1 tablespoon of household detergent. Rotate can carefully until all inner surfaces are wet. Bury canse solution 18 inches deep. Pour holes in top and bottom of container, crush and bury. 5-Gal Drum - Fill 2 qt. of water into empty container. Slowly add 1 cup caustic soda, 1/2 lb. and 2 table spoons of household detergent. Then proceed as for 1-gal. can. 30-Gal Drum - Same as for 5-gal. drum except use 3 cups water, 1 1/2 lbs. and 1 cup detergent for rinsing. 55-Gal Drum - Same as for 30-gal. drum except use 6 cups water, 2 lbs. and 1 cup detergent for rinsing.

Before getting rid of these empty containers, wash them with soap and water.

**MANUFACTURED BY
TIFTON CHEMICAL COMPANY
P.O. Box 5 Tifton, Georgia 31794**