



DANGER-POISON-PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep

out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes.

**CAUTION: DO NOT USE, POUR, SPILL, OR STORE
NEAR HEAT OR OPEN FLAME.**

MANUFACTURED BY

TIFTON CHEMICAL COMPANY

P.O. Box 5 — Tifton, Georgia 31794

POISON
See side panels
for antidote
and precautions

ACCEPTED

JUN 14 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FERTILIZER ACT
FOR FLYING INSECTICIDE REGISTERED
ED UNDER NO. 100-100000
TO ATTACH HEREON

STOP! READ THE LABEL



CAN KILL YOU

DANGER
Keep out of reach
of children

**USE ONLY
PROTECT**

(1) Wear w
boots or ru
goggles. (1
approved b
protection.
rubber glov

Keep all u
away from
danger of d

Do not rub
feel sick in
right away.
hospital—
victim has
describe hi
(see First
doctor can
hospital.

IMPORTANT!
them with
hands, face
before smol

AFTER WORK
shoes. Show
only clean
wear conta
clothing an
and water
be cleaned
instructions

8-2 COTTON SPRAY

ACTIVE INGREDIENTS:

*Toxaphene	By Wt. 66.56%
**O, O-Dimethyl O-p-nitrophenyl thiophosphate	16.64%
Xylene	11.36%
INERT INGREDIENTS	5.44%

TOTAL..... 100.00%

*Technical Chlorinated Camphene (67%-69% Chlorine)

**Methyl Parathion

Contains: 8 lbs. Toxaphene — 2 lbs. Methyl Parathion Per Gallon

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS, TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS; WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE.

DIRECTIONS FOR USE

Apply to cotton plants from bud to full bloom. Use 8-2 Cotton Spray at 10-15 day intervals.

Apply to cotton plants from bud to full bloom. Use 8-2 Cotton Spray at 10-15 day intervals.

Apply to cotton plants from bud to full bloom. Use 8-2 Cotton Spray at 10-15 day intervals.

Apply to cotton plants from bud to full bloom. Use 8-2 Cotton Spray at 10-15 day intervals.

Do not apply within 15 days of hand picking or harvest.

Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

EPA REG

NH

LABEL



OU

SPRAY

DANGER
Keep out of reach
of children

	By Wt.
.....	66.56%
ite.....	16.64%
.....	11.36%
.....	5.44%
TOTAL.....	100.00%

9% Chlorine)

Parathion Per Gallon

CE WITH CAUTIONS, WARNINGS AND
FEDERAL REGULATIONS, TIMING AND
ICAL WEATHER OR CONDITIONS; WE
XPERIMENT STATIONS ON SPECIFIC

late Season Control. And treat cases of bollworm and cotton bollworm
caused by previous insufficient dosage. Lack of weekly scouting, failing
maintain recommended regular application, by means of weather conditions
otherwise, 1 gallon of Tichems 8.2 per acre.

Do not apply within 15 days of hand picking or harvest.

Workers entering treated fields within 5 days after application
old wear protective clothing. Do not use on forage crops to be fed to or
ed by dairy animals or animals being finished for slaughter. Do not
y or allow to drift to areas occupied by unprotected humans or bene
l animals.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for EPN protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA REG. NO. 10873—33

**NOT FOR
HOME USE**

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTICE

Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

**GAL.
NET.**

NOTE TO PHYSICIAN TREAT SYMPTOMATICALLY

In this product mixture, Methyl Parathion is the dominant toxic ingredient exerting muscarinelike effects; that is, stimulation of the parasympathetic nervous system. Poisoning victims should be treated promptly with atropine to the limit of the victims tolerance to relieve symptoms and to improve chances of survival. 2-PAM may be administered in conjunction with atropine. The administration of oxygen is helpful. Morphine should not be given to persons suspected of Methyl Parathion poisoning. Toxaphene produces central nervous system excitation which ordinarily responds to the barbituric acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

DESTROY EMPTY CONTAINER NEVER RE-USE

Completely empty contents and bury unused chemical 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINER: Break container and bury 18 inches deep.

METAL CONTAINERS: 1-Gal. Can — Pour 1 qt. of water into empty can. Add 1 tablespoon of household detergent. Rotate can carefully until all inner surfaces are wet. Bury rinse solution 18 inches deep. Punch holes in top and bottom of container, crush and bury. **5-Gal Drum** — Pour 2 qt. of water into empty container. Slowly add ½ cup caustic soda (lye) and 2 tablespoons household detergent. Then proceed as for 1 gal container. **30-Gal Drum** — Same as for 5-gal. drum except use 3 gal. water, 1 lb. lye and ½ cup detergent for rinsing. **55-Gal Drum** — Same as for 5-gal. drum except use 5 gal. water, 2 lb. lye and 1 cup detergent for rinsing.

Do not get rinse solution on hands, clothing or in eyes. In case of contact, immediately wash with soap and water.