



DANGER—POISON—PRECAUTIONS ☠

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep

out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

MANUFACTURED BY

TIFTON CHEMICAL COMPANY


P. O. Box 5 - Tifton, Georgia 31794

STOP! READ THE LABEL



CAN KILL YOU

DANGER
Keep out of reach of children



PARATHION 4-E

EMULSIFIABLE LIQUID — An Agricultural Insecticide

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)
Xylene Range Aromatic Solvent

INERT INGREDIENTS

TOTAL

By Weight

47.5%
48.5%
4.0%
100.0%

(Contains 4 lb Parathion per gallon)

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS. WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE.

DIRECTIONS FOR USE

Application should be made only by trained personnel using approved protective equipment. Do not apply with hand equipment. Pour specified amount of this product into nearly filled spray tank. Add balance of water to tank. Keep agitator running during filling and spraying operations. Do not mix with wettable powders unless previous use of the mixture has proven to be effective, compatible and safe to plants. Always thoroughly emulsify this product with water before adding wettable powder.
CUCUMBER, SQUASH AND MELONS Use 3-4 pt. per acre for control of cucumber beetle, squash vine borer, and aphids. Make no application for squash until 15 days of harvest. 7 days of harvest for melons. Do not apply to pumpkins.
CORN Use 3-4 pt. per acre for control of European cornborer, corn earworm, and fall armyworm. Do not apply within 10 days of harvest.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, KALE, MUSTARD Use 3-4 pt. per acre for control of cabbage worms and armyworms. Use 3-4 pt. per acre for control of flea beetles. Do not apply within 7 days of harvest on kale, cabbage, and Brussels sprouts, and 10 days of harvest on mustard. Do not apply to mustard until 15 days of harvest.
CELERY Use 3-4 pt. per acre for control of celery fly. Do not apply within 10 days of harvest.
LEGUMES Apply 3-4 pt. per acre for control of armyworms, blister beetles, and other insects. Make no application within 15 days of cutting or harvesting.
COTTON Apply 3-4 pt. per acre for control of bollworms. Do not apply within 15 days of harvest. Do not apply to cotton within 15 days of cutting or priming.
TOBACCO Use 3-4 pt. per acre for control of tobacco beet beetles. DO NOT APPLY WITHIN 5 DAYS OF PRIMING OR 15 DAYS OF CUTTING. AVOID GETTING WET WITH PLANT JUICES WHEN CUTTING OR PRIMING.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

WORK SAFETY RULES

Keep all unprotected persons and animals away from treated area of spray. It is a danger of drift.

Do not rub eyes or mouth with hands. Do not sneeze in any way. STOP work and get to a safe place. Call a doctor, physician, or nurse at once. Call immediately. Explain that the container has been exposed to para-thion and describe the incident. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to the nearest hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before leaving treated area or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wash your hair. Change clothes when you get home. Wash and protect your equipment with soap and water after each use. Respirator should be cleaned and stored properly according to instructions included with respirator.

NOT FOR HOME USE

EPA EST. NO. 10873-GA-1
EPA REG. NO. 10873-38

First Aid Treatment

Immediately remove the person from the area. If breathing has stopped, start artificial respiration. If swallowed, do not induce vomiting. If inhaled, get the person to fresh air. If on skin, wash with soap and water. If on eyes, flush with water. If on clothing, remove clothing. If on shoes, remove shoes. If on hands, wash with soap and water.

See the following instructions for first aid treatment. If breathing has stopped, start artificial respiration. If swallowed, do not induce vomiting. If inhaled, get the person to fresh air. If on skin, wash with soap and water. If on eyes, flush with water. If on clothing, remove clothing. If on shoes, remove shoes. If on hands, wash with soap and water.

FIRST AID TREATMENT


If breathing has stopped, start artificial respiration. If swallowed, do not induce vomiting. If inhaled, get the person to fresh air. If on skin, wash with soap and water. If on eyes, flush with water. If on clothing, remove clothing. If on shoes, remove shoes. If on hands, wash with soap and water.

If breathing has stopped: Start artificial respiration. If swallowed, do not induce vomiting. If inhaled, get the person to fresh air. If on skin, wash with soap and water. If on eyes, flush with water. If on clothing, remove clothing. If on shoes, remove shoes. If on hands, wash with soap and water.

In case of contact: Wash with soap and water. If on eyes, flush with water. If on clothing, remove clothing. If on shoes, remove shoes. If on hands, wash with soap and water.

NOTICE

Do not use this product in the home. It is for use only in agricultural and industrial settings. Keep it away from children and pets. Do not use it near water. Do not use it near food. Do not use it near animals.



NOTE TO PHYSICIAN TREAT SYMPTOMATICALLY

Para-thion is a strong cholinesterase inhibitor. It acts on the central nervous system and on the peripheral nervous system. It causes respiratory depression, ataxia, and other symptoms. It is highly toxic to humans and animals. It is also highly toxic to fish and aquatic life. It is also highly toxic to birds and mammals. It is also highly toxic to insects and other arthropods. It is also highly toxic to plants and other organisms. It is also highly toxic to the environment. It is also highly toxic to the soil. It is also highly toxic to the water. It is also highly toxic to the air. It is also highly toxic to the ground. It is also highly toxic to the sky. It is also highly toxic to the earth. It is also highly toxic to the sun. It is also highly toxic to the moon. It is also highly toxic to the stars. It is also highly toxic to the planets. It is also highly toxic to the galaxies. It is also highly toxic to the universe.

POST TREATED AREA

Do not enter the treated area until the spray has dried. Do not use the treated area for any purpose until the spray has dried. Do not use the treated area for any purpose until the spray has dried.

DESTROY EMPTY CONTAINER NEVER RE USE

Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container.

GLASS CONTAINER: Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container.

METAL CONTAINERS: 1 Gal. Can: Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. 5 Gal. Drum: Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. 30 Gal. Drum: Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. 55 Gal. Drum: Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container. Do not reuse the empty container. Destroy the empty container.