

**CHEM-POWER**

CHEM-POWER  
 Hanover Industrial Park  
 Hanover, N.J. 07927  
 (201) 267-4100

# microcide

FORMULA 14-22

## USE DIRECTIONS

**GENERAL SANITIZATION** - For general sanitization of food service areas, use MICROCIDER. For general sanitization of restrooms, use MICROCIDER. For general sanitization of food service areas, use MICROCIDER. For general sanitization of restrooms, use MICROCIDER. For general sanitization of food service areas, use MICROCIDER. For general sanitization of restrooms, use MICROCIDER.

**SANITIZING SOLUTION** - A general purpose sanitizing solution may be prepared by adding 1.0 ounce of MICROCIDER to 1.0 gallon of water. This solution is suitable for use in food service areas.

**DISINFECTANT SOLUTION** - A general purpose disinfectant solution may be prepared by adding 2.0 ounces of MICROCIDER to 1.0 gallon of water. This solution is suitable for use in food service areas.

FORMULA 14-22  
 100%

## ACTIVE INGREDIENTS

Allyl isothiocyanate 30%  
 Dimethyl benzoyl chloride 10%  
 Dry TBBS 0.5%  
 Methyl ethyl ketone 59.5%

## INERT INGREDIENTS

NET CONTENTS: 1.0 GALLON  
 EPA Reg. No. 10882-6

## DANGER

See back of label for full hazard information.

**RESTAURANT and BAR USE** - Dishes, silverware, silverware and cooking utensils should be washed with soap and water, detergent rinsed thoroughly, and immersed in sanitizing solution containing 1.0 ounce of MICROCIDER per gallon of water.

**CHEMICAL EQUIPMENT** - Grease and oil on equipment should be thoroughly cleaned by scrubbing with a scrubbing brush and water. Then apply MICROCIDER to the surface. Allow 10 minutes for the solution to act on the equipment. Flush with clean water.

## DANGER

Keep out of reach of children. Do not get in eyes. If in eyes, flush with water. If on skin, wash immediately. If inhaled, get fresh air. If inhaled, get fresh air. If inhaled, get fresh air. If inhaled, get fresh air.

## FIRST AID

See back of label for full hazard information.