

REGISTERED
EPA
REGISTERED
UNDER NO. 10882-11

**CHEM
POWER**

COMBAT



**FOG
SPRAY**

EFFECTIVE, FAST ACTING INSECTICIDE. FOR USE IN BAKERIES, FOOD PLANTS, RESTAURANTS, HOTELS, MOTELS, HOSPITALS, SCHOOLS, OFFICE BUILDINGS AND FOOD PROCESSING OR HANDLING PLANTS.

DIRECTIONS FOR USE

INDOOR APPLICATION: The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply with equipment designed and adjusted to deliver a true aerosol mist.

FACE SPRAYING: Close windows and doors and shut off ventilating systems. Use a fogger vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

This application will kill accessible, exposed stages of flies, fruit flies, mosquitoes, small flying moths, gnats, wasps, hornets, and these common, stored product pests: Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, and meal worms. Sweep up and destroy all fallen insects.

SURFACE SPRAYING: To control exposed stages of roaches, ants, silver fish, rice weevils, confused flour beetles, rust red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, meal worms, grain mites, and cadelles: Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

Infested stored food products should be fumigated or treated by other effective methods using an approved product for this purpose by commercial or industrial people.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets, and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings and floors. Repeat treatment as needed.

To control fleas, and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

CAUTION: Keep Out Of Reach Of Children

The insecticidal components of this spray are classified as food additives and when used as directed, allowable tolerances will not be exceeded. This product should be used only by trained personnel.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Remove pets, birds and cover fish aquaria before spraying.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating and smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place or return to drum reconditioner.

Net Contents Gallon(s)

Formula No. 16-10

EPA Reg. No. 10882-11 EPA Est. No. 10882-NJ-1

ACTIVE INGREDIENTS:	100%
Pyrethrins	0.3%
*Piperonyl Butoxide, Technical	3.0%
Petroleum Distillate	96.7%

*Equivalent to 2.4% of (butylcarbityl) (6-propylpiperonyl) ether and 0.6% of related compounds.

CHEM-POWER
Hancock Industrial Park
Cedar Knolls N.J. 07927

FM 215