



ROUT



INSECTICIDE

AN EFFECTIVE, FAST ACTING INSECTICIDE FOR USE IN HOMES, INSTITUTIONS, RESTAURANTS, FOOD PROCESSING PLANTS AND DAIRIES. IT IS A CLEAR MICRO EMULSION WHICH LEAVES NO OILY OR OBJECTIONABLE RESIDUE.

DIRECTIONS FOR USE

Indoor Application: Apply with conventional mechanical or compressed air equipment. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Vacate treated area and ventilate before reoccupying.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended. This product should be applied only by trained personnel.

Surface Spraying: To kill exposed stages of roaches, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, meal worms, grain mites, and caddisflies. Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers, for silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboard. Spray directly into cracks, closets, and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses nightly particularly along and tuft and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings, and floor. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chest, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

Whenever possible directly contact the pests with the spray. In commercial and industrial type applications, infested food products should be fumigated or treated by an approved product. In the home, infested food should be disposed of completely. Shelves and drawers cleaned, sprayed so as to contact all pests. Then covered with shelf paper after allowing to dry.

Utensils contacted by spray should be washed before using.

Space Spraying: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: Direct spray at an upward angle, distributing it uniformly throughout the entire area, at a rate of 3-6 ounces per 1000 cubic feet of space.

Note: WASPS AND HORNETS: application should be made in late evening when insects are at rest. Spray into hiding and breeding places containing as many insects as possible.

CAUTION: Keep Out Of Reach Of Children

Harmful if swallowed. Avoid contamination of feed and foodstuffs.

Remove pets, birds and cover fish aquaria before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

Do not reuse this empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

EPA Reg. No. 10882-12

EPA Est. No. 10882 NJ 1

ACTIVE INGREDIENTS

Pyrethrins	0.1%
*Piperonyl Butoxide, technical	1.0%
Petroleum distillate	0.4%
INERT INGREDIENTS	98.5%

*Equivalent to 0.8% butylarbityl-(3-propylpiperonyl) ether and to 0.2% related compounds.

NET Contents Gallons:

CHEM-POWER
Hanover Industrial Park
Cedar Knolls, N.J. 07927

Formula No. 16-11

ACCEPTED

AUG 11 1975

FM 215