

according to label directions. Mixing this product with chemicals, e.g. ammonia, acids, detergents, etc. or organic matter, e.g. feces, urine, etc., will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

SHIPPING INFORMATION

This product is classified as a hazardous material under regulations issued by the United States Department of Transportation. The correct name and shipping classification for filled containers is as follows: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614. The correct shipping name for return of empty containers to the distributor, dealer, and manufacturer is as follows: Empty containers, last contained Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614. Always return empty containers with the original closure tightly affixed to the container neck.



POOLCH

ACCEPTED
with COMMENTS
to EPA 10897-4

MAR 10 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, and Executive Order
13735, EPA Reg. No.

10897-4

10897-4

10897-4

EPA Reg. No. 10897-4

CHLORINATING LIQUID FOR POOL
AND SPA SANITIZATION

EPH Reg No _____

Use language of generic label

apply 5.0 ounces of this product per 1,000 gallons of water over the surface to maintain a chlorine concentration of 5.0 ppm

After each use, superchlorinate with 8 ounces of this product per 500 gallons of water to control odor and algae.

3 of 10

Active Ingredient: sodium hypochlorite.....12.5%
Inert Ingredients:.....87.5%

During extended periods of disuse, add 3 ounces of product daily per 1,000 gallons of water to maintain a 3.0 ppm chlorine concentration.

KEEP OUT OF THE REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

DANGER

Hazards to Humans and Domestic Animals

FIRST AID

If contact with eyes occurs flush with water for at least fifteen minutes. If wearing contact lenses, first rinse eyes, remove contact lenses, and continue flushing with water for at least fifteen minutes. Get prompt medical attention.

DANGER. Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

If contact with skin occurs, wash with plenty of soap and water.

Environmental Hazards

If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with a NPDES permit. For guidance contact the regional office of the United States Environmental Protection Agency.

Physical or Chemical Hazards

STRONG OXIDIZING AGENT. Mix only with water

Condensed Labeling for Sodium Hypochlorite Solutions required on embossed bottles

4 of 10

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Pool Start-up/superchlorination - add 3-1/4 quarts per 10,000 gallons of pool water (equal to 10 ppm available chlorine). Maintenance dosage is 15 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5-1/2 ounces per 1,000 gallons (5 ppm available chlorine) for maintenance. maintain pH between 7.2 to 7.8. See ABC's collateral labeling for additional and complete use directions available at dealer.

Note: This product loses strength with age. Use a reliable test kit and adjust dosages as necessary to obtain required level of chlorine.

DOT shipping information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614

to 30 ounces

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams, ponds, and public water unless in accordance with a NPDES permit. For guidance contact EPA regional office.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Mixing with other chemicals or organic matter will release chlorine gas, irritating to eyes, lungs, and mucous membranes.

STORAGE, SPILLS, AND CONTAINER RETURN:

Store in a cool, dry place, away from direct sunlight. In case of spill, flood area with water. Return bottle to dealer with closure tightly fastened.

BACK PANEL

00000

00000

ACCEPTED
with COMMENTS
to EPA Letter Dated:

MAR 10 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10897-4

EPAN PA
133005

5/10



POOLCHLOR® CHLORINATING LIQUID FOR POOL AND SPA SANITIZATION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS: 87.5%

KEEP OUT OF REACH OF CHILDREN
DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, harmful if swallowed, causes eye damage. May cause severe skin irritation or chemical burns. Wear goggles and gloves when handling. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas after use. Do not return until odors have dissipated.

FIRST AID: If swallowed drink large quantities of milk or gelatin solution, or large quantities of water. If in eyes remove contact lenses and wash eyes for 15 minutes. On skin, wash thoroughly with soap and water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention in all cases.

See additional precautionary statements on back panel.

MANUFACTURED BY
HASA CHEMICALS, INC., SAUGUS, CA 91350

EPA Reg. No. 10897-4

Net: 1 Gallon

50

EPENR

leaf 10

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Pool Start-up/superchlorination - add 3¼ quarts per 10,000 gallons of pool water (equal to 10 ppm available chlorine). Maintenance dosage is 11 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5½ ounces per 1,000 gallons (5 ppm available chlorine) for start-up, superchlorination, and maintenance. Maintain pH between 7.2 to 7.6. See manufacturer's collateral labeling for additional and complete use directions available at dealer.

Note: This product loses strength with age. Use a reliable test kit and adjust dosages as necessary to obtain required level of chlorine.

DOT shipping information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6b14

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams, ponds, and public water unless in accordance with a NPDES permit. For guidance contact EPA regional office.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Mixing with other chemicals or organic matter will release chlorine gas, irritating to eyes, lungs, and mucous membranes.

STORAGE, SPILLS, AND CONTAINER RETURN:

Store in a cool, dry place, away from direct sunlight. In case of spill, flood area with water. Return bottle to dealer with closure tightly fastened.

ACCEPTED
with COMMENTS
by EPA Letter Dated:

MAR 10 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

10897-4

KEEP OUT OF REACH OF CHILDREN

DA:NGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large quantities of milk or gelatin solution, if these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

Manufactured by:
Hasa Chemicals, Inc.
23119 Drayton Street
Saugus, CA 91350


EPA REG NO. 10897-4

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

MAR 10 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10897-4



7 of 10

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. ~~Do not reuse container but place in trash collection.~~ Do not contaminate food or feed by storage, disposal or cleaning of equipment. *Return container for deposit refund.*

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS - While water is still clear & clean, apply 3 oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

SPAS, HOT-TUBS, IMMERSION TANKS, ETC.

SPAS/HOT-TUBS - Apply 5 oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as

ACCEPTED with COMMENTS in EPA Letter Dated:

MAR 10 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg.

10897-4



8/16

To maintain the water, apply 5 oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.

After each use, shock treat with 8 oz. of this product per 500 gallons of water to control odor and algae.

During extended periods of disuse, add 3 oz. of product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

HUBBARD AND IMMERSION TANKS - Add 5 oz. of this product per 200 gallons of water before patient use to obtain a chlorine residual of 25 ppm, as determined by a suitable test kit. Adjust and maintain the water pH to between 7.2 and 7.6. After each use drain the tank. Add 5 oz. to a bucket of water and circulate this solution through the agitator of the tank for 15 minutes and then rinse out the solution. Clean tank thoroughly and dry with clean cloths.

HYDROTHERAPY TANKS - Add 1 oz. of this product per 1000 gallons of water to obtain a chlorine residual of 1 ppm, as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate pool filter continuously. Drain pool weekly, and clean before refilling.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 10 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10897-4

9/10

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS


(**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 10 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10897-4



10/10