ACCEPTED

UNDER THE FEDERAL INSECTICIDE FUNDER THE FEDERAL INSECTICIDE FUNDICIDE AND PODEM NUMBER AND PODE NATIONAL PROPERTY OF THE PR

POOLCHLOR® CHLORINATING LIQUID FOR POOL AND SPA

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, harmful if swallowed, causes eye damage. May cause severe skin irritation or chemical burns. Wear goggles and gloves when handling. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas after use. Do not return until odors have dissipated.

MANUFACTURED BY

FIRST AID: If swallowed drink large quantities of milk or gelatin solution, or large amounts of water. Do not give vinegar or other acids. Do not induce vomiting. If in eyes remove contact lenses and wash eyes for 15 minutes. On skin, wash thoroughly with soap and water. Get prompt medical attention in all cases.

See additional precautionary statements on back panel.

EPA Reg. No. 10897-4

INC., SAUGUS, CA 91350

Net: 1 Gallon

PM32 1084

ACCEPTED 14 AUG 1986

UNDER THE FEDURAL INSTRUCTOR AND SOLITON AND SOLITON AND SOLITON AND SOLITON AND SUBJECT TO ATTACHED COMMENTS.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Pool Start-up/superchlorination add 3¼ quarts per 10,000 gallons of pool water (equal to 10 ppm available chlorine). Maintenance dosage is 15-30 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5½ ounces per 1,000 gallons (5 ppm available chlorine) for maintenance. Maintain pH between 7.2 to 7.8. See manufacturer's collateral labeling for additional and complete use directions available at dealer.

Note: This product loses strength with age.
Use a reliable test kit and adjust dosages as necessary to obtain required level of chloring.

DOT shipping information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams, ponds, and public water unless in accordance with a NPDES permit. For guidance contact EPA regional office.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Mixing with other chemicals or organic matter will release chlorine gas, Irritating to eyes, lungs, and mucous membranes.

STORAGE, SPILLS, AND CONTAINER RETURN:

Store in a cool, dry place, away comdirect sunlight. In case of spill, flow area with water. Return bottle to dealer with closure tightly fastened.

スニュ



POOLCHLOR

14 AUG 1986ED

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND HODENTICIDE ACT ED UNDER NO POSON REGISTER. TO ATTACHED CONFILENCE.

EPA Reg. No. 10897-4

Manufactured and Packaged by Hasa Inc. Saugus, California 91350

7175

then of season

HASA POOLCHLOR

CHLORINATING LIQUID FOR POOL

AND SPA SANITIZATION

Active Ingredient: Sodium Hypochlorite ... 12.5%

Inert Ingredients: 87.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If contact with eyes occurs, flush with water for at least fifteen minutes. Get prompt medical attention.

If contact with skin occurs, wash with plenty of soap and water.

If swallowed, drink large quantities of milk or gelatin solution. If these are not available, Jrink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get medical attention.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

ACCEPTED 14 AUG 1986

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND HOUSENTICIDE ACT FOR ECUHOMIC FOISOF ALGISTER OF UNDER HOLOBALT. SUBJECT TO ATTACHED COMMENTS.

faces of secon

41/14

STORAGE AND DISPOSAL

Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Return container to dealer or distributor for deposit refund.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.8. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 ounces of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine.

Test the pH, available chlorine residual, and the alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and the number of swimmers.

ACCEPTED

14 AUG 1000

UNDER THE FEDERAL INSECTICIDE FUNG-CIDE AND RECURSITION ACT FOR ECONOMIC POISUN REGISTER ED UNDER NO SUBJECT TO ATTACHED COMMENTS.

(Page 2)

5014

free of server

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter the pool until chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, available chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate pool within 24 hours prior to discharge.

WINTERIZING POOLS

While water is still clear and clean, apply 3 ounces of product per 1,000 gallons of pool water while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter, and heater components for winter by following manufacturers' instructions.

SPAS

Spas Maintenance Dosage: Apply 5½ oz. of product per 1,000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable available chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well.

ACCEPTED

14 AUG 1986

UNDER THE FFDEREL INSPECTICILE
FOR ECCHOMIC POSITIVE AUT
EC UPLER NO JOSEPH AUGISTER
TO ATTACHED COMPANIES.

(Page 3)

60 14

FOR START UP: Apply 10 oz. of product per 1,000 gallons of water (equivalent to 10 ppm available chlorine) uniformly over the surface. Make minor adjustments if necessary to establish a free available chlorine residual of 10 ppm.

FOR SHOCK TREATMENT (Superchlorination); or after each use: Add 16 oz. of product per 1,000 gallons of water to control odors and/or algae (for outdoor spas). Do not use spa until free available chlorine drops to 5 ppm or less. Use a suitable available chlorine test kit to establish proper residuals.

During extended periods of disuse add 3 oz. of product per 1,000 gallons to maintain a free available chlorine residual of 3 ppm.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

Environmental Hazards

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with a NPDES permit. For guidance contact the regional office of the United States Environmental Protection Agency.

Physical or Chemical Hazards


STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals, (e.g., ammonia, acids, detergents, etc.) or organic matter, (e.g., urine, feces, etc.), will release chlorine gas which is irritating to eyes, lungs, and mucuous membranes.

ACCEPTED

14 AUG 1500

(Page 4)

Deren of Deser





POOLCHLOR® CHLORINATING LIQUID FOR POOL AND SPA SANITIZATION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE12.5% INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, harmful if swallowed, causes eye damage. May cause severe skin irritation or chemical burns. Wear goggles and gloves when handling. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas after use. Do not return until odo s have dissipated.

FIRST AID: If swallowed drink large quantities of milk or gelatin solution, or large amounts of water. Do not give vinegar or other acids. Do not induce vomiting. If in eyes remove contact lenses and wash eyes for 15 minutes. On skin, wash thoroughly with soap and water. Get prompt medical attention in all cases.

See additional precautionary statements on back panel.

MANUFACTURED BY HASA CHEMICALS, INC., SAUGUS, CA 91350 EPA Reg. No. 10897-4

Net: 1 Gallon

M

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Pool Start-up/superchlorination - add 3¼ quarts per 10,000 gallons of pool water (equal to 10 ppm available chlorine). Maintenance dosage is 15-30 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5½ ounces per 1,000 gallons (5 ppm available chlorine) for maintenance. Maintain pH between 7.2 to 7.8. See manufacturer's collateral labeling for additional and complete use directions available at dealer.

Note: This product loses strength with age. Use a reliable test kit and adjust dosages as necessary to obtain required level of chlorine.

DOT shipping information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614

ENVIRONMENTAL HAZARDS:


This product is toxic to fish. Keep out of lakes, streams, ponds, and public water unless in accordance with a NPDES permit. For guidance contact EPA regional office.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Mixing with other chemicals or organic matter will release chlorine gas, irritating to eyes, lungs, and mucous membranes.

STORAGE, SPILLS, AND CONTAINER RETURN:

Store in a cool, dry place, away from direct sunlight. In case of spill, flood area with water. Return bottle to dealer with closure tightly fastened.





POOLCHLOR

EPA Reg. No. 10897-4

Manufactured and Packaged by Hasa Chemicals, Inc. Saugus, California 91350 ACCEPTED

14 AUG 1986

UNDER THE PEDFRAL INSPCTICE.
FOR LOCAL CIC. SOLING TO ATTACHED COMMERCIAL SOLING TO ATTACHED COMMERCIAL SOLING.

HASA POOLCHLOR

CHLORINATING LIQUID FOR POOL

AND SPA SANITIZATION

Active Ingredient: Sodium Hypochlorite ... 12.5%

Inert Ingredients: 87.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If contact with eyes occurs, flush with water for at least fifteen minutes. Get prompt medical attention.

If contact with skin occurs, wash with plenty of soap and water.

If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get medical attention.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

ACCEPTED

14 AUG 1986

NDER THE FEDERAL INSPCTICATE OF ECONORIC POLICY STATES OF ATTACHED COMMENTS.

(Page 1)

11 / 14

STORAGE AND DISPOSAL

Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Return container to dealer or distributor for deposit refund.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, super-chlorinate with 52 to 104 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.8. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 ounces of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine.

Test the pH, available chlorine residual, and the alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and the number of swimmers.

ACCEPTED

14 AUG 1986

**COLUMN THE FEDLANT INSECTIONS TO ATTACHED COMMENTS. SUBJECT.

(Page 2)

124 14

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter the pool until chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, available chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate pool within 24 hours prior to discharge.

WINTERIZING POOLS

While water is still clear and clean, apply 3 ounces of product per 1,000 gallons of pool water while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter, and heater components for winter by following manufacturers' instructions.

SPAS

Spas Maintenance Dosage: Apply 5½ oz. of product per 1,000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable available chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well.



(Page 3)

FOR START UP: Apply 10 oz. of product per 1,000 gallons of water (equivalent to 10 ppm available chlorine) uniformly over the surface. Make minor adjustments if necessary to establish a free available chlorine residual of 10 ppm.

FOR SHOCK TREATMENT (Superchlorination); or after each use: Add 16 oz. of product per 1,000 gallons of water to control odors and/or algae (for outdoor spas). Do not use spa until free available chlorine drops to 5 ppm or less. Use a suitable available chlorine test kit to establish proper residuals.

During extended periods of disuse add 3 oz. of product per 1,000 gallons to maintain a free available chlorine residual of 3 ppm.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

Environmental Hazards

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with a NPDES permit. For guidance contact the regional office of the United States Environmental Protection Agency.

Page 4

Physical or Chemical Hazards

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals, (e.g., ammonia, acids, detergents, etc.) or organic matter, (e.g., urine, feces, etc.), will release chlorine gas which is irritating to eyes, lungs, and mucucus membranes.

14,114