
NO DEPOSIT

NO DEPOSIT NO RETURN

DOT
SHIPPING NAME AND CLASSIFICATION,
ND I.D. NUMBER: 12.5% HYPOCHLORITE SOLUTION
CORROSIVE MATERIAL, UN 1791, DOT-E-7943



Under the rederal inecticide, Funcicide, and Rodenticide Act on amended, for the posticide registered under EPA Reg. No.

CORROSIVE



THIS SIDE UP

POOLCHLOR EOUDGILOR VATING GOMPOUND

Theorem Solumbivoodone 129

स्वाहार के जिल्ला का अन्य के जात के जात है। जात के जात अस्ति के जात के जात

Manufactured by Hasa Chemicals, Inc. Saugus, CA 91350

NET CONTENTS: 2 GAL.

DANGERY



Part one of three - reproduction of outer carton

 reproduction of outer car containing two gallons
 Chlorine



DANGER

READ ENTIRE LABEL BEFORE TRANSPORTING, USING, OR STORENG

KEEP OUT OF REACH OF CHILDREN!

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed, drink large quantities of milk or gelatin solution, or if these are not available, drink large quantities of water. Do not give vinegar or acids. Do not induce vomiting. Get prompt medical attention.

PRECAUTIONARY STATEMENTS

Hazards to Human and Domestic Animals

Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. 'ay be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors nave dissipated. Environmental Hazards: This disinfectant is toxic to fish. Keep out of lakes, streams, ponds, and public waters unless a discharge permit is obtained. For guidance, contact the regional office of the U.S. Environmental Protection Agency or Hasa Chemicals, Inc.

Physical and Chemical Hazards: Strong oxidizing agent! Mix only with water according to label directions. Mixing this product with gross filth, such as feces, urine, etc. or with ammonia, acids, detergents, or other chemicals will release hazardous gases irritating to eyes, lungs, and mucous membranes.

It is a violation of federal law to use this disinfectant in a manner inconsistent with its labeling. Storage and Disposal: Store in a cool, dry place away from direct sunlight. In case of spill, flood rea with large quantities of water. Rinse container thoroughly with water and place in trash for collection. Product or rinsate which cannot be used should be diluted with water and discarded in a sanitary sewer. Do not contaminate food or feed by storage or disposal cleaning of equipment. DOT SHIPPING NAME: 12.5% SODIUM HYPOCHLORITE, CORROSIVE MATERIAL, UN 1791.

Manufactured and Packaged by Hasa Chemicals, Inc., Saugus, CA EPA EST. NO. 10897-CA-1

THIS SIDE UP

DIRECTIONS FOR USE:

11 ounces of Poolchlor will provide approximately 1.0 ppm available chlorine in 10,000 gallons. Maintain chlorine residual between 0.6-3.0 ppm in unstabilized pools; 1.5-3.0 ppm in stabilized pools. for superchlorination add 1 gallon per 10,000 gallons of pool water. Do not re-enter pool until chlorine residual is below 3.0 ppm. The best time to add Poolchlor is at night while the filter is running. Check the chlorine residual in the morning, repeat dosage when necessary. NOTE: This product degrades with age. Use a reliable test kit to determine residual.

DOT-E-7943. EPA REG. NO. 10897-4

Part three of three - reproduction of outer carton containing two gallons chlorine



SANITIZATION

INERT INGREDIENTS: ..

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, harmful if swallowed, causes eye damage. May cause severe skin irritation or chemical burns. Wear goggles and gloves when handling. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated are is after use. Do not return until odors have diss pated.

FIRST AID: It swallowed drink large quantities of milk or gelatin solution, or large amounts of water. Do not give vinegar or other acids. Do not induce vomiting. If in eyes remove contact lenses and wash eyes for 15 minutes. On skin, wash thoroughly with soap and water. Get prompt medical attention in all cases.

See additional precautionary statements on back panel.

YANUFACTURED BY AZZA

INC., SAUGUS, CA 91350

FPA Reg. No. 10897-4

Net: 1 Gallon

DIRECTIONS FOR USE:

it is a violation of Federal law to use this. product in a manner inconsistent with its labeling. Pool Start-up/superchiorination add 31/4 quarts per 10,000 gallons of pool water (equal to 10 ppm available chlorine). Maintenance dosage is 15-30 ounces daily or as necessary to maintain residual in 1.5-3.0 ppm range. For spas, add 5½ ounces per 1,000 gallons (5 ppm available chlorine) for maintenance. Malntain pH between 7.2 to 7.8. See manufacturer's collateral labeling for additional and complete use directions available at dealer.

Note: This product loses strength with aga. Use a reliable test kit and adjust dosages as necessary to obtain required level of chloring.

DOT shipping Information: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams, ponds, and public water unless in accordance with a NPDES permit. For guidance contact EPA regional office.

PHYSICAL AND CHEMICAL HAZARDS:

Strong exidizing agent. Mix only with water. Mixing with other chemicals or organic matter will release chlorine gas, irritating to eyes, lungs, and mucous membranes.

STORAGE, SPILLS, AND. CONTAINER RETURN:

Store in a cool, dry place, away from direct sunlight. In case of spill, flottarea with water. Return bottle to dealer with closure tightly fastened.

Hasa 10897-4 - The above text is embossed onto the gallon chlorine bottles: The attached sheet is the printed collateral which accompanies the embossed containers.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible Do not return until strong odors have dissipated

Environmental Hazards

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with a NPDES permit. For guidance contact the regional office of the United States Environmental Protection Agency.

Physical or Chemical Hazards


STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals, (e.g., ammonia, acids, detergents, etc.) or organic matter, (e.g., urine, feces, etc.), will release chlorine gas which is irritating to eyes, lungs, and mucuous membranes

SHIPPING INFORMATION

This product is classified as a hazardous material under regulations issued by the United States Department of Transportation. The correct name and shipping classification for filled containers is as follows: 12.5% Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614. The correct shipping name for return of empty containers to the distributor, dealer, and manufacturer is as follows: Empty containers, last contained Hypochlorite Solution, Corrosive Material, UN 1791, DOT-E-6614. Always return empty containers with the original closure tightly affixed to the container neck



Man



CHLORINATING LIQUID FOR POOL AND SPA SANITIZATION

Active Ingredient: Sodium Hypochlorite

12.5° a

Inert Ingredients.

875° a

KEEP OUT OF PEACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If contact with eyes occurs, flush with water for at least fifteen minutes. Get prompt medical attention.

If contact with skin occurs, wash with plenty of spap and water

If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce voiniting. Get medical attention.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Note: This product degrades with age: Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

-1

STORAGE AND DISPOSAL

Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Return container to dealer or distributor for deposit refund.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, super-chlorinate with 52 to 104 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 72 to 78. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 ounces of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine.

Test the pH, available chlorine residual, and the alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and the number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter the pool until chlorine residual is between 10 to 30 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, available chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate pool within 24 hours prior to discharge.

WINTERIZING POOLS

While water is still clear and clean, apply 3 ounces of product per 1,000 gallons of pool water while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter, and heater components for winter by following manufacturers' instructions

SPAS

Spas Maintenance Dosage: Apply 5½ oz. of product per 1,000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable available chlorine test kit. Adjust and maintain pool water pH to between 72 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well.

FOR START UP: Apply 10 oz. of product per 1,000 gallons of water (equivalent to 10 ppm available chlorine) uniformly over the surface. Make minor adjustments if necessary to establish a free available chlorine residual of 10 ppm.

FOR SHOCK TREATMENT (Superchlorination); or after each use. Add 16 oz. of product per 1.000 gallons of water to control odors and/or algae (for outdoor spas). Do not use spa until free available chlorine drops to 5 ppm or less. Use a suitable available chlorine test kit to establish proper residuals.

During extended periods of disuse add 3 oz. of product per 1,000 gallons to maintain a free available chlorine residual of 3 ppm