

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98.



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (X)

OPP Identifier Number 244865

Application for Pesticide - Section I

1. Company/Product Number 10897-4
2. EPA Product Manager Ruth Douglas
3. Proposed Classification [X] None [] Restricted
4. Company/Product (Name) Poolchlor aka Hasachlor PM# 32
5. Name and Address of Applicant (Include ZIP Code) Hasa Inc. 23119 Drayton St. Saugus, Ca. 91350
6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. N/A Product Name N/A

Section - II

[] Amendment - Explain below. [] Final printed labels in response to Agency letter dated
[] Resubmission in response to Agency letter dated [] "Me Too" Application.
[X] Notification - Explain below. Per PR 93-10 & 95-1 [] Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.) See attached 2 pages. "I certify that this notification is consistent with PR 95-1 and EPA regulations at 40 CFR 152.46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of PR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA".

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging [X] No Unit Packaging [X] No Water Soluble Packaging [X] No 2. Type of Container [X] Plastic
3. Location of Net Contents Information [X] Label [X] Container 4. Size(s) Retail Container 1 gallon 5. Location of Label Directions [X] On Label [X] On Labeling accompanying product
6. Manner in Which Label is Affixed to Product [X] Lithograph Paper glued Stenciled [X] Other embossed

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Mary Flynn Title Director, Government Affairs & Public Relations Telephone No. (Include Area Code) 805-259-5348
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.
2. Signature Mary Flynn 3. Title Director, Government Affairs & Public Relations
4. Typed Name Mary Flynn 5. Date 8/29/95
6. Date Application Received (Stamp)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER. CORROSIVE. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling HASACHLOR. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS

Sodium Hypochlorite is toxic to fish and aquatic organisms. Do not discharge effluent containing HASACHLOR into lakes, streams, ponds, estuaries, oceans or public waters, unless the product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing HASACHLOR to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent. Mix only with water in accordance with label directions. Mixing HASACHLOR with other chemicals, e.g., ammonia, acids, detergents, etc. or organic matter, e.g., feces, urine, hair oil, etc. will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

STORAGE AND DISPOSAL

Keep HASACHLOR in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from direct sunlight, open flame, and heat. In case of spill or decomposition, isolate container [if possible] and flood area with large quantities of water. HASACHLOR which cannot be used the pool or spa should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Rinse empty containers and offer for recycling or place in trash for collection.

EPA Est. No. 10897-CA-1 __ EPA Est. No. 10897-CA-2__

EXISTING LABEL 8-29-95
Revision per PR 95-1
follows on page 2.

HASACHLOR

CHLORINATING LIQUID FOR POOL AND SPA SANITIZATION

Active Ingredient: Sodium Hypochlorite	12.5%
Inert Ingredients:	87.5%
Total:	100.0%

KEEP OUT OF THE REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Rinse with water. Remove contact lenses [if applicable] and flood eyes with water for 15 minutes. Get prompt medical attention.

IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

IF ON SKIN: Wash with plenty of soap and water.

See additional precautions and directions for use on side panels.

EPA Reg. No. 10897-4

Manufactured and Packaged by HASA, Inc.; Saugus, California 91350; San Jose, California 95110; and Eloy, Arizona 85231

NET: 1 Gallon [3.785 l]

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Never use this product in a swimming pool. Use a chlorine test kit and include the required level of available chlorine.

SWIMMING POOL

NEW POOLS AND SPRING start-up, superchlorinate with 52 quarts (8 ounces) of HASACHLOR per 10,000 gallons of water. Yield 5 - 10 ppm available chlorine.

TESTING: Check the level of available chlorine and maintain pool water pH to between 7.2 - 7.8. Adjust the alkalinity of the pool to between 100 - 150 ppm.

MAINTENANCE: To maintain a residual chlorine level, use device 11 ounces of HASACHLOR per 10,000 gallons of water. Stabilized pools should maintain a residual chlorine level of 1.0 - 3.0 ppm.

SUPERCHLORINATION: To superchlorinate the pool with 52 quarts (8 ounces) of HASACHLOR per 10,000 gallons of water. Yield 5 - 10 ppm available chlorine with a test kit. Maintain a residual chlorine level between 1.0 - 3.0 ppm.

DRAINING POOL: When draining a pool, available chlorine must be allowed to dissipate before discharge. Do not chlorinate the drain.

WINTERIZING: While water is being drained, add HASACHLOR per 1,000 gallons of water are running to obtain a 3.0 ppm residual chlorine. Use a suitable test kit. Cover pool. Turn off pumps and associated components. Follow the instructions.

SPA

NEW SPAS AND START-UP: For every 1,000 gallons of water [equivalent to 100 gallons] add 1 quart of HASACHLOR uniformly over the surface of the water. If necessary, to establish a free residual chlorine level of 1.0 - 3.0 ppm.

MAINTENANCE: Apply 5 1/2 quarts of water to maintain a residual chlorine level of 1.0 - 3.0 ppm as determined by a suitable test kit. Adjust water pH to 7.2 - 7.8. Note: soaps, oils, etc. may cause foaming and reduce the effectiveness of chlorine during periods when spa is in use. Add 5 1/2 quarts of HASACHLOR per 1,000 gallons of water if level falls below 1.0 ppm.

HASACHLOR - EPA Reg. No. 10897-4 Revised per PR 95-1.

Page 2.

Insert following paragraph in place of "ENVIRONMENTAL HAZARDS" on page 1.

ENVIRONMENTAL HAZARDS

Sodium Hypochlorite is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

3 of 3