

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER!

Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

Environmental Hazards: This disinfectant is toxic to fish. Keep out of lakes, streams, ponds, and public waters unless a discharge permit is obtained. For guidance, contact the regional office of the U.S. Environmental Protection Agency or Hasa Chemicals, Inc.

Physical and Chemical Hazards:

Strong oxidizing agent!

Mix only with water according to label directions. Mixing this product with gross filth, such as feces, urine, etc. or with ammonia, acids, detergents, or other chemicals will release hazardous gases irritating to eyes, lungs, and mucous membranes.

Helpful hints: Shower before using to remove body oils and perspiration. Do not add foodstuffs or beverages to water. Do not use soap or shampoo in spas and hot tubs. If possible, do not use sunscreens or suntan oils on parts of the body in the water. Avoid overloading. Avoid overheating water. Get out of water every 30 minutes for at least 10 minutes.

HASA LIQUISHOCK

For Superchlorination in Hot Tubs and Spas

Active ingredient: Sodium

Hypochlorite 7.0%
Inert ingredients..... 93.0%
Total..... 100.0%

KEEP OUT OF REACH OF CHILDREN!


DANGER

See first aid and other precautions on side panel.

EPA REG. NO. 10897-21

Manufactured and Packaged by Hasa Chemicals, Inc., Saugus, CA 91350

**Net: 1 Quart
(32 Fluid Ounces)**



STOP! BEFORE OPENING AND USING THIS PRODUCT, READ AND UNDERSTAND THE ENTIRE LABEL.

It is a violation of federal law to use this disinfectant in a manner inconsistent with its labeling.

DIRECTIONS FOR USE: Spas and hot tubs should be shock treated every 7-10 days during periods of frequent use, high temperatures, whenever the water has been contaminated, or whenever the water has lost its sparkle.

Add 6 fluid ounces of HASA LIQUISHOCK for each 500 gallons of spa or tub water. Have filter and pump running while adding and for at least 2 hours afterward. Check chlorine residual with a reliable test kit after 2 hours. If residual is less than 2.0 ppm, repeat treatment as above. If residual is above 3.0 ppm, wait until residual drops to the 2.0-3.0 ppm range. When residual is in ideal range, readjust pH, if necessary.

Do not worry if residual is too high. It will drop with time, temperature, and sunlight.

If cloudy conditions persist after 2 treatments, check filter for leakage. For other problems, have the water tested by a professional pool service technician.

Maintain pH in 7.2-7.6 range. Available chlorine should be in 2.0-3.0 ppm range when spa is in use.

BEST DOCUMENT AVAILABLE