

Sprayon

Insect Control

SHAKE BEFORE USING

Net wt. 7 oz.

WARNING: KEEP OUT OF REACH OF CHILDREN. READ BACK PANEL CAREFULLY.

Harmful if swallowed. Avoid contamination of food. Do not use on edible crops. Remove pets, birds and cover fish aquariums before spraying.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

To control aphids (plant lice), exposed thrip, adult whiteflies and two-spotted mites, spray directly on insects. Spray in short bursts of one to three seconds. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Protect House Plants: Spray infested African violets, philodendron, geraniums, begonias etc. for listed pests. Leave the sprayed area when done indoors, and ventilate area after treatment is completed.

Apply this product only as specified on this label.

INGREDIENTS:

ACTIVE:	
(E-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	0.200% w/w
Related compounds	0.027%
d-trans Allethrin (allyl homolog of Cinerin I)	0.125%
Related compounds	0.500%
INERT:	99.833%
	100.000%

*cis/trans isomers ratio: max 99% (±) cis and min. 70% (±) trans.
- U.S. Patent No. 3,446,007
EPA No. 10900-36-1
EPA Est. No. 10900-010

Sprayon Products, Inc.
26300 Fargo Ave.
Bedford Hts, OH 44146

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.