

Page A 10720 - 49

Page 11

131

Industrial Insecticide Spray

862 Provides Rapid Control of Houseflies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps, and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Houseflies, Mosquitoes, Gnats, Wasps, and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep insects in contact with spray. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Silverfish, Silverfish, Cichlids, Spiders, Centipedes and Saw Bugs: Spray into hiding places such as cracks and crevices, behind drapes, curtains, along baseboards and floors, around drains and plumbing, killing insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food products, containers, pantries and dishware areas.

Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly as needed.

Carpenter Beets: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat as necessary.

Contaminated Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around containers or containers and other areas where these insects feed to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Use: Spray on garments, linens, mattresses, furniture, floors, ceilings and immediate surroundings. Spray on insecticide area to kill for possible damage or destruction. Repeat after drying, then proceed to spray areas to be treated.

Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 18 inches. Spray each square foot for 3 seconds, directing spray into all intended surfaces until moist.

For Bedding: Make sure spray is directed into corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

For Mattresses, Furniture and Carpets: Direct spray into all folds, tufts, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.

862 FOR USE ON MATTRESSES

Bedbugs: Spray mattresses, particularly around tufts and seams. Fold beds apart and spray into all joints. Treat baseboards, moldings and trimers. Repeat treatment as necessary.

Floors: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Replace pet's old bedding. Repeat as necessary but only a recommended pet spray on pet.

To use entire contents: Hold sprayhead stationary and spray entire area until moist and spray is shown.

Precautionary Statements Hazards to Humans & Domestic Animals

CAUTION

Avoid breathing of vapor or contact with eyes or skin. Vacate premises after treatment and ventilate before re-occupying.

Avoid contamination of feed and foodstuffs. When using this product, food should be removed or covered during treatment or thoroughly cleaned before using.

Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before using.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not use in areas where fish or reptiles may be exposed to the spray.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT: If swallowed: Drink a large amount of milk or water. Do NOT induce vomiting because of aspiration hazard. Call a physician (or Poison Control Center) immediately. If in eyes: Flush with plenty of water. See a physician. If on skin: Remove contaminated clothing and wash affected areas with soap and water. If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

STORAGE AND DISPOSAL

Disposal: Do Not Reuse Empty Container. Wrap and Put in Trash Collection.

Storage: Store in a Cool Dry Place. Keep Container Closed.

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS

**SHERWIN
WILLIAMS**

SPRAYON PRODUCTS
Industrial Supply

Division of The Sherwin-Williams Company
Bedford Heights, Ohio 44146 • Anaheim, Calif. 92808



862

862

Industrial Insecticide Spray

PYRENONE* Insecticide

Industrial Strength — Low Dosage Required

For Use in Schools, Hospitals, Institutions, Hotels, Dairies, Supermarkets, Restaurants, Drive-ins, Motels, Drugstores, and Animal Quarters.

ACTIVE INGREDIENTS:

Pyrethrins	0.40%
*Pyrethrin Butoxide, Technical	2.00%
INERT INGREDIENTS:	97.60%
	100.00%

*Equivalent to 1.6% (Butylcarbitol) (2-propylbutyrate) ester and 0.4% related compounds.

PYRENONE — Registered trademark of Farnham American Corp.

EPA Reg. No. 10906-09

EPA Est. No. 10906-OH-1

Sprayon

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED OR INHALED.

AVOID CONTACT WITH SKIN.

See side panel for additional precautionary and practical treatment statements.

20 oz • 566 g net wt.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.