

300 / 371,269  
18  
345 / 371,272  
18  
FEB 27 1991

Mr. Douglas Raymond  
Regulatory Affairs  
Sprayon Products  
Div. of Sherwin-Williams Co.  
26300 Fargo Avenue  
Bedford Heights, OH 44146

Dear Mr. Raymond:

Subject: 862 Industrial Insecticide Spray  
Change in Formulation of Active Ingredient to Inert  
EPA Registration No. 10900-49

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable subject to the following comments.

1. Change your Physical or Chemical Hazard statements to **Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.** or provide the flashpoint of the product with the propellant to show that the statements should be otherwise.

2. Add the following statement to the beginning of the directions for use.

**In hospitals, patients should be removed from room prior to treatment. Room should be ventilated two hours after spraying. Do not return patients to room until after ventilation.**

3. Change the Hazards to Humans and Domestic Animals section so that it is identical to your label accepted 12/18/90.

4. Provide the pounds/gallon or bulk density for your product.

5. In the If in Eyes section replace **See a physician.** with **Get medical attention if irritation persists.** and add this statement to the If on Skin statement.

**BEST AVAILABLE COPY**

-2-

A stamped copy of the label is enclosed for your records.  
Submit five (5) copies of final printed labeling.

Sincerely,

PHH  
Phil Hutton  
Product Manager 17  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

**BEST AVAILABLE COPY**

3831

### Industrial Insecticide Spray

862 Provides Rapid Control of Houseflies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps, and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.

#### Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

**Houseflies, Mosquitoes, Gnats, Wasps, and Small Flying Moths (Millers):** Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light areas which attract these insects. Keep insects in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

**Beetles, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Saw Flies:** Spray into hiding places such as cracks and crevices, behind drapes, curtains, along baseboards and floors, around drains and plumbing, hiding insects with spray whenever possible. Repeat treatment as necessary.

**Flies:** Spray walls, walls and points of entry. Spray on walls where possible. Repeat as necessary.

**Indian Meal Moths and Angoumois Grain Moths:** Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pantries and dishcases.

**Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep room closed for 15 minutes following treatment. Repeat application weekly or as needed.**

**Carpet Beetles:** Spray directly on beetles, baseboards, floors, stairs and carpets. Repeat as necessary.

**Confused Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, and Flour Beetles, Grain Mites:** Spray into cracks and crevices, processing and handling equipment, around corners in warehouses and other areas where these insects tend to congregate. Spray 10 seconds for each 100 square feet of space. Keep area closed for 15 minutes to 1 hour after treatment. Repeat application as necessary.

**Use:** Spray on garments, including mattresses, furniture, floors, carpets and linens. Let first spray be inconspicuous and let for possible staining or discoloration, repeat after drying, then proceed to spray other areas to be treated.

Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 18 inches. Spray each square foot for 3 seconds directing spray into all crevices and under carpet.

**For Bedding:** Make sure spray is directed into corners of bed sheets and blankets as well as inside and outside of pillow cases. In the case of garments and linens, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

**For Mattresses, Furniture and Carpets:** Direct spray into all folds, tufts, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use. **DO NOT USE ON MATTRESSES.**

**Bedding:** Spray mattresses, particularly around tufts and seams. Turn beds apart and spray into all parts. Treat baseboards, moldings and trim. Repeat treatment as necessary.

**Pets:** Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Replace pet's old bedding. Repeat as necessary but only a recommended pet spray on pets.

To see entire contents hold sprayer stationary and rotate can until material sprays in place.



**Precautionary Statements**  
**Hazards to Humans & Domestic Animals**  
**CAUTION**  
 Avoid breathing of vapor or contact with eyes or skin. Vacate premises after treatment and ventilate before re-occupying.  
 Avoid contamination of feed and food products. When using this product, food should be removed or covered during treatment or thoroughly cleaned before using.  
 Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before using.  
 Remove pets, birds and cover fish aquariums before spraying.  
**ENVIRONMENTAL HAZARDS**  
 Do not use in areas where fish or reptiles may be exposed to the spray.  
**PHYSICAL OR CHEMICAL HAZARDS**  
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.  
**STATEMENT OF PRACTICAL TREATMENT:** If swallowed: Drink a large amount of milk or water. Do NOT induce vomiting because of aspiration hazard. Call a physician (or Poison Control Center) immediately. If in eyes: Flush with plenty of water. See a physician. If on skin: Remove contaminated clothing and wash affected areas with soap and water. If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

**STORAGE AND DISPOSAL**  
**Disposal:** Do Not Reuse Empty Container. Wrap and Put in Trash Collection.  
**Storage:** Store in a Cool Dry Place. Keep Container Closed.

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS

**SHERWIN WILLIAMS** **SPRAYON PRODUCTS**  
 Industrial Supply  
 Division of The Sherwin-Williams Company  
 Bedford Heights, Ohio 44148 • Anaheim, Calif. 92808

10900-49

862

# Industrial Insecticide Spray

## PYRENONE® Insecticide

Industrial Strength — Low Dosage Required  
For Use in Schools, Hospitals, Institutions, Hotels, Diners, Supermarkets, Restaurants, Drive-ins, Motels, Drugstores and Animal Quaranters.

**ACTIVE INGREDIENTS:**

Pyrethrin	0.40%
Piperonyl Butoxide, Technical	2.00%
<b>INERT INGREDIENTS:</b>	<b>97.60%</b>
	<b>100.00%</b>

\* Equivalent to 1.6% (Butylcarbyl) (0-propylpiperonyl) ether and 0.4% related compounds.  
**PYRENONE** — Registered trademark of Fafield American Corp.

EPA Reg. No. 10900-49 EPA Est. No. 10900-OH-1



KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
 HARMFUL IF SWALLOWED OR INHALED.  
 AVOID CONTACT WITH SKIN.  
 See side panel for additional precautionary and practical treatment statements.

**BEST AVAILABLE C**  
 20 oz • 566 g net wt.