### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

28 MAY 1992

Ms. Lisa R. McClellan Sprayon Products Division of Sherwin-Williams Company 26300 Fargo Avenue Bedford Heights, Ohio 44146

Dear Ms. McClellan:

Subject:

Revised Labeling

862 Industrial Insecticide Spray **EPA Registration Number 10900-49** Submission dated May 11, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Submit one (1) copy of the finished labeling must be submitted prior to releasing the product for shipment.

- 1. Delete the phrase "Industrial Strength" which appears on the front panel of the product label. This wording is contrary to the Agency policy as put forth in PR Notice 91-7 (see enclosed copy).
- 2. Delete the wording "...processing and handling equipment..." which appears in the paragraph which begins "Confused Flour Beetles, Saw-toothed Grain..".
- 3. Expand the statement "DO NOT USE ON HUMANS" to read: DO NOT USE ON **HUMANS OR ANIMALS.**

Sincerely,

Richard F. Mountfort Product Manager (10)

Insecticide-Rodenticide Branch CONCURRENCES istration Division SYMBOL SURNAME OFFICIAL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

\*U.S. Government Printing Office: 1992 -- 620 856/40672



# Industrial Insecticide Spray

0(662 Provides rapid control of Housefiles, Mos-quitos, Small Flying Moths (killers), Gnats, Wasps, and accessibi stages of Roaches, Ants, Water Bugs, Siverish, Flour Beetles, Weevils, Grain Mites and Spiders. In hospitals, pauents should be removed from room prior to beatment. Room should be venti-lated two hours after spraying. Do not return patients to room unul after ventilation.

Directions For Use: It is a violation of Federal law

Directions For Use: It is a violation of Federal law to use this product in a : ... iner inconsistent with as takening SHAKE BEFORE USING AND AT INTERNALS DURING PROLONGED USE. Hold container upright with nozile away from you. Press valve down and spray as directed. To avoid possible staining of Tabrics or surfaces, we not spray at close range. Houseffles, Mosquitos, Gratis, Wasps, and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spiral to all parts of the room, especially windows and other light sources which attract hese insects. Keep nozile in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repezitestment as necessary.

closed for Yo 15 minutes and treatment, neper treatment as necessary.

Roaches, Waterbugs, Silverlish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiolog places such as cracks and crevices, behind sinks, cabinets a ong baseboards and filoors, around drains and pumbing, hilling insects with Spray whenever possible. Repeat treatment as necessary.

Anter Som Holling order and points.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

ants where possible. Repeat as necessary. Indian Meal Moths and Angoumois Grain Moths: Cose doors and windows. Direct paray into all parts of room especially around stored floor product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area cosed for 15 manutes following treatment. Repeat application week. Or as needed.

Carpet Beetles: Spray directly on beetles, baseboards. Ricors, shelves and carpets. Repeat as recessary.

Confused Flowr Beetles, Saw-toothed Grain Beetles, Grasary Weevils, Rice Weevils, Red Flowr Beetles, Grale Mitse: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 35 seconds for each 100 square feet of surface. Keep area closed for 45 minutes in 1 hour after treatment. Repeat applications as concessing. as nacessary.

as necessary.

Lice: Soray on garments, bedding mattresses, furniture, floors, carpeting. Id inclimate surfaces. First spray an inconspicious area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire mass to be treated.

Hold can upright with nozzle away 1, m you. Press button and spray surface to be treated from a distance of 10 inches. Spra; each square floot for 3 seconds, directing spray into all intested surfaces until moist. For Bedding: Make sure spray is directed into corners of fitted sheets and blankers as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, terms, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

For Mattresses, Fereiture and Carpetling: Direct

hot water or dry cleaned as required.

For Mattresses, Ferniture and Carpeting: Direct spray into all folids, tucks, seams and crevices of inlested areas until moist. Allow all treated surfaces to 
dry completely before use.

NOT FOR USE ON HUMANS.

Bedbugs: Spray mattresses, particularly around tults 
and seams. Take beds apart and spray into all joints. 
Treat baseboards, moldings and frames. Repeat 
treatment as necessary.

Flams: Spray sleeping quarters, bedding floor and

reaument as teassary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Replace pet's old bedding. Repeat as necessary. Use only a recommended pet spray on pets.

To use entire cont. its: Hold sprayhead stationary and rotate can until material sprays as shown.



Precautionary Statements: Hazards to Humans and Domestic Animals

CAUTIO No. Avoid breathing of vapor or contact with eyes or skin. Vacate premises after treatment and ventuals before re-occupying. Avoid contamination of feed and foodstatis. When using this product in food processing plants, food should be removed or coverind during treatment. All food processing surfaces should be covered during treatment and washed with an effective cleaning compound followed by a potable water runse before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, buds and cover fish aquatiums before spraying.

ENVIRONMENTAL HAZARDS: Do not use in areas where fish or reputies may be exposed to the spray. PHYSICAL OR CHEMICAL HAZARDS: Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces, Do not puncture or incherate container. Exposure to temperatures above 130 degrees F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT: If swallowed: Orink a large amount of milk or water. Do NOT induce vortiting because of aspiration hazard. Call a physician for Poson Control Center) immediately, if in eyes Flush with plenty of water. Get medical attention if irritation persists. If inhaled: Remove victum to fresh air. Apply artificial respiration if indicated.

STORAGE AND DISPOSAL

Disposal: Do not Reuse Empty Container. Wrap and Put in Trash Collection. Storage: Store in a Cool Dry Place. Keep Container Closed.

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

SPRAYON PRODUCTS

Industrial Supply
The Shalan Walent Comuny
Thicking On 44146 - Anahom CA 92807





Ī

3

STi 9770-3 Norwood Studio P.O. N1-226 First Proof 7-27-91 m5 fonts helv IB

BEST AVAILABLE COPY

862

# Industrial Insecticide

## PYRENONE® Insecticide

- For Rapid Control Of Common Pests and insects
- For Indoor & Outdoor Use.
- Can Be Used On Bedding & Carpeting

Industrial Strength - Low Dosage Required

For Use In Schools, Hospitals, Institutions, Hotels, Daines, Supermarkets, Restaurants, Drive-Ins, Motels, Drugstores. and Animal Quarters. .

**ACTIVE INGREDIENTS:** 

Pyrethrins
\*Piperonyl Butoxide, Technical
INERT INGREDIENTS:

\*Equivalent to 1.6% (Butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds.

PYRENONE - Registered Trademark of Fairfield American Corp.

EPA Reg. No. 10900-49

EPA Est. No. 10900-OH-1 or 10900-CA-1 or 33915-M-1



### KEEP OUT OF REACH OF CHILDREN CAUTION

HARMFUL IF SWALLOWED OR INHALED. AVOID CONTACT WITH SKIN. See side panel for additional precautionary and practical treatment statements.

1 lb. • 454 g net wt.