

10900-49

5/10/2001

1/4

862

Industrial Insecticide Spray

PYRENONE® Insecticide

- For Rapid Control of Common Pests and Insects
- For Indoor & Outdoor Use
- Can Be Used On Bedding & Carpeting

For Use in Schools, Hospitals, Institutions, Hotels, Dairies, Supermarkets, Restaurants, Drive-Ins, Motels, Drugstores, and Animal Quarters

ACTIVE INGREDIENTS:


Pyrethrins.....	0.40%
*Piperonyl Butoxide, Technical.....	2.00%
OTHER INGREDIENTS.....	97.60%
	100.00%

*Equivalent to 1.6% (Butylcarbityl)
(6-propylpiperonyl) ether and
0.4% related compounds.

EPA Reg. No. 10900-49

EPA Est. No. 10900-OH-1
33915-MI-1

KEEP OUT OF REACH OF CHILDREN
CAUTION
HARMFUL IF SWALLOWED OR INHALED.
AVOID CONTACT WITH SKIN.
See side panel for additional precautionary and
Practical treatment statements



___ oz. ___ g net wt.

Back Panel

Provides rapid control of Houseflies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps, and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated two hours after spraying. Do not return patients to room until after ventilation.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

- Hold container upright with nozzle away from you.
- Press valve down and spray as directed.
- To avoid possible staining of fabrics or surfaces, do not spray at close range.

Houseflies, Mosquitoes, Gnats, Wasps, and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Carpet Beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat as necessary.

Confused Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites; Spray into cracks and crevices, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Lice: Spray on garments, bedding mattresses, furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist.

For Bedding: Make sure spray is directed into corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

For Mattresses, Furniture and Carpeting: Direct spray into all folds, tucks, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.

DO NOT USE ON HUMANS OR ANIMALS

3/4

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and frames. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Replace pet's old bedding. Repeat as necessary. Use only a recommended pet spray on pets.

To Use Entire Contents: Hold sprayhead stationary and rotate can until material sprays as shown



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Avoid breathing of vapor or contact with eyes or skin. Vacate premises after treatment and ventilate before re-occupying. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment and washed with an effective cleaning compound followed by a potable water rinse before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS: Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 degree F may cause bursting.

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool dry place. Keep container closed.

PESTICIDE DISPOSAL: Do not reuse empty container. This container may be recycled in the few but growing numbers of communities, where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap container and discard in the trash. Open dumping is prohibited.

4/4

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Company Name