SEP 2 0 2005

Ms. Jamie Zajac
The SHERWIN_WILLIAMS COMPANY
Environmental, Health & Regulatory Services
101 Prospect Avenue, NW
Cleveland, Ohio 44115-1075

Subject: Label Amendment/New Basic CSF 862 Industrial Insecticide Spray EPA File Number: 10900-49

Application Dated: June 1, 2005

Dear Ms. Zajac:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below:

- 1. Under the precautionary statements, modify to read: Harmful if swallowed.....avoid contact with skin, eyes or clothing. Avoid breathing vapor..... Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco and going to the toilet.
 - 2. Under the "Directions For Use", add the following statements:
 - a. This product should not be used to control lice on humans.
- b. A physician should be consulted to obtained suitable treatment.
- 3. Under the "subheading", Carpet beetles: Spray directly....
 shelves and carpets, Revise the claim to read:

To treat exposed confused flour beetles, saw-toothed Spray into cracks and crevices....to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment.

Page No. 2 EPA REG. No 10900-49

4. Under the "subheading", add a new paragraph to read:

After treatment, garments and bedding should be washed or dry cleaned before use.

A stamped copy of the label is enclosed.

In addition, the proposed basic CSF dated 5/17/05 is acceptable and will supersede all previous CSF. In addition, all future CSF's must give the exact amount of each propellant used.

A copy of the review is enclosed for your files.

Sincerely,

Richard J. Gebken Product Manager 10

Insecticide Branch

Registration Division (7505c)

862 INDUSTRIAL INSECTICIDE SPRAY

- A PYRENONE-INSECTICIDE
- INDUSTRIAL GTRENGTH LOW DOSAGE REQUIRED
- FOR USE IN SCHOOLS, HOSPITALS, INSTITUTIONS, HOTELS, DAIRIES, SUPERMARKETS, RESTAURANTS, DRIVE-INS, MOTELS, DRUGSTORES, FOOD PLANTS AND ANIMAL QUARTERS
- PROVIDES RAPID CONTROL OF FLIES, MOSQUITOES, FLYING MOTHS (MILLERS), GNATS, WASPS AND ACCESSIBLE STAGES OF ROACHES, ANTS, WATER BUGS, SILVERFISH, FLOUR BEETLES, GRAIN MITES AND SPIDERS

ACTIVE INGREDIENTS:

*Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds. <u>*Contains petroleum distillate</u>

EPA REG. NO. 10900-49

EPA EST. NO. 10900-OH-1 33915-MI-1

*Refer to bottom of container for production facility.

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
If swallowed:	Immediately call a poison control center or doctor.
•	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
If inhaled:	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
	
Have the produtreatment.	ct container or label with you when calling a poison control center or doctor or going for
	NOTE TO PHYSICIAN
Contains petrol	eum distillate - vomiting may cause aspiration pneumonia.

See Side Panel For Additional Precautionary Statements

NET CONTENTS:

ACCEPTED with COMMENTS In EPA Letter Dated

SEP 2 0 2005

Under the Federal Insecticide, Fungicide, and Redentiside Act, as amended, for the positivide registered under EPA Reg. No.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash before reuse.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or inclinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Vacate premises after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, cover or remove food during treatment. Cover all food processing surfaces during treatment or thoroughly clean before using. When using this product in these areas, apply only when facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not allow dogs or cats to re-enter treated areas until spray deposits have dried.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

FLIES, MOSQUITOES, GNATS, WASPS AND FLYING MOTHS (MILLERS): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment.

ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPIDERS, CENTIPEDES AND SOW BUGS: Spray Into hiding places such as cracks and crevices, behind sinks, cablnets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible.

INDIAN MEAL MOTHS AND ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

CARPET BEETLES: Spray directly on beetles, baseboards, floors, shelves and carpets.

CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment.

LICE: Spray on garments, bedding, mattresses, furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated. Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist.

FOR BEDDING: Make sure spray is directed into corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required. For mattresses, furniture and carpeting: Direct spray into all folds, tucks, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and frames.

FLEAS: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame. Store in a cool dry area away from children. [Store in a cool dry area away from flame.ssible to] children and pets and away from heat or open flame.] [Do not transport or store below 32°F.] [Protect from freezing.] [Do not freeze.]

[Protect from freezing.] [Do not freeze.]

Disposal: Do Not Incinerate Or Puncture! If empty: Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] If partly filled: Call your local solid waste agency or 1-800-CLEANUP (which is managed as a public-private partnership) for disposal instructions.

Company Name