

General Purpose Insect Killer

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS

For control of aphids, two-spotted spider mites, and adult white flies on ornamental house and greenhouse plants (African violets, aralias, Christmas cherries, chrysanthemums, cinerarias, dieffenbachias, luscias, gloxinias, ivy, lantanas, Neathe bella palms, petunias, roses and snapdragons); and on outdoor plants (azaleas, chrysanthemums, euonymus, ivy, marigolds, peonias, roses, snapdragons and zinnias).

DO NOT SPRAY ON BEARING FRUIT TREES.

Directions For Use:

- Product should be sprayed in a well ventilated area.
- Warm can to room temperature. If necessary, submerge in warm water — maximum 90°F — for 5 minutes.
- Shake well before using. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants. Spray plants with a slow sweeping motion so that mist drifts into plant. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.
- Open and shut the valve completely. Keep your fingertip out of the spray so as not to form droplets.
- To use entire contents, hold sprayhead stationary and rotate can until material sprays as shown.



Precautionary Statements
Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed. Inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not spray on pets, humans or other animals. Cover fish aquariums.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS. Statement of practical treatment. If in eyes: Flush with water for at least 15 minutes. If inhaled: Remove patient to fresh air. If on skin: Wash with soap and water. If swallowed: Call physician immediately. Do NOT induce vomiting.
NOTE TO PHYSICIAN: Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of cuffed endotracheal tube.

© 1980, The Sherwin-Williams Company

Important Note: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Do not reuse empty container. Wrap container and put in trash collection.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS



SPRAYON PRODUCTS
Industrial Supply

Division of The Sherwin-Williams Company

Bedford Heights, Ohio 44146 • Anaheim, Calif. 92806



867

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

867 General Purpose Insect Killer

For Control of Residential, Industrial and Garden Insect Pests.
CONTAINS A COMBINATION OF TWO NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID COMPOUNDS.

ACTIVE INGREDIENTS:

*Tetramethrin	0.250%
Related compounds	0.034%
**[5-Benzyl-3-ary] methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.250%
Related compounds	0.034%
INERT INGREDIENTS:	99.432%
	100.000%

*1-cyclohexene-1, 2-dicarboximide methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate.

**Regmethrin — Cis/trans isomer content: Max. 30% (±) cis and min. 70% (±) trans. U.S.

Patent No. 3,486,007

EPA Reg. No. 10000-55

EPA Est. No. 10000-OH-1

Sprayon

KEEP OUT OF REACH OF CHILDREN

WARNING

CONTENTS UNDER PRESSURE. DO NOT PUNCTURE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 120°F MAY CAUSE BURSTING. NEVER THROW CONTAINER INTO FIRE OR INCINERATOR. See side panel for additional precautionary and practical treatment statements.

15 oz • 425 g net wt.