

Pm 10

10900-60

Page 1 of 2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

JUL 22 1991

Ms. Lisa R. Tartaglio
Sprayon Products
26300 Fargo Avenue
Bedford Heights, OH 44146

Dear Ms. Tartaglio:

Subject: Submission of Revised Labeling
871 House and Garden Insect Killer
EPA Reg. No. 10900-60
Submission dated July 10, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared, bring your label into compliance with the Sumithrin Registration Standard by modifying the active ingredient declaration for sumithrin to read:

"3-phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-
3-(2-methylprop-1-enyl)cyclopropanecarboxylate"

Sincerely,

RFM

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

871 House and Garden Insect Killer

Directions For Use. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.**

HOUSEHOLD — To Kill Flies, Houseflies, Small Flying Moths, Gnats and Wasps. Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 3-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects.

To Kill Cockroaches, Ants and Crickets. Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, and trails and other areas of entry. Repeat as necessary.

To Kill Carpet Beetles. Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, dressers, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Contaminated Flea Beetles, Two-toothed Grain Beetles, and Blue Weevils. Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sawflies, Caddisflies, Firebrats and Spiders. Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

To Kill Fleas and Brown Dog Ticks. Remove and destroy old pet bedding. Spray sleeping quarters of pet, around baseboards, window and door frames, wall cracks and focal areas of floors. Repeat as necessary. Do not spray animals. Put pet bedding in pet quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

OUTDOORS — To Reduce Annoyance of Houseflies, Mosquitoes, Gnats and Small Flying Moths. Spray area infested with these flying insects. Hold container 3-24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds a 2 mile yard of space while moving away from the treated areas. To reduce annoyance from these pests treat open porches and, also in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

TO KILL ORNAMENTAL PLANT PESTS LISTED BELOW.

General: When sprayed directly on insects, this spray will kill the insects listed. Caution should be taken when spraying new tender growth on young plants. WHEN SPRAYING, HOLD CAN 12-24 INCHES FROM PLANT.

For best results, spray in the evening or on a cloudy day when air is still. Mist the plants lightly. Use a slow sweeping motion. Avoid wetting foliage with spray. Spray every 4 to 6 days at the rate of 1 foot per second. For heavy growth, spray both sides of vine. Repeat as needed. Do not spray when temperatures exceed 90°F.

SPRAY CHART

Insect	Plant
Eastern Tent Caterpillar	Ornamental Cherry
Spider	Spines, Rose, Grape Myrtle
Caterpillars	Ornamental Crabapple
Leafhopper	Rose
Leafminer	Andromeda, Azalea
White Fly	Rose, Crabapple
	Ornamental Cherry, Spines
	Chrysanthemum, Gardenia
Spider mites	Rose
Japanese beetle	Rose
Mealybug	Chrysanthemum
	Purple F. Indian Vine
Ants	Peach
Caterpillar	Ornamental

To use entire contents: Hold sprayhead stationary and mistle can until misted spray is shown.

Precautionary Statements Hazards to Humans & Domestic Animals

CAUTION

Avoid if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water. Do not use in commercial food processing, storage, preparation or serving areas. In the home, all food preparing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands (swamps, bays, marshes, and potholes). Cleaning of equipment or disposal of wastes must be done in a manner that avoids contamination of bodies of water or wetlands.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 112°F may cause burning.

STATEMENT OF PRACTICAL TREATMENT: If swallowed: Drink a large amount of milk or water. Do NOT induce vomiting because of aspiration hazard. Call a physician for Poison Control Center immediately. If in eyes: Flush with plenty of water. Seek medical attention if irritation persists. If on skin: Remove contaminated clothing and wash affected areas with soap and water. Seek medical attention if irritation persists. If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS



SPRAYON PRODUCTS
Industrial Supply

Division of The Sherwin-Williams Company
Bedford Heights, Ohio 44146 • Anaheim, Calif. 92806



871

871

House and Garden Insect Killer

Kills Common Household Pests:
Houseflies, Mosquitoes, Cockroaches, Firebrats.
Kills Common Plant Pests on Ornamentals:
Japanese beetles, Aphids, Mealybugs,
Tent Caterpillar and others listed on back panel.

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximide) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate].....	200%
*d-cis + trans 3-phenoxybenzyl-(1RS, 3RS, 1S, 3S)-2,3-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate.....	0.200%
INERT INGREDIENTS:	99.800%
	100.000%

*d-cis, trans phenothrin
**cis/trans isomer ratio: max. 28% (+ or -) cis
min. 75% (+ or -) trans

EPA Reg. No. 10900-66

EPA Est. No. 10900-OH-1

Sprayon

KEEP OUT OF REACH OF CHILDREN
CAUTION
HARMFUL IF SWALLOWED OR INHALED.
AVOID CONTACT WITH SKIN.
See side panel for additional precautionary and practical treatment statements.

20 oz • 566 g net wt.