PM :11

The Reviewed. Registerer nistres to be in the continue to with Paragraphy of Resident Maries his party of Phase 2 AND THE PROPERTY WAS AND THE PARTY TO THE PA ay — Resmethrin/Bigallethrin 00875 House and Garden

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use indoors and outside premises of hotels, motels, homes, preschools, nurseries. day camps, greenhouses, lathouses, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, cannelles, flour and lead mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

Food Areas: Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

A Synthetic pyrethroid for controlling the following flying & crawling insects in and around households, greenhouses, buildings, vehicles, boats, kennels & stables:

Flying insects

housefles mosquitoes gnats (midges) deer fres stable fees flying moths (millers) fruit files **W85D8**

~ 'naches water Jugs bedbugs liess licks anta crickets dainevlis earwigs spiders **egudwos** centipedes

milifpedes

, arein mites

grain insects

Crawling Insects

Plant Pests

yellow jackets

hornets

aphics Indios whileties leathoppers two-spotted mites plant bugs spillebugs Japanese beetles mimosa webworm armyworms budworms

leaf beaties gypsy moths ussock moths oakworms sawlies tent caterpillars **Eliveew** slugs spider mites

red epider mites

culworms

Precautionary Statements Hazarda to **Humans and Domestic Amimals**

CAUTION

Harmful II swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed loods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish squariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

ig case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if kritation persists.

> PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture, DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerate

To use entire contents: Hold sprayhead stationary and rotate can until material agraya. as shown

STURAGE AND DISPOSAL

aposel: So Not Reuse Empty Container Wrap and Put In Trash

Storage: Store in a Cool Dry Place Keep Container Closed

Important Note: Buyer assumes allereds of use, storage or handling of Thes meterial not inestinct accordance with directions given herewith CHLY 208 SALE TO, USE, AND STORAGE BY SERVICEPERSONS

SHERWIN . SPRAYON PRODUCTS

Industrial Supply

Division of the Sharwin-Williams Company Bedford Heights, Ohio 44145 • Anaheim, Calif. 92806



00875

House & Garden Spray

Resmethrin/Bioallethrin

ACTIVE INGREDIENTS: *1‡Resmethrin ([6-(phenylmethyl)-3-furanyl)

methyl 2.2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarbcxylate

.200%w/w .150%

**d-trans Allethrin (ally) homolog of Cinerin I)

100.000%w/w

*Cls/trans Isomers ratio: max. 30% (±) cis and min. 70% (±) trans tU.S. Patent Nos. 3,465,007 and 3,542,928. ‡Penick's SBP-1382° brand of resmethrin insecticide. **Bioatlethrin

EPA Reg. No. 10000-64

EPA Est. No. 10900-OH-1

KEEP CUT OF REACH OF CHILDREN

-CAUTION HARMFUL IF SWALLOWED OR INHALED AVOID CONTACT WITH SKIN. See side panel for additional precautionary and practical treatment statements

20 oz • 566 g net wt.