A Synthetic Pyrethroid for controlling the following flying and crawling insects:

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See side panel for additional instructions.

Remove protective cap. Alm spray opening away from person. Push button to spray.

For household and industrial use, indoors and around premises.

INDOORS: To Kill Weeps, Hornets, Yellow Jackets, Bees: Application should be made late in the evening when his ects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

To Kilt Ante, Cockroaches, Spiders, Earwigs, Grain Mittes, Sowbugs, Crickets, Beetles, Slivertish, Centipedes, and Millipedes; Direct spray to contact these insects in cracks and crevices in Toors, baseboards, around ploes, behind cabinets, and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

To Kill Ante: Spray directly on insects, and around window frames, doors, ant trails and bills

To Kill Spidere: Spray directly on these peats and use repeated applications to the webbing and all cracks and cravices which harbor spiders.

OUTDOORS: Apply as a contact apray. Spray directly on insects. Aim spray away from person. Avoid spraying plants or turl except to spray infested areas.

Ants: Same as directed above for Indoor use,

Wasps, Hornets, Yellow Jackets, Bees: Same as directed for Indoor use. Alm spray at nest openings in Irees, bushes, under eaves, chimneys, cracks and crevices to saturate in and sround the nest openings. Contact as many insects as possible. Repeat as necessary.

Earwiga, Sowbuga, Crickets, Beetles, Silverlish, Centipedes and Millipedes: Apply as a contact spray, as for Indoor use.

To Kill Yent Caterplifara: Application

should be made when caterplilars are young and len's are first noticed. For best results apply in the late atternoon or evening, when caterpliers have returned to their tents. Aim apray directly at tents, and lotally asturate on all sides. Repeat as necessary.

To use entire contents: Hold sprayhead stationary and rotate can unit material sprays as shown Precautionary Statements Hazards to Humans and Domestic Amimals

CAUTION

Harmful II swellowed or absorbed through skin, Avoid contact with skin, eyes or clothing. Avoid breathing mist, Cover or remove exposed foods, Avoid contamination of cooking utenalis and food preparation surfaces. Remove pets and cover fish equariums before spraying.

STATEMENT OF PRACTICAL TREATMENT In case of contect, Irrmediately firshinkin and eyes with plenty of water for at least 16 minutes. Get medical et-

ieniion if irritation persiats.
PHYSICAL & CHEMICAL
HAZARDS

Contents under pressure. Do not puncture. Do NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerate.

///

STORAGE AND DISPOSAL

Disponal: Do Not Reuse Empty Container, Wrap and Put in Trash

Corlection.

Storage: Store in a Cool Dry Place, Keep Container Closed.

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ONI Y FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS



SPRAYON PRODUCTS

Industrial Supply

Division of the Shawin-Williams Company
Bedford Heights, Onto 44148 • Anahelm, Call, 92808



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2
-Response, Page 2.12, Active to Inert Change in Status.

874

Multi-Purpose Insecticide II

For use in and around hotels, motels, homes, greenhouses and isthouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and alorage buildings, dairies, milk storage rooms, egg processing plants, aupermarkels, restaurants, bottling plants, cannerles, flour and feed milts, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcara and ship cargo holds. Also for use in dog kennels and home stables, not for application if horses will be used for food.

JET STREAM UP TO 12 FOOT RANGE

Disinstrie Strength-Non-conducting up to 26,500 volts.

ACTIVE WIGREDIENTS:

15 Resmeth/inf 8-(phenylmethyl)-3-furanyi/methyl

2,2-dmethyl-3-(2-methyl-1-propertyl)

*Clafe and feomers ratio; max 50%(2) die and min.70%(2) trans.

"Contains petroleum distillate.

1U.S. Petent Nos. 3,485,007 and 3,542,928 IPenick's SSP-1382° brand of reemetivin insecticide, Penick Corp., 1060 Wall Street West, Lynchurst, N.J. 07071

EPA Rog. No. 10000-05

EPA Est. No. 10800-OH-1

(13.



CAUTION

CAUTION

HARMFUL IF SWALLOWED OR INHALED.
AVOID CONTACT WITH SKIN,
See side panel for additional precautionary
and practical treatment statements.

20 oz • 566 g net wt.