

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

### Aqueous Insecticide Professional Strength

A Synthetic Pyrethroid for controlling the following flying and crawling insects:

#### Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

Food should be removed or carefully covered before treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using. In food processing plants apply only when plants are not in operation.

**For Houseflies, Mosquitoes, and Gnats:** Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**Wasps:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

**For Crawling Insects:** Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**To use entire contents:** Hold sprayhead stationary and rotate can until material sprays as shown.



#### Precautionary Statements Hazards to Humans and Domestic Animals

### CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash hands after use. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Do not spray animals. Remove pets, birds and cover fish aquariums before spraying. Do not use on food crops.

**STATEMENT OF PRACTICAL TREATMENT**  
In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

#### PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

#### STORAGE AND DISPOSAL

**Disposal:** Do Not Reuse Empty Container. Wrap and Put in Trash Collection.

**Storage:** Store in a Cool Dry Place. Keep Container Closed.

**Important Note:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS



**SPRAYON PRODUCTS**  
Industrial Supply

Division of The Sherwin-Williams Company  
Bedford Heights, Ohio 44146 • Anaheim, Calif. 92806



© 1981 The Sherwin-Williams Company

877

# Aqueous Insecticide Professional Strength

A Synthetic Pyrethroid for controlling the following household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Wasps, Roaches, Ants, Earwigs, Spiders, Grain Mites, Sowbugs and Centipedes.

#### ACTIVE INGREDIENTS:

* (1) Resmethrin (8-phenylmethoxy-3-turenylmethyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate)	0.500% w/w
Related compounds	0.088%
<b>INERT INGREDIENTS:</b>	<b>99.412%</b>
	<b>100.000% w/w</b>

\* Cis/trans isomers ratio: max 30% (±) cis and min. 70% (±) trans.

† U.S. Patent Nos. 3,465,007 and 3,842,929

‡ Perick's 88P-1382® brand of resmethrin insecticide. Perick Corp., 1060 Wall Street West, Lyndhurst, N.J. 07071

EPA Reg. No. 10900-06

EPA Est. No. 10900-OH-1

# Sprayon

KEEP OUT OF REACH OF CHILDREN

### CAUTION

HARMFUL IF SWALLOWED OR INHALED.  
AVOID CONTACT WITH SKIN.

See side panel for additional precautionary and practical treatment statements.

1 lb 4 oz (566 g net wt)