

Reg. # 10900-68

PA-13

131

(2)

859 Aqueous Roach & Ant Spray with Diazinon*

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake Well Before Use. To operate hold can upright, direct nozzle toward the surface to be treated, and press the actuator button. Do not use as a space spray.

To kill ants, carpenter beetles, cockroaches, crickets, earwigs, firebrats, pillbugs, silverfish and spiders thoroughly apply as a spot treatment to areas where these pests are found or may hide, including dark corners of rooms and closets, cracks and crevices, under carpets, along baseboards and door sills and frames, behind and beneath sinks, stoves, refrigerators, and cabinets and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. Spray, and walls, nests and points of entry.

To kill fleas and brown dog ticks: apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, and nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

To control house flies, gnats, hornets, mosquitoes, small flying moths, wasps and yellow jackets use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

Application Within Food Handling Establishments (Places other than private residences in which prepared food is held, processed, prepared or served including, but not limited to, areas for receiving, storage, packing, freezing, bottling, wrapping, boxing, preparing foods, edible waste storage and disposal processing systems (mills, driers, edible oils, syrups) and serving areas (when food is exposed and facility is in operation). Use as a crack and crevice treatment in and around both food and nonfood areas to control ants, cockroaches, crickets, silverfish, spiders and waterbugs. Apply in small amounts directly into cracks and crevices, using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases. Do not use as product in conduits, meter housings, junction or switch boxes. Prior to application de-energize electrical equipment. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20% of the floor area. Any individual spot treatment shall not exceed 2 square feet. Take extreme care that the product is not introduced into the air. Avoid contamination of food and food processing surfaces.

Application Within Food Serving Areas (Facilities where foods are served such as dining rooms, but including areas where foods may be prepared or held): Apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

Precautionary Statements: Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray on or near or use on plants. Apply as a surface spray only. Do not allow spray to contact food, foodstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

STATEMENT OF PRACTICAL TREATMENT
If Swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by knocking the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Remove contaminated clothing and wash affected areas with soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Pesticide Storage: Do not transport or store below 32°F.
Container Disposal: Wrap container and dispose of in trash. Do not incinerate.

Important Note: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS

**SHERWIN
WILLIAMS**

SPRAYON PRODUCTS
Industrial Supply

Division of The Sherwin-Williams Company
Bedford Heights, Ohio 44146 • Anaheim, Calif. 92806



859

859

Aqueous Roach & Ant Spray with Diazinon®

For Commercial/Industrial Use Only

Pyrethrin* provides flushing action and fast knockdown. Kills Cockroaches, Ants, Spiders, Ticks, and other insects listed in the Directions For Use. Use in and around Homes, Apartments, Garages, Motels, Hotels, Institutions and Food Processing Plants. A residual insecticide which controls listed pests for as long as two weeks. Use outdoors as an aid in reducing annoyance from Flies & Mosquitoes entering the home.

ACTIVE INGREDIENTS

Pyrethrin	0.052%
Piperonyl Butoxide	0.260%
Diazinon	0.500%
INERT INGREDIENTS	99.188%

100.000%

*Equivalent to 0.208% (Butylcarbamyl) (8-propylperoxy) ether and 0.052% related compounds.

**0,0-dibutyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate
Pyrethrin® — Registered Trademark of Fairfield American Corporation
Diazinon® — Registered Trademark of The Ciba Geigy Corporation
EPA Reg. No. 10800-88 EPA Est. No. 10800-OH-1

Sprayon

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED OR INHALED.

AVOID CONTACT WITH SKIN.

See side panel for additional precautionary and practical treatment statements.

16 oz • 454 g net wt.