

HP

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.	DATE OF ISSUANCE
10000-78	FEB 15 1985
TERM OF ISSUANCE	
NAME OF PESTICIDE PRODUCT	
[Faded text]	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faded text]	[Faded text]
[Faded text]	[Faded text]
[Faded text]	[Faded text]
[Faded text]	[Faded text]

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The registrant is conditioned to register in accordance with the following conditions:

1. The registrant shall file a copy of the registration label with the product manufacturer.

2. The registrant shall file a copy of the registration label with the product manufacturer.

3. The registrant shall file a copy of the registration label with the product manufacturer.

Two copies of the label is enclosed for your records.

Timothy A. Carney
Product Manager (17)
Specialized Registration Branch
Registration Division (WH-567)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
[Signature]	2 15 1985

Lab #46407

BEST AVAILABLE COPY

Sprayon's GENERAL PURPOSE AQUEOUS INSECTICIDE

EPA REG. NO. 10900- EPA EST. NO. 10900-OH-1
10900-CA-1

A Concentrated PYRENONE® Micro Emulsion
— Clear — Stable — Leave no oily or objectionable residues
Effective, Fast Acting Insecticide
For use in homes, institutions, restaurants
Food Processing Plants, dairies, livestock and outdoors for mosquito control
For control of fleas and brown dog ticks on premises and on pets
Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:	
Pyrethrins	0.1%
*Piperonyl Butoxide, Technical	1.0%
INERT INGREDIENTS	98.9%
	100%

*Equivalent to min. 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See back panel for additional cautions.

DO NOT TRANSPORT OR STORE UNDER 32°F.

BATCH
[]

Printed in U.S.A.

FEB 11 1975

10900-78

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION

The use of this product in food processing establishments should be confined to time periods when normal operation is suspended. Food should be removed or covered during treatment. All food processing surfaces should be thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness a combination of spot, surface treatment and fogging is recommended.

SURFACE SPRAYING: To control cockroaches, palm-leaf beetles, ants, silverfish, aphids, true bugs, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, earthenware grain beetles, drugstore beetles, meal worms, grain mites and cadellids: Use a good sprayer or nozzle to spray into hiding places, cracks and crevices under panels, around containers of stored food, machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails. Surface application only is to be used. Spray floors and other surfaces applying a rate of 1 gallon per 1000 cubic feet of space.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make local baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters and behind baseboards, moldings, window and door frames, and entire areas of floor. Bedding should be placed in animal quarters following treatment. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage. Brush thoroughly and if possible, apply spray liberally to empty chests, closets, bureaus and other storages, directing spray into cracks. After using, infested articles may be treated lightly keeping nozzle at least three feet away.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good nozzle to a fine mist or fog. For rapid control of house flies, fruit flies, gnats, mosquitoes, shipper flies, and other flies, Mediterranean flour moths, Indian meal moths, and tobacco moths. Direct spray at an angle to the surface of the area at a rate of 3-6 ounces per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible stages of the above named crawling insects, use a rate of 1-2 ounces per 1000 cubic feet of space. Contact insects directly whenever possible.

ON LIVESTOCK: To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, spray the surface of the hair. To control stable flies, horse flies, and deer flies, apply at a rate of 1-2 ounces per 1000 cubic feet of space. Repeat treatment daily or at intervals necessary to control infestation.

To control blood-sucking lice, apply to the infested areas of the animal using a stiff brush to work the spray into the hair. Repeat every 2 to 3 weeks if required.

ON PETS: Start spraying at the tail, moving the dispenser rapidly and making sure that the spray penetrates the legs and underbody. While spraying, fluff the hair so that the spray will penetrate. Do not spray into eyes or face. Avoid contact with genitalia. Repeat as necessary.

OUTDOOR APPLICATION

ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may breed (stagnant pools or ponds and shore lines). Apply at a rate of 2.5 pints per acre (0.1 ounce per 1000 cubic feet of space). Using truck-mounted conventional misting equipment such as Rotomist® models 51C, 91 or 101, treat a 300 foot swath calibrate equipment to deliver 0.9 gallon per minute.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid high temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label should be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and other animals from spraying or surface applications.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to the person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or other bodies of water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with label directions.