

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAM  
REGISTRATION DIVISION (411-167)  
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUE

DEC 11 1984

TERM OF ISSUANCE

**NOTICE OF PESTICIDE:**

REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Space Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Sprayon Products  
Division of Sherwin-Williams Company  
26300 Fargo Avenue  
Bedford Heights, OH 44146

~~160139064~~  
181

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.


This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 19900-79."
  - b. Delete the statement, cautioning the user to de-energize electrical equipment before application, since you do not have any specific instructions for application to electrical equipment.
  - c. Since a potential exists for this product to be used on electrical equipment, you must submit dielectric breakdown voltage information.
  - d. Please update the storage and disposal statements on the label in accordance with PR Notice 81-3.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

12-11-84

-2-

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

FD-118:768-51446:Hayward:PD3A:CAC:Kendrick:998-1270:12/4/83:De-1 . 1. 10/85

Lab #46408

10900-  
EPA Reg. No.

EPA Est. No. 10900-OH-1  
10900-CA-1

### DIRECTIONS FOR USE

Sprayon's  
Space Spray Insecticide  
A Concentrated PYRENONE Micro Emulsion  
Effective, Fast Acting Insecticide  
For Use in Homes, Institutions, Restaurants,  
Food Processing Plants, and Outdoors for  
Mosquito Control  
Apply With Conventional Mechanical or  
Compressed Air Equipment

It is a violation of Federal law to use  
this product in a manner inconsistent with  
its labeling.

#### INDOOR APPLICATION

The use of this product in food processing  
establishments should be confined to time  
periods when the plant is not in operation.  
Food should be removed or covered during  
treatment. All food processing surfaces  
should be covered during treatment or  
thoroughly cleaned before using. De-ener-  
gize electrical equipment prior to appli-  
cation. Allow ample time for material to  
evaporate and dry before starting motors  
or placing switches in "ON" position.

For maximum effectiveness, a combination of  
spot surface treatment and fogging is  
recommended.

ACTIVE INGREDIENTS:	
Pyrethrins.....	0.3%
*Piperonyl Butoxide, Technical....	3.0%
INERT INGREDIENTS .....	96.7%
	100.0%

\*Equivalent to mix. 2.4% (butylcarbityl)  
(6-propylpiperonyl) ether and 0.6%  
related compounds.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
See reverse side for additional  
precautions.

**DO NOT TRANSPORT OR STORE  
UNDER 32° F**

PYRENONE - Registered trademark of  
Fairfield American Corporation

DEC 11 1961

10900-79

To control carpet, be  
carpeting and under  
Make localized appli  
baseboards. Spray-d  
closets and infested  
Repeat treatment as

To control bedbugs:  
lightly particularly  
Take beds apart and  
Treat baseboards, mo  
Repeat treatment as

To control fleas and  
Thoroughly spray inf  
resting quarters, ne  
ces, along and behin  
window and door fram  
of floor and floor c  
should be placed in  
ing treatment. Conc  
animals with an appr  
recommended. Repeat

To control clothes m  
infested articles from  
thoroughly and air f  
sunlight, if possibl  
ally to empty chests  
and other storages d  
cracks, joints and c  
infested articles ma  
keeping nozzle at le  
fabric to avoid stai

#### OUTDOOR APP

ADULT MOSQUITO CONTR  
mist to thoroughly t  
For best results, tr  
velocity does not ex  
Treat shrubbery or v  
toes may rest, low m  
pools or ponds and s  
a rate of 13 fluid o  
fluid ounces per 1000

Using truck-mounted  
equipment traveling  
300 foot swath cala  
deliver 10 fluid ounce

SEE RE

SPACE SPRAYING: Close doors and windows  
and shut off ventilating systems. Apply  
with a good machine adjusted to deliver a  
fine mist or fog. For rapid control of  
house flies, fruit flies, gnats, mosquitoes,  
skinner flies, wasps, hornets, Angoumois  
grain moths, Mediterranean flour moths,  
Indian meal moths, tobacco moths and ex-  
posed or accessible stages of the crawling  
insects listed under SURFACE SPRAYING.  
Direct the spray at an upward angle dis-  
tributing it uniformly throughout the en-  
tire area at a rate of 3-6 ounces per 1000  
cubic feet of space (one gallon to 20,000  
to 40,000 cubic feet of space).

SURFACE SPRAYING: To control cockroaches,  
ants, silverfish, spiders, crickets, clover  
mites, cheese mites, granary weevils, rice  
weevils, confused flour beetles, rust red  
flour beetles, sawtoothed grain beetles,  
spider beetles, cigarette beetles, drug-  
store beetles, meal worms, grain mites and  
cadellid. Use a good sprayer adjusted to  
a coarse wet spray. Direct the spray into  
hiding places, cracks and crevices, under  
pallets, around containers of stored foods,  
around the base of machinery, behind shelves  
and drawers. For silverfish spray book-  
cases. For ants spray trails, nests and  
points of entry. If surface application  
only is to be used, spray floors and other  
surfaces applying at a rate of 1 gallon to  
750 square feet of surface.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

### PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

### CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in bakeries, and other food processing plants, wash with potable water all equipment, benches, shelvings, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.


#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes, or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

NET CONTENTS \_\_\_\_\_

BATCH



Printed in U.S.A.

4-20-68