

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (771-367) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 10900-82	DATE OF ISSUANCE JAN 9 1985
	TERM OF ISSUANCE Amicous Garden Spray	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide,  
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (include ZIP code)

Sprayon Products  
 Division of Sherwin-Williams Company  
 26300 Fargo Avenue  
 Bedford Heights, OH 44146

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Clarify your description of odor and color.
2. Add the phrase "EPA Registration No. 10900-82."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the draft label is enclosed for your records.

Timothy A. Gardner  
 Product Manager (17)  
 Insecticide-Rodenticide Branch  
 Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE 1-9-85

Lab #46411

Sprayon's  
Aqueous Garden Spray

EPA Reg. No. 10900 EPA Est. No. 10900-OH-1  
10900-CA-1

KILLS GYPSY MOTH CATERPILLARS AND JAPANESE BEETLES  
AN EFFECTIVE INSECTICIDE FOR USE ON VEGETABLE AND ORNAMENTAL PESTS  
A CONCENTRATED PYRENONE MICRO-EMULSION, CLEAR, STABLE  
APPLY WITH CONVENTIONAL MECHANICAL COMPRESSED AIR EQUIPMENT OR NON-AEROSOL PUMP

ACTIVE INGREDIENTS:  
Pyrethrins..... 0.02%  
\*Piperonyl Butoxide, Technical.... 0.20%  
INERT INGREDIENTS:..... 99.78%  
100.00%

\*Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
See side panel for additional precautions.

DO NOT TRANSPORT OR STORE  
UNDER 32°F

If freezing occurs, thaw and agitate vigorously.

ACCEPTED  
with COMMENTS  
to EPA Label (Date)  
PYRENONE - Registered trademark of  
Fairfield American Corporation

JAN 9 1985

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 10900-82

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO OPERATE: SHAKE BEFORE USING. Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage.

TO OPERATE: SHAKE BEFORE USING. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

Use on the following: Beans, Broccoli, Cauliflower, Brussels Sprouts, Cabbage plant, Lettuce, Mustard, Turnips, Pepper, Spinach, and Tomatoes. asparagus beetles, aphids, whiteflies, Mexican beetle, cross-striped cabbageworm, moth larvae, flea beetle, imported cabbageworms, peach aphids, leafminer, blister beetles, Colorado and webworms.

Use on the following: Violets, Azaleas, Begonias, Dahlias, Dogwood, Rose, Asters, Carnations, Chrysanthemums, Gladiolus and aphids, flea beetles, whiteflies.

To kill gypsy moth caterpillars, adult Japanese beetles, forest tent caterpillars.

On Trees and Shrubs: Treat as soon as insects emerge (spring). Treat leaves, trunks evenly, making dense foliage. Repeat every 7 days as necessary for control.

On Boards and in Flower and flowers as soon as possible. Spray plants and flowers penetrate dense foliage every 7 days or as needed.

INDOORS AS A SPACE SPRAY

To control house flies, gnats, and mosquitoes, apply using a good space to deliver a fine mist. exposed food and food preparation areas. Close windows and doors. upper portions of the room with mist. Use 4 cubic feet of space. Run at least 30 minutes. Ventilate before re-treatment as necessary.

SEE REVERSE

0000  
0000

Buyer's # 10500-20 P11 111

**OUTDOORS, ADULT MOSQUITO CONTROL**

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 5 to 6 quarts per acre (4 ounces per 1000 square feet).

To control mosquito larvae, apply at the rate of 7.75 gallons per acre or .18 gallons per 1000 square feet. Apply as a coarse wetting spray to the border of, or on shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

**DISPOSAL**

Do not reuse empty container. Wrap container and put in trash collection.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

**CAUTION:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BATCH  
[ ]

Printed in U.S.A.

NET CONTENTS: \_\_\_\_\_