

**NOTICE OF PESTICIDE REGISTRATION**  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

893 Total Release Fogger II

16-000-98

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Sprayon Products  
Division of The Sherwin-Williams Co.  
26300 Fargo Avenue  
Bedford Heights, OH 44146

160 / 41578  
18

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase, "EPA Registration No. 109001-98".
- b. On the front panel replace the phrase, and more, with "and other listed pests" when identifying which pests are treated by the product.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

- c. Add to the section on Statements of Practical Treatment on the back panel under the Precautionary Statements as follows:

**Statement of Practical Treatment**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

**IF ON SKIN:** Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

- d. Add the precaution to the Directions for Use :

Do not use in commercial food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed.

- e. Add the following statement to the Hazards to Humans and Domestic Animals statement:

Remove pets, birds and cover fish aquariums before spraying.

- f. Delete the Environmental Hazards statement since the intended use of this product is indoor household only.

- g. Under the Directions of Use add the following precautions:

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

3. With regards to the product chemistry, please submit the following information:

- a. The upper and lower certified limits of the individually added inerts, i.e. columns 14a and 14b, should be completed on the Confidential Statement of Formula.
- b. Statement of Composition: Describe the equipment used, mixing time, temperature, pressure, etc. in the manufacturing/formulation process.

4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager 13  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

**Total Release Fogger II**

**Front Panel**

**Kills Cockroaches, Fleas, Flies, Mosquitoes, Rice, Weevils,  
Small Flying Moths, Ticks and more.**

**°For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats,  
Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.**

**°Total Release Fogger.**

**°Automatic Discharge, Treats 5000 cubic feet.**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.050%
*N-Octyl bicycloheptene dicarboximide.....	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis- trans-3-(2,2-dichloroethenyl) 2,2- dimethylcyclopropanecarboxylate].....	0.400%
Related compounds.....	0.035%
INERT INGREDIENTS.....	99.115%
	<u>100.000%</u>

**\*MGK® 264, Insecticide Synergist**

**\*\*cis-trans isomer ratio: Min. 35% (+or -) cis Max. 65% (+ or -)  
trans**

**EVERCIDE, MGK® Registered trademarks of McLaughlin Gormley King Co.**

**EPA Reg. No. 10900-**

**EPA Est. No. 10900-OH-1 or 10900-CA-1 or 33915-MI-1**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated**

**AUG 11 1992**

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.**

**10900-98**

**See back panel for additional precautions:  
and practical treatment statements.**

**7 1/2 oz. • 213 g net wt.**

**Total Release Fogger II**

This product will kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, ~~Miss Houseflies~~, Saw-Toothed Grain Beetles, Small Flying Moths and Ticks.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.**

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To Lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**To Kill Ticks and Fleas:** Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool dry area away from heat or open flame.

**DISPOSAL:** Replace cap and discard container in trash. Do not incinerate or puncture.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful in swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

**ENVIRONMENTAL HAZARDS**

Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.