

PM 03
10900-98
01-21-99

PM 03 1 05 5

United States Environmental Protection Agency

January 21, 1999

M. Jamie Zajac
Sherwin-Williams Diversified Brands, Inc.
31500 Solon Road
Solon, OH 44139

Subject: Compliance with PR Notice 98-6
893 Total Release Fogger II
EPA Reg. No. 10900-98
Your letter dated October 7, 1998

Dear M. Zajac:

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records. Please submit two (2) copies of your final printed labeling before you release the product for shipment.

Please delete the following statements from the Directions for Use since they are either conflicting or redundant statements:

- a) Use additional units for remote rooms or where free flow of mist is not assured.
- b) Do not use this unit in a cabinet or under a counter or table.
- c) Do not use this unit in an area less than 100 cubic feet.

CONCURRENCES								
SYMBOL	7505C							
SURNAME	Keigwin							
DATE	1/21/99							

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

United States Environmental Protection Agency

If you have any questions regarding this action, please contact Tracy Keigwin of my team at (703) 305-6605.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

CONCURRENCES							
SYMBOL ▶				2			
SURNAME ▶							
DATE ▶							

EPA Form 1320-1 (12-70) OFFICIAL FILE COPY

893

Total Release Fogger II

**Kills Cockroaches, Fleas, Flies, Mosquitoes,
Rice Weevils, Small Flying Moths,
Ticks and other listed pests.**

**-For use in Rooms, Apartments, Homes, Attics, Basements
Campers, Boats, Household Storage Areas, Garages, Pet Sleeping
Areas, Cabins**

-Total Release Fogger.

-Automatic Discharge, Treats 6,000 cubic feet.

ACTIVE INGREDIENTS:

Pyrethrins..... 0.050%

*N-Octyl bicycloheptene dicarboximide 0.400%

Permethrin [******(3-Phenoxyphenyl) methyl
(+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-

dimethylcyclopropanecarboxylate]..... 0.400%

Related compounds..... 0.035%

INERT INGREDIENTS.....	99.115%
	100.000%

***MGK 264, Insecticide Synergist**

****cis-trans isomer ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans**

EVERCIDE.MGK

Registered trademarks of McLaughlin Gormely King Co.

EPA Reg. No.: 10900-98

EPA Est. No.: 10900-OH-1
10900-CA-1
33915-MI-1

SPRAYON

ACCEPTED
with COMMENTS
in EPA Letter Dated

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary and practical treatment statements.

7 1/2 oz. * 213 g net wt.

Jan 21, 1999
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.
10900-98

BACK PANEL WORDING

SPRAYON

893 Total Release Fogger II

This product will Kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths and Ticks.

Directions For Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

DO NOT use more than one fogger per room. DO NOT use in small enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller. Instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

Do not use in commercial food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

To Operate Valve: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment.

STORAGE AND DISPOSAL - Storage: Store in a cool dry area away from heat or open flame. **Disposal:** Replace cap and discard container in trash. Do not incinerate or puncture.

Precautionary Statements: Hazards to Humans and Domestic Animals.

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT: **If swallowed:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **If On Skin:** Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists. **If In Eyes:** Flush with plenty of water. Get medical attention if irritation persists. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degree F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
 Ingrediente Altamente Inflamable

Company Name: