5/31/2001





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 3 1 2001

M. Jamie Zajac Sherwin-Williams Consumer Group 601 Canal Road Cleveland, OH 44113

Subject:

Compliance with PR Notice 2001-1

893 Total Release Fogger II EPA Reg. No. 10900-98

Your Submission Dated March 27, 2001

Dear M. Zajac:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided you make the labeling changes indicated below prior to release for shipment of the product bearing the amended labeling:

- 1. Revise CFC statement on from panel to include: "Federal regulations prohibit CFC propellents in aerosols".
- Revise all retreatment statement so as to provide a minimal time interval between treatment.
- 3. Submit a revised Data Matrix to include product performance (efficacy) data you are using to support this product.
- 4. Per EPA letter dated 1 21/99. delete the following statements from the DIRECTIONS FOR USE since they are either conflicting or redundant statements:
 - Use additional units for remote rooms or where free flow of mist is not assured.
 - b. Do not use this unit in a cabinet or under a counter or table.
 - c. Do not use this unit in an area less than 100 cubic feet.

Submit two copies of your final printed labeling before you release this product for shipment. A stamped copy of the labeling is enclosed for your records. If you have any questions regarding this letter, please contact Linda Werrell Gerber of my team at (703) 308-8033.

George T. LaRocca

Product Manager 13

Insecticide Branch

Registration Division

TOTAL RELEASE FOGGER II

Kills Cockroaches, Fleas, Flies, Mosquitoes, Rice Weevils, Small Flying Moths, Ticks and other listed pests.

- -For use in Rooms, Apartments, Homes, Attics Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins
- -Total Release Fogger
- -Automatic Discharge, Treats 6,000 cubic feet

D 4 1	A 500/
Pyrethrins	.0.50%
*N-Octyl bicycloheptene dicarboximide).400%
Permethrin [**3-Phenoxyphenyl) methyl	
(+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-	
dimethylcyclopropanecarboxylate]0	.400%
Related compounds	0.035%
OTHER INGREDIENTS99	.115%
100	.000%

*MGK 264, Insecticide Synergist

**cis-trans isomer ratio: Min. 35% (+ or-) cis Max. 65% (+ or -)

trans

EVERCIDE.MGK

Registered trademark of McLaughlin Gormley King Co.

EPA Reg. No.: 10900-98

EPA Est. No.: 10900-OH-1

33915-MI-1

SPRAYON

KEEP OUT OF REACH OF CHILDREN CAUTION

A AN ANNUARY TO THE	011011011
ACCEPTED	See side/back panel for additional precautionary statements
with COMMENTS	bee side outer pariet for additional precautionally statement.
In EPA Letter Dated	
	oz g nt. wt.

MAY 31 2001

Under the Foderal Insecticide, Fundaded, and Redenticide Act, as anounded, for the posticide registered under EPA Ress. No. This product kills Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths and Ticks.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

DO NOT use more than one fogger per room. DO NOT use in small enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller. Instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mists is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

Do not use in commercial food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

TO KILL TICKS AND FLEAS: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment.

PRECAUTIONARY STATEMENTS - Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID

IF SWALLOWED

- -Immediately call a poison control center or doctor.
- -Do not induce vomiting unless told to do so by a poison control center or doctor.
- -Do not give any liquid to the person.
- -Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING

- -Take off contaminated clothing.
- -Rinse skin immediately with plenty of water for 15-20 minutes.
- -Call a poison control center or doctor for treatment advice.

IF IN EYES

- -Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- -Call a poison control center or doctor for treatment advice.

IF INHALED

- -Move person to fresh air.
- -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- -Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS: Contents Under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the

"Directions for Use" on this label very carefully.

Why

Highly Flammable Ingredient Ingrediente Altamente Inflamable

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Company Name