

RECOMMENDED
 In Accordance with EPA Reg 32-2,
 Based on Draft Labeling 1/4/82

10/5/82

Permethrin 40%
 80%
 100%
 fl Lindene per gallon.

**KEEP CHILDREN
 AWAY
 FROM TREATMENT**
 If person Control Center immediately.
 If vomiting by touching the back
 of fluid is clear. Do not induce
 unconscious person.
 Apply artificial respiration if in-
 capable and wash affected areas with
 soap and water.
 or. Call a physician immediately.

**NOT FOR USE BY
 APPLICATORS ONLY.**
PRECAUTIONARY STATEMENTS.
 2-411-1
 12-23
 Haynes Chemical Co.
 1 Forks, MN 56721
 2-04-101

DIRECTIONS FOR USE (continued)

Haynes Flowable Lindene 40% will protect seeds and seedlings against damage from wireworms and seed corn maggots.

Seed	Dosage Rate/100 lbs. of Seed	Seed	Dosage Rate/100 lbs. of Seed
Corn	4.0 fl. oz.	Barley	2.0 fl. oz.
Peas	2.0 fl. oz.	Sugar Beets, Beets	8.0 fl. oz.
Sorghum	1.0 fl. oz.	Beans	0.6-1.0 fl. oz.
Wheat, Rye, Oats	1.0 fl. oz.	Sunflowers	2.0 fl. oz.
Cucumbers, Watermelons,		Cotton:	
Cantaloupes, Squash	3.6 fl. oz.	Acid Delinted or	
Sudan Grass	0.8 fl. oz.	Reginned	4.0 fl. oz.
Cabbage, Cauliflower,		Fuzzy - not delinted	4.5 fl. oz.
Broccoli, Brussel		Lentils	2.0 fl. oz.
Sprouts	3.6 fl. oz.	Safflower	1.0 fl. oz.
Carrots Onions	2.0 fl. oz.	Radishes	1.0 fl. oz.

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or food for animals. Refer to 21CFR, Part 2.25. Any dye added to treated seed must be cleared for use under 40CFR, Part 180.1001.

Labels for commercially treated seed should include the following addition to the Environmental Hazards statements:

"Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

WARRANTY STATEMENT

Haynes Chemical Co. warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Haynes Chemical Co. neither makes, nor authorizes, any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

May be fatal if swallowed or absorbed through skin. Harmful if inhaled. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing.

Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed in dairy animals or to animals being finished for slaughter.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply directly to water. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting time.

Mix thoroughly before use or use entire container at one time. Haynes Flowable Lindane 40% may be tank mixed with Vitevax 200 Flowable Fungicide, at the respective labeled rate. All other tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

This product is to be used in liquid or slurry treaters.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with Haynes Flowable Lindane 40% must be labeled in accordance with all applicable requirements of the Federal Seed Act.

STORAGE AND DISPOSAL

"Do not contaminate water, food or feed by storage or disposal."

STORAGE: Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.

PESTICIDE DISPOSAL: Pesticides, spray mixtures, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

**HAYNES
FLOWABLE
LINDANE 40%**

ACTIVE INGREDIENT:

Lindane (Gamma Isomer of Benzene Hexachloride)

40%

INERT INGREDIENTS

60%

This product contains 4 lbs. of Lindane per gallon.

100%

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Est. No. 10912-MN-1

EPA Reg. No. 10912-23

Manufactured by Haynes Chemical Co.
P.O. Box 30 — East Grand Forks, MN 56721

Net Contents 5 Gallons

DIRECTIONS FOR USE (continued)

Haynes Flowable Lindane 40% will protect seeds and seedlings against damage from wireworms and seed corn maggots.

Seed	Dosage Rate/100 lbs. of Seed	Seed	Dosage Rate/100 lbs. of Seed
Corn	4.0 fl. oz.	Barley	2.0 fl. oz.
Peas	2.0 fl. oz.	Sugar Beets, Beets	8.0 fl. oz.
Sorghum	1.0 fl. oz.	Beans	0.5-1.0 fl. oz.
Wheat, Rye, Oats	1.0 fl. oz.	Sunflowers	2.0 fl. oz.
Cucumbers, Watermelons, Cantaloupes, Squash	3.6 fl. oz.	Cotton:	
Sudan Grass	0.8 fl. oz.	Acid Delinted or	
Cabbage, Cauliflower, Broccoli, Brussel		Reginned	4.0 fl. oz.
Sprouts	3.6 fl. oz.	Fuzzy - not delinted	4.5 fl. oz.
Carrots Onions	2.0 fl. oz.	Lentils	2.0 fl. oz.
		Safflower	1.0 fl. oz.
		Radishes	1.0 fl. oz.

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR, Part 2.25. Any dye added to treated seed must be cleared for use under 40CFR, Part 180.1001.

Labels for commercially treated seed should include the following addition to the Environmental Hazards statements:

"Exposed treated seed may be hazardous to birds and other wildlife.
Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

WARRANTY STATEMENT

Haynes Chemical Co. warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Haynes Chemical Co. neither makes, nor authorizes, any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

May be fatal if swallowed or absorbed through skin. Harmful if inhaled. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing.

Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed in dairy animals or to animals being finished for slaughter.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply directly to water. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting time.

Mix thoroughly before use or use entire container at one time. Haynes Flowable Lindane 40% may be tank mixed with Vitavax 200 Flowable Fungicide, at the respective labeled rate. All other tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

This product is to be used in liquid or slurry treaters.

The Federal Food and Drug Administration has set official tolerances for certain pesticides residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with Haynes Flowable Lindane 40% must be labeled in accordance with all applicable requirements of the Federal Seed Act.


STORAGE AND DISPOSAL

"Do not contaminate water, food or feed by storage or disposal."

STORAGE: Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.

PESTICIDE DISPOSAL: Pesticides, spray mixtures, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.



ACTIVE INGREDIENT:

Lindane (Gamma Isomer of Benzene Hexachloride) 40%

INERT INGREDIENTS 60%

100%

This product contains 4 lbs. of Lindane per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Est. No. 10912-MN-1
EPA Reg. No. 10912-23

Manufactured by Haynes Chemical Co.
P.O. Box 30 — East Grand Forks, MN 56721

Net Contents 5 Gallons

HAYNES FLOWABLE LINDANE 40%

ACTIVE INGREDIENT:

Lindane (Gamma isomer of Benzene Hexachloride)	40%
INERT INGREDIENTS	60%
	100%

This product contains 4 lbs. of Lindane per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Est. No. 10912-MN-1
EPA Reg. No. 10912-23

Manufactured by Haynes Chemical Co.
P.O. Box 30 — East Grand Forks, MN 56721

Net Contents 5 Gallons

DIRECTIONS FOR USE (continued)

Haynes Flowable Lindane 40% will protect seeds and seedlings against damage from wireworms and seed corn maggots.

Seed	Dosage Rate/100 lbs. of Seed	Seed	Dosage Rate/100 lbs. of Seed
Corn	4.0 fl. oz.	Barley	2.0 fl. oz.
Peanut	2.0 fl. oz.	Sugar Beets, Beets	8.0 fl. oz.
Sorghum	1.0 fl. oz.	Beans	0.5-1.0 fl. oz.
Wheat, Rye, Oats	1.0 fl. oz.	Sunflowers	2.0 fl. oz.
Cucumbers, Watermelons,		Cotton:	
Cantaloupes, Squash	3.6 fl. oz.	Acid Delinted or	
Sudan Grass	0.8 fl. oz.	Reginned	4.0 fl. oz.
Cabbage, Cauliflower,		Fuzzy - not delinted	4.5 fl. oz.
Broccoli, Brussel		Lentils	2.0 fl. oz.
Sprouts	3.6 fl. oz.	Safflower	1.0 fl. oz.
Carrots Onions	2.0 fl. oz.	Radishes	1.0 fl. oz.


NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR, Part 2.25. Any dye added to treated seed must be cleared for use under 40CFR, Part 180.1001.

Labels for commercially treated seed should include the following addition to the Environmental Hazards statements:

"Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

WARRANTY STATEMENT

Haynes Chemical Co. warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Haynes Chemical Co. neither makes, nor authorizes, any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material.



ACTIVE INGREDIENT:		
Lindene (Gamma Isomer of Benzene Hexachloride)	40%	
INERT INGREDIENTS	60%	
	100%	

This product contains 4 lbs. of Lindene per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING
STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.**
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Est. No. 10912-MN-1
EPA Reg. No. 10912-23
Manufactured by Haynes Chemical Co.
P.O. Box 30 — East Grand Forks, MN 56721
Net Contents 2 1/2 Gallons



**PRECAUTIONARY
HAZARDS TO HUMANS**

W A R

May be fatal if swallowed or absorbed through skin irritation. Do not get in eyes, on skin, or on clothing.
Avoid contamination of feed and foodstuffs. Do not use on feed or forage to be fed in dairy animals.

ENVIRONMENT

This product is toxic to fish, birds and aquatic life. Do not apply directly to water. Apply to plants.

DIRECTION

It is a violation of federal law to use this product on seeds of agricultural plants.
Treated seed must not be used for or mixed with untreated seed. Treat only those seeds needed for immediate use and planting time.

Mix thoroughly before use or use entire contents. Do not mix with other flowable pesticides. Other tank mixes should be pre-tested to determine. Observe all cautions and limitations of other pesticides.

This product is to be used in liquid or slurry form.

The Federal Food and Drug Administration has established tolerances for residues on food crops. In order that residues on food crops do not exceed these tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with untreated seed. Do not use on seeds of agricultural plants commercially treated with Haynes Flowable Lindene. Observe all applicable requirements of the Federal Seed Act.

STORAGE

Do not contaminate water, food, or feed. Store in a cool place. Do not store at high temperatures.

PESTICIDE DISPOSAL: Pesticides, spray or liquid, according to label instructions must be disposed of in accordance with state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other means approved by local authorities.

Handwritten note:
In Accordance with...
10/10/51

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed or absorbed through skin. Harmful if inhaled. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing.
Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed in dairy animals or to animals being finished for slaughter.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply directly to water. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting time.

Mix thoroughly before use or use entire container at one time. Haynes Flowable Lindane 40% may be tank mixed with other flowable fungicides, at the respective labeled rate. All other tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

This product is to be used in liquid or slurry treaters.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on seed and forage crops will not exceed established tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with feed or animal feed, or processed for oil. Seed commercially treated with Haynes Flowable Lindane 40% must be labeled in accordance with all applicable requirements of the Federal Seed Act.

STORAGE AND DISPOSAL

"Do not contaminate water, food or feed by storage or disposal."

STORAGE: Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.

PESTICIDE DISPOSAL: Pesticides, spray mixtures, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.


CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other means if allowed by state and local authorities.

*In Accordance with EPA 10/2/52
Public Law 105-116*

hexachlorocyclopentadiene 40%
..... 60%
of Lindane per gallon. 100%

**KEEP OUT OF REACH OF CHILDREN
WARNING
FIRST AID TREATMENT**
If swallowed, call Poison Control Center immediately. Do not induce vomiting by touching the back if fluid is clear. Do not induce vomiting in an unconscious person.
Apply artificial respiration if breathing is stopped.
If on skin, wash with soap and water.
If in eyes, wash with water.
If inhaled, get fresh air.
If necessary, call a physician immediately.

**NOT FOR USE BY
OPERATORS ONLY.**
PRECAUTIONARY STATEMENTS
-MN-1
1912-23
Chemical Co.
Forks, MN 56721
2 Gallons



In accordance with EPA Reg. 10912-23, Part 10912-23-2
10/15/82

ACTIVE INGREDIENT:		
Lindane (Gamma Isomer of Benzene Hexachloride)	40%	
INERT INGREDIENTS	60%	
	100%	

This product contains 4 lbs. of Lindane per gallon.

KEEP OUT OF REACH OF CHILDREN
WARNING
STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.**
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Est. No. 10912-MN-1
EPA Reg. No. 10912-23
Manufactured by Heynes Chemical Co.
P.O. Box 37 -- East Grand Forks, MN 56721
Net Contents 2 1/2 Gallons

DIRECTIONS FOR

Heynes Flowable Lindane 40% will protect from wireworms and seed corn maggots.

Seed	Dosage Rate/100 lbs. of Seed
Cor.	4.0 fl. oz.
Peas	2.0 fl. oz.
Sorghum	1.0 fl. oz.
Wheat, Rye, Oats	1.0 fl. oz.
Cucumbers, Watermelons, Cantaloupes, Squash	3.6 fl. oz.
Sudan Grass	0.8 fl. oz.
Cabbage, Cauliflower, Broccoli, Brussel Sprouts	3.6 fl. oz.
Carrots Onions	2.0 fl. oz.

NOTE: The purchaser of this product is treated with this product are adequately protected against accidental use as food for man or feed for livestock. Dye added to treated seed must be clear.

Labels for commercially treated seed should include Environmental Hazards statements:

"Exposed treated seed may be hazardous to aquatic life. Dispose of all excess treated seed in bodies of water."

WARRANTY

Heynes Chemical Co. warrants that the product is of good quality and is reasonably fit for use in accordance with directions on the label. Heynes Chemical Co. neither makes, nor represents, nor warrants, expressed or implied, any other warranty of FITNESS FOR USE.