

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. May be absorbed through skin. May cause dizziness, headache and skin irritation. Do not get in eyes, on skin or on clothing.

Wash hands, arms, and face thoroughly with soap after handling. Do not eat, drink, or smoke. Routinely shower or bathe after working and wash all clothing worn during use with hot water before re-use. During exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing, and a pesticide respirator. Jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed in dairy animals or to animals being fattened for slaughter.

Treated seed must not be used for or mixed with food or animal feed, or processed for feed. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with applicable requirements of the Federal Seed Act.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Treated seed must not be used for or mixed with food or animal feed, or processed for feed. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting time.

Use thoroughly before use or use entire container at one time. Haynes Flowable Lindane 40% may be tank mixed with Vitavax 200 Flowable Fungicide, at the respective labeled rate. A compatibility test should be pre-tested to determine physical compatibility between fungicides. Observe all cautions and limitations on labeling of all products used in mixtures.

This product is to be used in liquid or slurry treaters.

The Federal Food and Drug Administration has set official tolerances for certain pesticides. Residues in order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with food or animal feed, or processed for feed. Seed commercially treated with Haynes Flowable Lindane 40% must be labeled in accordance with applicable requirements of the Federal Seed Act.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


STORAGE: Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.

PESTICIDE DISPOSAL: Pesticides, spray mixtures, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

DOCUMENT AVAILABLE

10912-23



ACTIVE INGREDIENT:

Lindane (Gamma isomer of Benzene hexachloride) 40%

INERT INGREDIENTS

60%

This product contains 4 lbs. of Lindane per gallon

100%

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

FOR AGRICULTURAL USE OR FOR USE BY COMMERCIAL SEED TREATERS ONLY.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Est. No. 10912-MN-1
EPA Reg. No. 10912-23

Manufactured by Haynes Chemical
P.O. Box 30 - East Grand Forks, MN 56423

Net Contents 5 Gallons

DIRECTIONS

Haynes Flowable Lindane 40%
from wireworms and seed

Dosage Rates

- Seed
- Corn
- Peas
- Sorghum
- Wheat, Rye, Oats
- Cucumbers, Watermelons, Canteloupes, Squash
- Sudan Grass
- Cabbage, Cauliflower, Broccoli, Brussel Sprouts
- Carrots Onions

NOTE: The purchaser of this product should be treated with this product as food for man. Do not dye added to treated seed.

Labels for commercially treated seed must include Environmental Hazards statement.

"Exposed treated seed should be disposed of in bodies of water."

WARNINGS

Haynes Chemical Co. warrants that the product is as represented on the label and is recommended for use in accordance with the label. Haynes Chemical Co. neither warrants nor represents to make any other warranty, representation, expressed or implied.

INMALS

II. Causes of

low rates of
with the
and
patients who
do respirator
nally the US
Health and

in store with
suffer
insecticide
when used
Seed com
code 416

eds may be
dual drug
eager to
ifed on this

Labeling

used for all
treatment

Some 40%
to rate AT
in formula
with

Pesticides
labeled

of Seed
treated with


Using

used
treated
and

and

THIS DOCUMENT AVAILABLE

10912-23



ACTIVE INGREDIENT:

Lindane (Gamma Isomer of Benzene Hexachloride)

40%

INERT INGREDIENTS

60%

This product contains 4 lbs. of Lindane per gallon

100%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.**

Est. No. 10912-MN-1

EPA Reg. No. 10912-23

Manufactured by Haynes Chemical Co.
P.O. Box 30 - East Grand Forks, MN 56721

Net Contents 5 Gallons

DIRECTIONS FOR USE (continued)

Haynes Flowable Lindane 40% will protect seeds and seedlings against damage from wireworms and seed corn maggots.

Seed	Dosage Rate/100 lbs. of Seed	Seed	Dosage Rate/100 lbs. of Seed
Corn	4.0 fl. oz.	Barley	2.0 fl. oz.
Peas	2.0 fl. oz.	Sugar Beets, Beets	8.0 fl. oz.
Sorghum	1.0 fl. oz.	Beans	0.5-1.0 fl. oz.
Wheat, Rye, Oats	1.0 fl. oz.	Sunflowers	2.0 fl. oz.
Cucumbers, Watermelons,		Cotton:	
Cantaloupes, Squash	3.6 fl. oz.	Acid Delinted or	
Sudan Grass	0.8 fl. oz.	Reginned	4.0 fl. oz.
Cabbage, Cauliflower,		Fuzzy - not delinted	4.5 fl. oz.
Broccoli, Brussel		Lentils	2.0 fl. oz.
Sprouts	3.6 fl. oz.	Safflower	1.0 fl. oz.
Carrots Onions	2.0 fl. oz.	Radishes	1.0 fl. oz.

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR, Part 2.25. Any dye added to treated seed must be cleared for use under 40CFR, Part 180.1001.

Labels for commercially treated seed should include the following addition to the Environmental Hazards statements:

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water.

WARRANTY STATEMENT

Haynes Chemical Co. warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Haynes Chemical Co. neither makes, nor authorizes, any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material.

that give (b) notice of your revised label printed labeling before you release the product for shipment under the revised labeling.

A true copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a special local needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1954. After that date, all remaining inventories of affected products will fall under the existing stock provisions stated in our letter of October 28, 1953.

Sincerely yours,

George T. Laxocca
Product Manager (15)
Insecticides-Poisonicide Branch
Registration Division (95-767)

Enclosure

U. S. DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C. 20250-1000