PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. May be absorbed through skin. Harmful if inhaled. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing.

Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after working and wash all clothing with soap and not water before re-use. During exposure in seed treatment and loading operations wear goggles, clean synthetic rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

Avoid contamination of feed and foodstuffs, Do not store with food. Do not store with feed or forage to be fed in dairy animals or to animals being finished for slaughter

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

ł

STORAGE: Store in a cool place. Do not store in direct sunlight. Do not allow to freeze.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to Tabel instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

LIQUID TRINOX LX

SEED TREATMENT

ACTIVE INGREDIENTS:

Maneb (Manganese ethylene bisdithiocarbamate)	21.0%
Lindane (Gamma Isomer of Benzene Hexachloride)	10.5%
INERT INGREDIENTS	68.5%
	100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person or convulsing person.

IN CASE OF EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. Call a physician.

IN CASE OF SKIN CONTACT: Wash the affected area with soap and warm water.

IF, INHALED, Remove victim to fresh air. Apply respiration if indicated.

JUL 1 3 1983 Under the Federal Issaefoode, Net Contents 212 Gallons

EPA Est. No. 10912-MN-1 EPA Reg. Nc. 10912-28

Funcicine, at 1 liston, and Act as cancelled for the purifical function of the purifical functio

I fquid Trinox UX is a soe bisdichiocaruumute: (Maifluindone) which, when a crops against certain so smut, covered and false I porary protection to cere diseases such as foot rolland seedlings against will Liquid Trinox LX is espec Treatment.

It is a violation of feder with its labeling. Treate animal feed, or processe use, minimizing the int excess treated seeds be; Wheat — Use rate of 3.0 Barley, Oats, Rye — Use Flax — Use rate of 8 oz. Corn and Soybeans — L Mix Liquid Trinox LX the

(1) Placing and level apply one-half of the to uniformly on or under t the Liquid Trinox LX on has disappeared and cc HANDS.

(2) Dribble the requiseed as it is poured into Avoid very deep seeding tions for maximum beneficined, dry and clean bet

Haynes Chemical Comp description on the labe only when used in accolabel. Haynes Chemica representative to mak guarantee or represent: