

aqua-serv engineers, inc.

2431 EAST 56th STREET, LOS ANGELES, CALIFORNIA 90058 • Telephone 582-8246

The logo consists of the word "aqua-serv" in a white, lowercase, sans-serif font, centered within a solid black oval.

A-101 ALGAECIDE BRIQUETTES

EPA REG. NO. 10932-1
CALIF. REG. NO. 10932 50001AA

FOR THE CONTROL OF ALGAE IN INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

Active Ingredients—Sodium Pentachlorophenate	39.50%
Sodium Salts of other chlorophenols	5.50%
Inert Ingredients	55.00%

DIRECTIONS FOR USE: Use only as directed for the control of algae in industrial recirculating water cooling towers.
DOSAGE: Initial Dose—Apply one pound (3 briquettes) of A-101 per 1000 gallons of water in the system. Repeat until control is achieved. Subsequent Dose—When microbial control is evident add 2-3 pounds (2 briquettes) of A-101 per 1000 gallons of water in the system every seven days or as needed to maintain control. Do not use in potable water supplies or domestic applications. Badly fouled systems should be cleaned before adding product. Refer to Product Bulletin A-101 for detailed application directions.


CAUTION: Keep out of the reach of children. Harmful if swallowed. Do not breathe dust. Causes skin irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. In case of contact, immediately wash with soap and plenty of water; for eyes, flush with plenty of water for at least 15 minutes, and get medical attention. Do not reuse container. Destroy when empty.
This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

WARRANTY: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of the use or handling and accepts the product on these conditions.

ANTIDOTE

EXTERNAL: Flood with water, then wash with 20% alcohol solution or 50% glycerin solution.

INTERNAL: Give a full tablespoon of baking soda in a glass of warm water and repeat until vomit fluid is clear. Give milk or white of eggs beaten in water. Have patient lie down and keep warm. Call a Physician.



Each briquette weighs 1/3 lb.

Net weight 50 pounds


scientific water treatment practically applied



aqua-serv engineers, Inc.

2431 EAST 56th STREET, LOS ANGELES, CALIFORNIA 90058 • 582-8246

PRODUCT BULLETIN



A HIGHLY EFFECTIVE BRIQUETTE COMBINATION OF CHLOROPHENATES

FOR THE CONTROL OF ALGAE IN
INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

°Powerful killing ingredients control a wide variety of algae growth.

°Convenient to use and quick-acting.

DESCRIPTION

A-101 is a blend of chlorinated phenols formulated for optimum effectiveness in controlling algae growths. It is manufactured as a dust-free, convenient to use briquette.

DOSAGE

Determine total water capacity in gallons of the system being treated by adding the capacity to the cooling tower basin to the estimated capacity of piping and heat exchange equipment. (To determine the basin capacity in gallons, multiply the product of length, width, and depth of the water in feet by 7.5).

Dosage: Initial Dose - Apply 1 pound (3 briquettes) of A-101 per 1000 gallons of water in the system. Repeat until control is achieved.

Subsequent Dose - When microbial control is evident add 2/3 pounds (2 briquettes) of A-101 per 1000 gallons of water in the system every 7 days or as needed to maintain control.

SERVICE

Regular service calls will be made by your Aqua-Serv Representative. All recommendations and adjustment for correct treatment will be discussed at

NOTE: When treating industrial recirculating water cooling towers, normal bleed-off (blowdown) rates will result in gradual dilution of A-101. To obtain optimum results, it is desirable to bleed the system heavily just prior to the addition of A-101 and then shut off the blowdown completely for several hours. Care should be taken to reset the bleed-off at the recommended rate at the end of this period.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Badly fouled systems should be cleaned before adding product.

HANDLING

Do not use in potable water systems. Keep container closed when not in use. Causes skin irritation. Harmful if swallowed. Do not breathe dust. Do not get in eyes, on skin or on clothing. In case of skin or eye contact, flush with water for 15 minutes and get medical attention.

PACKAGING

A-101 is packaged in lined cartons containing 150 briquettes each. Net weight per carton