0

132

Op

DANGER: Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 460°F, with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases.

Never add water to product. Always add product to large quantities of water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion.

IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self-contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. Do not use ABC or other dry chemical extinguishers since there is the potential for a violent reaction.

IN CASE OF CONTAMINATION OR DECOMPOSITION: Do not reseal container. Follow disposal instructions on label.

EMERGENCY CONTACT FROM ANYWHERE IN THE COUNTRY (24 HOURS PER DAY): (800) 424-9300 (CHEMTREC)

NET	WEIGHT:	

FOR CONTROL OF BACTERIA, FUNGLAND ALGAE IN RECIRCULATING WATER

COOLING TOWERS

When used as directed, this product is a high performance chlorine microbiocide, which aids in the control of organic slimes of algae, bacteria and fungi in water systems.

KEEP OUT OF REACH OF CHILDREN DANGER

	FIRST AID
<u> </u>	[Pesticide Class: General]
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If swallowed	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
ļ	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
lf on skin or	Take off contaminated clothing
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
Ĺ	Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
Have the produ treatment.	ct container or label with you when calling a poison control center or doctor, or going for
	NOTE TO PHYSICIAN
	Probable mucosal damage may contraindicate the use of gastric lavage.

AQUA-SERV®

See side panel for DIRECTIONS FOR USE.

ENGINEERS, INC.

a subsidiary of Harpure Enterprises, Inc.

13560 Colombard Court, Fontana, CA 92337 • (909) 681-9696

EPA EST. NO. 10932-CA-1

EPA REG. NO. 10932-8

This product is intended for use in the following aquatic sites: Air Washer Water Systems, Commercial/Industrial Water Cooling Systems, Evaporative Condenser Water Systems, Ornamental Ponds and Aquaria, Heat Exchange Water Systems, Industrial Scrubbing Systems, Industrial Auxiliary Water Systems, Industrial Process Water, Industrial Waste Disposal Systems, Pasteurizer/Warmer/Cannery Cooling Water Systems.

This product may be added to the system by direct placement into the water at a point where the product will be uniformly mixed with water. The frequency of feeding and duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatment begins

Intermittent or slug method

Initial Dose: When the system is noticeably fouled, add this product at the rate of 0.44 to 2.18 pounds per 1000 gallons (52 to 262 grams per 1000 liters) in the system to achieve 0.5 to 10 mg/L total available halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

Subsequent Dose: When microbial control is evident, add this product at the rate of 0.09 to 0.44 pounds per 1000 gallons (10.5 to 52.4 grams per 1000 liters) in the system to achieve 0.5 to 1 mg/L total available halogen as chlorine, as measured by a suitable test kit. Repeat as needed to maintain control.

Continuous feed method

Initial Dose: When the system is noticeably fouled, add this product at the rate of 0.44 to 2.18 pounds per 1000 gallons (52 to 262 grams per 1000 liters) in the system to achieve 0.5 to 10 mg/L total available halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

Subsequent Dose: When microbial control is evident, add this product at the rate of 0.09 to 0.44 pounds per day per 1000 gallons (10.5 to 52.4 grams per day per 1000 liters) in the system to maintain 0.5 to 1 mg/L total available halogen as chlorine, as measured by a suitable test kit.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

STORAGE: Keep material dry and in a dry area. Store in original container where temperatures do not exceed 125°F.(52°C) for 24 hours. Keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

Do not put product, spilled product, or filled or partially filled containers into the trash or waste compactor. Contact with incompatible materials could cause a reaction and fire. Do not transport wet or damp material. Neutralize material to a non-oxidizing state for safe disposal.

CONTAINER DISPOSAL:

Fiber Drum: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration as allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

m:\hc\ci\labels\agua-serv\label revisions\lbl a 109.(I).label-aguas 08-16-01.cam.doc

ACCEPTED

JAN 10 2002

o far feriend beschlichte fergickle.

ઈવેંગ્રગ્ર-જ

LABEL 13

11