

aqua-serv engineers, inc.

2431 EAST 56th STREET, LOS ANGELES, CALIFORNIA 90058 • (213) 582-3246

EPA EST. NO. 10932-CA-1 EPA REG. NO. 10932-9

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gioves when handling. May be harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your Sate Water Board or Regional

Office of the EPACCEPTED

10932

DEC 19 1985

Under the Federal Interfactor of Funying Inc. and Rodenticker Arthogogather and a summaded, for the population of EPA Reg. No.

WEIGHT: 7.9 LBS./GAL.



A-108

MICROBIOCIDE

A MICROBIOCIDE FOR USE IN CONTROLLING ALGAE IN COMMERCIAL AND INDUSTRIAL RECIRCULATING WATER COOLING TOWERS.

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride16	.67%
Isopropyl alcohol 6	.67%
INERT INGREDIENTS:76	.66%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

If on skin: Flush with water for at least 15 minutes. Remove and wash out contaminated clothing before reuse. If irritation persists, get medical attention.

If in eyes: Flush eyes with water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT:

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a matter inconsistent with its labeling.

Clean badly fouled systems before starting treatment. When algae is first noted, add an initial dosage of 16.0 to 24.0 fluid ounces of A-108 per 1,000 gallons of water to provide a concentration of 20 to 30 parts per million of A-108 based on total weight of water in the system. Repeat initial dosage until control is evident. Subsequent slug additions of 6.0 to 9.0 fluid ounces of A-108 per 1,000 gallons of water (7.5 to 11 parts per million of A-108) should be added every 2 to 5 days or as needed to maintain control. Apply at a point in the system where the A-108 will be uniformly mixed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at your EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.